


3 1761 11555869 4

Government
Publications

CAI HW51
H55

HOSPITAL MORBIDITY STATISTICS

Based on the experience of
provincial hospital insurance
plans in Canada
January 1-December 31, 1963



Department of National Health
and Welfare

Ottawa

December 1965.



1067036

FOREWORD


This bulletin, based on hospital morbidity experience for the year 1963, is the third of its type to be published by the Department of National Health and Welfare.

The tables have been compiled and consolidated from data prepared by Provincial and Territorial Insurance Plans. In some instances, the data have already been published, in full or in part, by the provinces in their individual Annual Reports; in others, the data have been submitted directly to this Department in unpublished form.

Hospital admission-separation forms provide the source material from which each province prepares its tables. The content and the format of the tables follow the uniform outline for hospital morbidity statistics recommended by the Working Party on Admission-Separation Forms and Related Matters, and approved by the Advisory Committee on Hospital Insurance and Diagnostic Services in 1961. Occasionally, some provinces did not provide the information for certain tables, as indicated by the various footnotes.

Separation rates and patient-day rates, are based on population estimates produced by the Dominion Bureau of Statistics for the year 1963, except where noted.

This report has been prepared by Mr. Archie McKenzie of the Biostatistics Division, Research and Statistics Directorate, with the assistance of Mr. Jacques Bazinet.



John E. Osborne, Director,
Research and Statistics.

INTRODUCTION

The information in this report is contained in tables covering the following aspects of hospitalization in Canada:

1. Summary of separations and the patient-days of these separations by the agency responsible for payment of hospitalization, by province.
2. Separations and patient-days by sex and age groups, separation rates and patient-day rates per 1,000 population, average length of stay and the percentage distributions of separations and patient-days by province.
3. Separations and patient-days of these separations by age group and length of stay in hospital, by province.
4. Separations and patient-days, separation rates and patient-day rates per 100,000 population, and average length of stay, by sex and age group, by the Canadian List of 98 diagnoses, for Canada.
5. Separations, patient-days, average length of stay, separation rates and patient-day rates per 1,000 population, by age group for the ten most common diagnoses, by province.
6. Separations, and separation rates per 100,000 population, and the rate per 1,000 separations for the twenty-five most common operations, by province.
7. Separations and patient-days for the 75 categories in the "Temporary List of Operations and Treatments", by province.
8. Separations and patient-days for the categories in a special list of infant diagnoses, for newborn infants and for infants under one year of age, by province.

When using the information in this bulletin, certain reservations should be kept in mind. The data are not meant to be a true measure of the actual amount of illness in each province or in Canada. They reflect only the morbidity experience of persons admitted to hospitals. No attempt is made to include sick persons who are treated at home, in a physician's office, or in out-patient clinics.

It must also be recognized that the counts of cases and patient-days apply to "separations". A separation is defined as a "discharge or death" occurring during the year. No account has been taken of multiple separations of an individual for the same illness or multiple separations of an individual for different illnesses during the year.

The number of "separations" is, therefore, somewhat greater than the number of individuals involved. It is not possible to determine from these data how much any individual may contribute to the total caseload of illnesses. Although these distinctions are of little importance from the point of view of those treating the sick person, they have definite interest for those concerned with hospital administration and planning of community services.

Hospital caseloads will tend to reflect those types of disease conditions which receive some benefit from hospital facilities and services, with particular emphasis on surgery and intensive medical treatment. Examples of such conditions are acute appendicitis and coronary attacks. Alternatively, illnesses which can be treated at home, or in the physician's office are less likely to appear in hospital morbidity statistics. Examples of such conditions are upper respiratory illnesses and rheumatism. Hospitalization data, therefore, may be a fair indicator of morbidity in some conditions but a poor indicator in others.

The data represent hospital utilization, or the amount of care provided. The provinces differ somewhat in their arrangements to provide this care, such as in the number of hospital beds available in relation to provincial population, the number of chronic facilities available, and the extent to which they are included in the hospital insurance program. Alternative forms of care, such as the care provided by nursing homes will vary from province to province. Comparisons of the effect of these factors on hospital utilization are beyond the scope of this publication.

LIST OF TABLES

<u>Table Number</u>		<u>Page</u>
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Prince Edward Island, 1963.	13
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Nova Scotia, 1963.	14
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Quebec, 1963.	15
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Manitoba, 1963.	16
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Saskatchewan, 1963.	17
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Alberta, 1963.	18
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, British Columbia, 1963.	19
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Yukon, 1963.	20
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Northwest Territories, 1963.	21
2a(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Number of Separations, Male.	22
2a(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Number of Separations, Female.	23
2a(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Number of Separations, Both Sexes.	24
2b(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Patient-Days since Admission, Male.	25

<u>Table Number</u>		<u>Page</u>
2b(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Patient-Days since Admission, Female.	26
2b(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Patient-Days since Admission, Both Sexes.	27
2c(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Average Length of Stay, Male.	28
2c(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Average Length of Stay, Female.	29
2c(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Average Length of Stay, Both Sexes.	30
2d(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Separation Rate per 1,000 Population, Male.	31
2d(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Separation Rate per 1,000 Population, Female.	32
2d(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Separation Rate per 1,000 Population, Both Sexes.	33
2e(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Patient-Day Rate per 1,000 Population, Male.	34
2e(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Patient-Day Rate per 1,000 Population, Female.	35
2e(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Patient-Day Rate per 1,000 Population, Both Sexes.	36
2f(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Percentage Distribution of Separations, Male.	37
2f(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Percentage Distribution of Separations, Female.	38

<u>Table Number</u>		<u>Page</u>
2f(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Percentage Distribution of Separations, Both Sexes.	39
2g(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Percentage Distribution of Patient-Days, Male.	40
2g(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Percentage Distribution of Patient-Days, Female.	41
2g(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1963. Percentage Distribution of Patient-Days, Both Sexes.	42
5a(i)	SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1963.	44
5a(ii)	PERCENTAGE DISTRIBUTION OF SEPARATIONS, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1963.	45
5a(iii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1963. Number of Separations, Male.	46
5a(iv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1963. Number of Separations, Female.	47
5a(v)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1963. Number of Separations, Male.	48
5a(vi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1963. Number of Separations, Female.	49
5a(vii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1963. Number of Separations, Male.	50
5a(viii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1963. Number of Separations, Female.	51
5a(ix)	SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1963.	52
5a(x)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1963. Number of Separations, Male.	53
5a(xi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1963. Number of Separations, Female.	54

<u>Table Number</u>		<u>Page</u>
5a(xii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1963. Number of Separations, Male.	55
5a(xiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1963. Number of Separations, Female.	56
5a(xiv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1963. Number of Separations, Male.	57
5a(xv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1963. Number of Separations, Female.	58
5a(xvi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1963. Number of Separations, Male.	59
5a(xvii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1963. Number of Separations, Female.	60
5a(xviii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1963. Number of Separations, Male.	61
5a(xix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1963. Number of Separations, Female.	62
5a(xx)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1963. Number of Separations, Male.	63
5a(xxi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1963. Number of Separations, Female.	64
5b(i)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1963.	65
5b(ii)	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1963.	66
5b(iii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1963. Patient-Days of Separations, Male.	67
5b(iv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1963. Patient-Days of Separations, Female.	68
5b(v)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1963. Patient-Days of Separations, Male.	69

<u>Table Number</u>		<u>Page</u>
5b(vi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENT, Prince Edward Island, 1963. Patient-Days of Separations, Female.	70
5b(vii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1963. Patient-Days of Separations, Male.	71
5b(viii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1963. Patient-Days of Separations, Female.	72
5b(ix)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN, ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1963.	73
5b(x)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1963. Patient-Days of Separations, Male.	74
5b(xi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1963. Patient-Days of Separations, Female.	75
5b(xii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1963. Patient-Days of Separations, Male.	76
5b(xiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1963. Patient-Days of Separations, Female.	77
5b(xiv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1963. Patient-Days of Separations, Male.	78
5b(xv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1963. Patient-Days of Separations, Female.	79
5b(xvi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1963. Patient-Days of Separations, Male.	80
5b(xvii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1963. Patient-Days of Separations, Female.	81
5b(xviii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1963. Patient-Days of Separations, Male.	82
5b(xix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1963. Patient-Days of Separations, Female.	83
5b(xx)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1963. Patient-Days of Separations, Male.	84
5b(xxi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1963. Patient-Days of Separations, Female.	85

<u>Table Number</u>		<u>Page</u>
6(a)	SEPARATIONS BY PRINCIPAL DIAGNOSIS? BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1963.	86
6(b)	PATIENT-DAYS BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1963.	110
6(c)	AVERAGE STAY OF ALL SEPARATIONS BY PRINCIPAL DIAGNOSIS, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1963.	134
6(d)	SEPARATION RATES PER 100,000 POPULATION, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1963.	160
6(e)	PATIENT-DAY RATES PER 100,000 POPULATION, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Canada, 1963.	184
7(a)	NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1963.	209
7(b)	RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1963.	210
7(c)	PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES, FOR TEN PROVINCES AND TWO TERRITORIES, 1963.	211
7(d)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Newfoundland, 1963.	212
7(e)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Prince Edward Island, 1963.	214
7(f)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, Nova Scotia, 1963.	216
7(g)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, New Brunswick, 1963.	217
7(h)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Quebec, 1963.	219

<u>Table Number</u>		<u>Page</u>
7(i)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Ontario, 1963.	221
7(j)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Manitoba, 1963.	223
7(k)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Saskatchewan, 1963.	225
7(l)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Alberta, 1963.	227
7(m)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND EXCLUDING OUT-OF-PROVINCE HOSPITALIZATION), British Columbia, 1963.	229
7(n)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Yukon, 1963.	231
7(o)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Northwest Territories, 1963.	233
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY- FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Newfoundland, 1963.	235
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY- FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1963.	236
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Nova Scotia, 1963.	237
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY- FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1963.	238
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY- FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Ontario, 1963.	239
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY- FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Manitoba, 1963.	240

<u>Table Number</u>		<u>Page</u>
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Saskatchewan, 1963.	241
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Alberta, 1963.	242
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), British Columbia, 1963.	243
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Yukon, 1963.	244
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1963.	245
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Newfoundland, 1963.	246
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND OUT-OF-PROVINCE HOSPITALIZATION) Prince Edward Island, 1963.	250
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR QUEBEC RESIDENT IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1963.	254
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" (EXCLUDING NEWBORNS), Ontario, 1963.	259
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS (EXCLUDING NEWBORNS), Manitoba, 1963.	264
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), Saskatchewan, 1963.	269
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN), Alberta, 1963.	275
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS, AND OUT-OF-PROVINCE SEPARATIONS), British Columbia, 1963.	280

<u>Table Number</u>		<u>Page</u>
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Yukon, 1963.	286
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1963.	291
10	SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE WHO ARE PROVINCIAL PLAN IN-PATIENTS (INCLUDING OUT-OF- PROVINCE HOSPITALIZATION) FOR SIX PROVINCES AND TWO TERRITORIES, 1963.	296
APPENDIX 1	THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955).	307
APPENDIX 2	ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1963. SOURCE: DOMINION BUREAU OF STATISTICS.	309

TABLE 1

SUMMARY OF HOSPITALIZATION

SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, PRINCE EDWARD ISLAND, 1963

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. Responsibility of Provincial Plan						
1. Hospitalized in province						
i Active treatment hospitals	16,245	2,803	19,048	163,447	18,729	182,176
ii Chronic and convalescent hospitals						
a) Chronic units in general hospitals	71	-	71	4,329	-	4,329
Hospitalized in other provinces	511	48	559	7,437	421	7,858
Hospitalized in other countries	35	-	35	388	-	388
Sum of A	16,862	2,851	19,713	175,601	19,150	194,751
B. Not Responsibility of Provincial Plan (excluding patients of mental and tubercu- losis institutions)						
1. Department of Veteran's Affairs						
i in D.V.A. hospitals	172	-	172	2,235	-	2,235
ii in other hospitals	164	-	164	2,027	-	2,027
2. Workmen's Compensation Board						
3. Uninsured residents	339	53	392	2,619	350	2,969
4. Non-residents	123	8	131	2,535	42	2,577
5. Insured residents not the responsibility of Provincial Plan						
6. Other agencies	798	-	859	9,416	392	9,808
Sum of B	17,660	2,912	20,572	185,017	19,542	204,559
C. Sum of A and B						

TABLE 1

SUMMARY OF HOSPITALIZATION

SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NOVA SCOTIA, 1963

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals	105,786	18,672	124,458	1,100,810	121,228	1,222,038
ii	Chronic and convalescent hospitals	584	-	584	21,146	-	21,146
2.	Hospitalized in other provinces	1,236	204	1,440	14,066	1,391	15,457
3.	Hospitalized in other countries	204	4	208	2,272	74	2,346
	Sum of A	107,810	18,880	126,690	1,138,294	122,693	1,260,987
B.	<u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veteran's Affairs						
i	in D.V.A. hospitals	1,493	-	1,493	77,940	-	77,940
ii	in other hospitals	279	1	280	16,193	8	16,201
2.	Workmen's Compensation Board	1,289	-	1,289	16,276	-	16,276
3.	Uninsured residents and non-residents	2,001	271	2,272	20,915	2,145	23,060
4.	Insured residents not the responsibility of N.S.H.I.C.	134	23	157	820	63	883
5.	Other agencies	187	9	196	1,593	53	1,646
6.	U.S.A.F.	7	4	11	23	15	38
	Sum of B	5,390	308	5,698	133,760	2,284	136,044
C.	Sum of A and B	133,200	19,188	132,388	1,272,054	124,977	1,397,031

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, QUEBEC, 1963

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. Responsibility of Provincial Plan						
1. Hospitalized in the province						
i Active treatment hospitals						
ii Chronic and convalescent hospitals						
a) Chronic units attached to general hospitals	696,044	123,370	819,414	7,173,280	777,153	7,950,433
b) Public chronic hospitals	317	-	317	70,288	-	70,288
c) Private hospitals giving chronic care	5,094	-	5,094	796,164	-	796,164
d) Other chronic facilities	3,960	-	3,960	360,158	-	360,158
e) Public convalescent units and hospitals	242	-	242	52,443	-	52,443
Hospitalized in other provinces	19	-	19	2,072	-	2,072
Hospitalized in other countries	12,865	1,642	14,507	142,231	11,245	153,476
Sum of A	719,803	125,176	844,979	8,609,536	789,471	9,399,007
B. Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1. Department of Veteran's Affairs						
i in D.V.A. hospitals)	50	-	50	723	-	723
ii in other hospitals)	393	-	393	4,433	-	4,433
Federal government	10,746	-	10,746	115,421	-	115,421
Workmen's Compensation Boards	458	42	500	4,540	279	4,819
Uninsured residents (including 5 and 6 below)	7,043	433	7,476	95,514	3,114	98,628
Non-residents	-	-	-	-	-	-
Insured residents not the responsibility of Provincial Plan	-	-	-	-	-	-
Other agencies	-	-	-	-	-	-
Sum of B	18,690	475	19,165	220,631	3,393	224,024
Sum of A and B	738,493	125,651	864,144	8,830,167	792,864	9,623,031
C.						

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, MANITOBA, 1963

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals	159,665	22,093	181,758	1,469,642	145,407	1,615,049
ii	Extended treatment hospitals	2,718	2	2,720	240,547	2	240,549
2.	Hospitalized in other provinces	2,175	292	2,467	18,491	2,064	20,555
3.	Hospitalized in other countries	730	77	807	6,636	402	7,038
	Sum of A	165,288	22,464	187,752	1,735,316	147,875	1,883,191
B.	<u>Not responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
	Department of Veteran's Affairs						
1.	i in D.V.A. hospitals	686	-	686	15,712	-	15,712
	ii in other hospitals	70	4	74	747	80	827
2.	Workmen's Compensation Boards	1,846	-	1,846	18,830	-	18,830
3.	Uninsured residents	152	29	181	1,089	167	1,256
4.	Non-residents	7,268	689	7,957	81,951	6,191	88,142
5.	Insured residents not the responsibility of the Provincial Plan	336	3	339	1,187	21	1,208
6.	Other agencies	-	-	-	-	-	-
	Sum of B	10,358	725	11,083	119,516	6,459	125,975
C.	Sum of A and B	175,646	23,189	198,835	1,854,832	154,334	2,009,165

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, SASKATCHEWAN, 1963

Items	Separations		Total	Patient-Days		
	Adults and Children	Newborn		Adults and Children	Newborn	Total
A. Responsibility of Provincial Plan						
1. Hospitalized in the province	199,766	22,873	222,639	1,916,005	149,026	2,065,031
i Active treatment hospitals	-	-	-	-	-	-
ii Chronic and convalescent hospitals (subdivided where applicable)	-	-	-	-	-	-
a) Chronic units attached to general hospitals	-	-	-	-	-	-
b) Public chronic hospitals	-	-	-	-	-	-
c) Private hospitals giving chronic care	-	-	-	-	-	-
d) Other chronic facilities (1)	676	-	676	171,223	-	171,223
e) Public convalescent units and hospitals	-	-	-	-	-	-
2. Hospitalized in other provinces	4,375	553	4,928	43,347	3,932	47,279
3. Hospitalized in other countries	462	31	493	4,432	119	4,551
Sum of A	205,279	23,457	228,736	2,135,007	153,077	2,288,084
B. Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1. Department of Veteran's Affairs	-	-	-	-	-	-
i in D.V.A. hospitals	754	-	754	9,763	-	9,763
ii in other hospitals	1,719	-	1,719	16,192	-	16,192
2. Workmen's Compensation Boards	2,240	241	2,481	13,134	1,456	14,590
3. Uninsured residents	4,317	496	4,813	33,970	3,635	37,605
4. Non-residents	2	-	2	3	-	3
5. Insured residents not the responsibility of the Provincial Plan	426	8	434	3,371	41	3,412
6. Other agencies	9,458	745	10,203	76,433	5,132	81,565
Sum of B	214,737	24,202	238,939	2,211,440	158,209	2,369,649
C. Sum of A and B						

(1) Geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, ALBERTA, 1963

Items	Separations		Total	Patient-Days		
	Adults and Children	Newborn		Adults and Children	Newborn	Total
A. Responsibility of Provincial Plan	261,233	37,741	298,974	2,325,990	265,863	2,591,853
1. Hospitalized in the province						
i Active treatment hospitals	1,171	-	1,171	406,871	-	406,871
ii Chronic and convalescent hospitals	635	-	635	360,460	-	360,460
a) Auxiliary hospitals	3,044	478	3,522	25,061	3,118	28,179
b) Nursing homes	317	9	326	3,354	32	3,386
2. Hospitalized in other provinces						
3. Hospitalized in other countries						
Sum of A	266,400	38,228	304,628	3,121,736	269,013	3,390,749
3. Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1. Federal						
i in federal hospitals	2,711	20	2,731	147,705	554	148,259
ii in other hospitals	1,187	1	1,188	18,121	6	18,127
2. Workmen's Compensation Boards	5,067	-	5,067	54,622	-	54,622
3. Uninsured residents			Included with Non-Residents			
4. Non-residents	5,220	599	5,819	56,141	5,090	61,231
5. Insured residents not the responsibility of the Provincial Plan	8	9	17	444	111	555
6. Other agencies	-	-	-	-	-	-
Sum of B	14,193	629	14,822	277,033	5,761	282,794
Sum of A and B	280,593	38,857	319,450	3,398,769	274,774	3,673,543
C.						

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, BRITISH COLUMBIA, 1963

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. Responsibility of Provincial Plan						
1. Hospitalized in the province						
i Active treatment hospitals						
ii Rehabilitative hospitals and units						
a) Rehabilitative units attached to general hospitals	112	-	112	3,513	-	3,513
b) Chronic hospitals	2,599	-	2,599	85,720	-	85,720
2. Hospitalized in other provinces	2,725	264	2,989	26,583	1,904	28,487
3. Hospitalized in other countries	536	15	551	4,591	113	4,704
Sum of A	286,632	36,928	323,560	2,845,600	259,897	3,105,497
B. Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1. Federal Government (D.V.A. and Indian) documented cases only (1)	544	7	551	4,563	96	4,659
2. Workmen's Compensation Boards						
3. Uninsured residents						
4. Non-residents	7,730	-	7,730	75,862	-	75,862
5. Insured residents not the responsibility of the Provincial Plan	5,461	760	6,221	55,633	12,906	68,539
6. Other agencies						
Sum of B	13,735	767	14,502	136,058	13,002	149,060
Sum of A and B	300,367	37,695	338,062	2,981,658	272,899	3,254,557
C.						

(1) Undocumented cases comprise 410,312 patient-days for chronic patients in D.V.A. and Indian Federal hospitals, and 36,949 days in two public long-term care hospitals.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, YUKON, 1963

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Yukon Plan</u>						
1. Hospitalized in Yukon	2,616	454	3,070	19,031	2,882	21,913
2. Hospitalized in other provinces	246	26	272	3,560	241	3,801
3. Hospitalized in other countries	5	1	6	49	9	58
Sum of A	2,867	481	3,348	22,640	3,132	25,772
B. <u>Not responsibility of Yukon Plan</u> <u>(excluding patients of mental and</u> <u>tuberculosis institutions)</u>						
1. Workmen's Compensation Boards	108	-	108	1,050	-	1,050
2. Department of Veteran's Affairs	16	-	16	145	-	145
3. Department of National Defence	81	-	81	620	-	620
4. Royal Canadian Mounted Police	10	-	10	67	-	67
5. Self	87	2	89	583	10	593
6. Other Provincial Plans	244	23	267	1,778	141	1,919
7. Indian and Northern Health Services	49	-	49	295	-	295
8. Other agencies	26	2	28	247	12	259
Sum of B	621	27	648	4,785	163	4,948
Sum of A and B	3,488	508	3,996	27,425	3,295	30,720
C.						

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NORTHWEST TERRITORIES, 1963

Items	Separations			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. Responsibility of Territorial Plan						
1. Hospitalized in Territories	5,508	757	6,262	43,308	5,239	48,547
2. Hospitalized in other provinces	1,054	125	1,179	22,454	1,001	23,455
3. Hospitalized in other countries	8	2	10	40	8	48
Sum of A	6,570	884	7,454	65,802	6,248	72,050
B. Not responsibility of Territorial Plan (excluding patients of mental and tuberculosis institutions)						
1. Workmen's Compensation Boards	89	-	89	763	-	763
2. Department of Veteran's Affairs	1	-	1	13	-	13
3. Department of National Defence	3	-	3	80	-	80
4. Royal Canadian Mounted Police	3	-	3	18	-	18
5. Self	33	-	33	164	-	164
6. Other Provincial Plans	168	13	181	1,393	80	1,473
7. Indians and Northern Health Services	196	-	196	1,818	-	1,818
8. Other Agencies	37	-	37	329	-	329
Sum of B	530	13	543	4,578	80	4,658
Sum of A and B	7,100	897	7,997	70,380	6,328	76,708
C.						

TABLE 2a (1) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN (1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) (See notes on page 43 for details)

NUMBER OF SEPARATIONS													
AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
MALES													
Newborn		1,493	9,614	--	64,477	77,941	11,506	11,964	19,345	18,751	229	460	215,780
Under 1	2,627)	1,303	2,863	1,340	17,053	19,408	4,528	6,030	6,630	6,330	139	403	204,815
1 - 4	2,563)		4,211	5,378	29,882	48,590	7,467	10,338	12,674	14,142	213	703	
5 - 9	2,050	522	3,814	3,574	27,984	38,988	6,172	8,235	10,613	11,829	99	258	114,138
10 - 14	1,574	375	2,503	2,380	16,914	19,939	3,872	5,341	6,354	6,346	65	155	65,818
15 - 19	1,273	370	1,977	2,179	15,928	16,926	3,401	4,367	5,622	4,695	36	115	50,889
20 - 24	1,136	250	1,445	1,604	15,515	15,818	2,837	2,815	5,056	4,026	51	122	50,675
25 - 29	958	204	1,091	1,193	13,397	15,093	2,282	2,268	4,592	3,704	64	119	44,965
30 - 34	892	261	1,179	1,329	14,886	17,433	2,458	2,611	4,870	4,190	53	108	50,270
35 - 39	907	225	1,506	1,514	16,068	19,346	2,687	2,840	5,156	4,553	50	128	54,980
40 - 44	1,037	292	1,797	1,736	16,177	20,249	2,989	3,091	5,253	4,953	47	83	57,704
45 - 49	952	311	2,143	1,843	16,363	20,558	3,187	3,593	5,375	5,461	58	84	59,928
50 - 54	998	416	2,404	2,050	16,639	22,507	3,446	4,055	5,613	5,973	69	96	64,266
55 - 59	748	339	2,453	1,946	16,034	22,542	3,598	4,190	5,701	6,228	50	72	63,784
60 - 64	778	379	2,335	1,766	14,408	23,015	3,947	4,426	5,698	6,092	64	76	62,984
65 - 69	666	437	2,530	1,767	12,231	20,455	3,852	4,621	5,446	5,884	31	42	57,962
70 - 74	571	428	2,351	1,789	9,899	18,110	4,400	5,430	5,969	6,749	30	40	55,766
75 - 79	478	336	1,934	1,434	7,139	14,310	3,904	5,154	5,528	6,658	24	32	46,931
80 - 84	226	280	1,329	1,006	3,860	8,819	2,605	3,600	3,473	4,368	16	28	29,610
85+	131	186	996	660	1,951	5,267	1,522	2,041	2,186	2,397	30	12	17,379
Unknown	28	-	-	-	-	5	-	-	-	-	-	3	36
All Ages	20,593	8,407	50,475	36,488	346,805	465,202	80,660	97,010	131,154	133,329	1,418	3,139	1,374,680

TABLE 2a (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN (1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) (See notes on page 43 for details)

NUMBER OF SEPARATIONS													
AGE GROUP	Nfld.	P.E.I.	N.S.	N.E.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
FEMALES													
Newborn	--	1,419	9,058	--	61,174	77,941	10,994	11,493	18,289	17,898	248	420	208,934
Under 1	1,752)	981	1,896	986	12,008	13,325	3,398	4,381	4,798	4,772	94	371)	151,694
1 - 4	1,975)		3,042	3,967	22,369	35,902	5,754	8,332	10,025	10,813	130	623)	
5 - 9	1,570	430	3,129	3,035	23,086	33,273	5,136	7,568	9,361	10,204	85	248	97,125
10 - 14	1,486	303	2,149	2,185	14,418	17,347	3,502	4,976	6,123	5,271	49	139	57,948
15 - 19	3,665	825	5,417	4,519	28,991	38,792	6,801	8,584	12,403	11,140	117	274	121,528
20 - 24	6,338	1,503	9,805	7,954	68,527	83,620	12,561	13,602	22,464	21,120	249	501	246,244
25 - 29	5,005	1,286	7,745	6,683	63,080	77,205	10,780	11,998	18,868	18,698	270	471	222,069
30 - 34	4,135	935	6,199	5,687	53,774	63,320	8,746	9,556	14,849	15,483	220	355	183,259
35 - 39	2,931	795	4,824	4,469	41,290	50,177	7,157	8,061	11,511	12,668	149	303	144,335
40 - 44	1,999	545	3,552	3,369	27,826	35,192	5,531	6,402	9,047	10,638	109	178	104,388
45 - 49	1,150	402	2,892	2,427	20,287	27,287	4,609	5,611	7,243	8,637	63	106	80,714
50 - 54	1,013	409	2,501	2,220	17,643	23,816	4,114	5,062	6,267	7,266	30	78	70,419
55 - 59	775	332	2,217	1,849	15,029	20,300	3,558	4,407	5,337	5,545	31	51	59,431
60 - 64	735	356	2,054	1,710	13,262	19,216	3,378	4,063	4,712	5,160	21	66	54,733
65 - 69	741	394	2,099	1,697	11,782	18,385	3,506	4,274	4,712	5,181	15	46	52,832
70 - 74	540	404	2,088	1,678	9,868	17,979	3,665	4,339	4,778	5,418	18	22	50,797
75 - 79	374	358	1,802	1,474	7,162	14,994	3,318	3,945	4,031	5,152	18	32	42,600
80 - 84	198	276	1,217	1,011	3,735	10,372	2,284	2,788	2,723	3,473	3	11	28,091
85+	84	212	881	645	2,028	6,931	1,426	1,608	1,777	2,154	7	9	17,762
Unknown	25	-	-	-	-	1	-	-	-	-	-	5	31
All Ages	36,491	12,165	74,567	57,565	517,339	685,375	110,218	131,050	179,318	186,691	1,926	4,309	1,997,014

TABLE 2a (iii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) See notes on page 43 for details

NUMBER OF SEPARATIONS												
	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T. CANADA
BOTH SEXES												
Newborn	-	2,912	18,672	-	125,651	155,882	22,500	23,457	37,634	36,649	477	880
Under 1	4,379)	2,284	4,759	2,326	29,061	32,733	7,926	10,411	11,428	11,102	233	774)
1 - 4	4,538)		7,253	9,345	52,251	84,492	13,221	13,670	22,699	24,955	343	1,326)
5 - 9	3,620	952	6,943	6,609	51,070	72,261	11,308	15,803	19,974	22,033	184	506
10 - 14	3,060	678	4,652	4,565	31,332	37,286	7,374	10,317	12,477	11,617	114	294
15 - 19	4,938	1,195	7,394	6,698	44,919	55,718	10,202	12,951	18,025	15,835	153	389
20 - 24	7,474	1,753	11,250	9,558	84,042	99,438	15,393	16,417	27,520	25,146	300	623
25 - 29	5,963	1,490	8,836	7,876	76,477	92,298	13,062	14,266	23,460	22,402	334	590
30 - 34	5,027	1,196	7,378	7,016	68,660	80,753	11,204	12,167	19,719	19,673	273	463
35 - 39	3,838	1,020	6,330	5,983	57,358	69,523	9,844	10,901	16,667	17,221	199	431
40 - 44	3,036	837	5,349	5,105	44,003	55,441	8,520	9,493	14,300	15,591	156	261
45 - 49	2,102	713	5,035	4,270	36,650	47,845	7,796	9,204	12,618	14,098	121	190
50 - 54	2,011	825	4,905	4,270	34,282	46,323	7,560	9,117	11,880	13,239	99	174
55 - 59	1,523	671	4,670	3,795	31,063	42,725	7,156	8,597	11,038	11,773	81	123
60 - 64	1,513	735	4,389	3,476	27,670	42,231	7,325	8,489	10,410	11,252	85	142
65 - 69	1,407	831	4,629	3,464	24,013	38,840	7,358	8,895	10,158	11,065	46	88
70 - 74	1,111	832	4,439	3,467	19,767	36,089	8,065	9,769	10,747	12,167	48	62
75 - 79	852	694	3,736	2,908	14,301	29,304	7,222	9,099	9,559	11,810	42	64
80 - 84	424	556	2,546	2,017	7,595	19,191	4,889	6,388	6,196	7,841	19	39
85+	215	398	1,877	1,305	3,979	12,198	2,948	3,649	3,963	4,551	37	21
Unknown	53	-	-	-	-	6	-	-	-	-	-	8
All Ages	57,084	20,572	125,042	94,053	864,144	1,150,577	190,878	228,060	310,472	320,020	3,344	7,448
												3,371,694

TABLE 2b(i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION 1963

(1) See notes on page 43 for details

PATIENT-DAYS SINCE ADMISSION													
	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
MALES													
Newborn	--	10,178	61,839	-	407,181	527,029	76,115	78,338	135,999	133,314	1,512	3,312	1,434,817
Under 1	33,379)	10,615	30,015	13,605	245,143	199,119	40,907	58,828	58,251	64,214	1,128	4,499)	1,687,766
1 - 4	29,301)		30,154	48,656	244,182	278,444	41,863	75,051	77,761	94,316	1,343	6,992)	
5 - 9	25,938	4,964	22,499	24,642	172,307	184,760	28,668	41,638	57,532	64,059	423	3,144	630,574
10 - 14	19,344	3,213	17,762	19,401	127,105	130,908	22,156	31,426	42,321	40,752	409	1,486	456,283
15 - 19	14,215	3,374	16,423	17,513	140,462	140,685	22,817	28,420	37,384	32,734	349	1,095	455,471
20 - 24	10,688	2,655	14,459	14,010	143,480	138,158	21,243	19,612	39,199	30,125	473	1,334	435,436
25 - 29	10,476	1,805	10,518	11,410	133,537	140,229	18,981	17,173	35,639	27,282	468	1,237	408,755
30 - 34	10,757	2,416	11,921	12,989	155,356	178,205	20,820	20,196	43,548	35,279	401	986	492,874
35 - 39	11,697	2,275	18,003	15,258	179,973	219,244	25,913	24,345	50,733	41,401	396	1,567	590,805
40 - 44	14,909	3,631	23,161	19,859	202,451	257,854	32,957	28,475	51,137	51,301	458	999	687,192
45 - 49	13,758	3,516	28,604	24,008	232,828	292,915	35,672	35,283	58,067	60,997	803	1,126	786,677
50 - 54	15,491	4,898	33,965	27,637	261,521	373,903	41,547	45,939	70,740	73,876	928	1,064	951,509
55 - 59	12,403	4,770	38,140	29,877	275,911	401,974	49,057	50,727	78,480	85,842	755	1,048	1,028,984
60 - 64	12,439	6,059	39,349	27,473	289,078	477,219	59,943	59,836	89,142	90,870	583	950	1,152,941
65 - 69	13,096	6,952	45,372	34,178	284,542	507,170	67,082	73,118	94,932	98,268	389	509	1,225,608
70 - 74	10,470	7,184	40,982	35,170	264,077	499,100	81,452	88,684	124,136	120,112	685	650	1,272,702
75 - 79	9,580	6,280	35,194	28,692	233,359	443,729	85,046	90,359	145,849	126,648	429	399	1,205,564
80 - 84	4,051	4,926	25,114	20,151	158,645	336,153	68,391	66,289	136,921	86,244	369	428	907,682
85+	2,740	3,726	18,617	15,276	92,696	234,319	42,234	44,452	114,948	47,474	572	218	617,272
Unknown	356	-	-	-	-	29	-	-	-	-	-	15	400
All Ages	275,088	93,437	562,091	439,805	4,243,834	5,961,146	882,864	978,189	1,542,719	1,404,208	12,873	33,058	16,429,312

TABLE 2b (44) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION 1963

(1) See notes on page 43 for details

PATIENT-DAYS SINCE ADMISSION

	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
FEMALES													
Newborn		9,364	59,389	10,250	385,683	527,028	72,028	74,739	128,695	124,566	1,588	2,922	1,386,002
Under 1	26,119)	8,026	19,855	37,835	177,239	140,505	31,391	39,799	43,456	52,027	634	4,003)	1,267,741
1 - 4	24,205)		22,213	26,340	189,402	205,807	33,760	56,891	62,123	73,451	1,288	7,492)	515,237
5 - 9	18,664	2,859	17,957	26,340	143,806	152,216	24,558	36,886	45,088	50,052	1,442	2,569	393,320
10 - 14	16,606	2,443	14,198	14,722	110,650	112,416	19,774	26,595	39,905	34,453	257	1,301	797,254
15 - 19	25,895	5,291	33,379	29,448	214,505	256,648	39,735	50,198	71,772	67,970	667	1,746	1,540,453
20 - 24	35,537	8,883	57,739	45,431	447,611	526,196	71,787	78,930	134,617	128,970	1,369	3,383	1,459,200
25 - 29	28,817	7,898	47,606	40,133	442,510	511,941	63,985	72,069	118,544	121,021	1,524	3,152	1,340,897
30 - 34	26,725	6,399	42,239	37,575	425,821	466,119	53,262	62,608	104,276	106,754	1,388	2,591	1,218,373
35 - 39	21,858	5,241	39,399	35,216	376,918	440,577	52,491	59,033	86,954	97,037	1,058	1,767	1,063,448
40 - 44	20,144	4,530	34,268	30,171	318,806	378,326	48,515	53,891	78,806	93,471	753	1,208	997,184
45 - 49	14,965	4,249	35,831	27,572	288,953	360,902	47,902	56,725	71,804	86,544	529	1,150	985,582
50 - 54	14,531	4,876	35,378	27,967	271,112	369,544	49,697	54,877	73,308	82,916	226	441	980,894
55 - 59	12,871	5,068	32,853	25,520	264,607	387,033	48,453	54,435	82,033	73,323	257	953	1,006,833
60 - 64	12,747	5,165	33,574	26,741	268,550	403,822	50,430	57,229	72,654	74,762	206	650	1,120,860
65 - 69	12,901	8,098	36,840	29,225	254,329	482,144	60,721	65,092	85,866	84,816	178	204	1,272,919
70 - 74	8,989	6,180	39,129	27,486	258,798	563,537	70,437	70,245	130,931	96,774	209	450	1,345,441
75 - 79	7,540	6,700	35,614	29,218	246,338	605,241	81,216	70,685	161,102	101,197	140	450	1,345,441
80 - 84	5,980	5,225	24,636	23,444	175,578	574,544	59,547	58,280	164,105	70,243	29	137	1,161,748
85+	1,400	4,627	18,996	16,681	117,981	545,745	53,471	39,665	167,186	47,751	125	124	1,013,752
Unknown	212	-	-	-	-	-	-	-	-	-	-	31	252
All Ages	336,706	111,122	681,093	534,975	5,379,197	8,010,300	1,038,160	1,138,672	1,923,225	1,668,098	12,867	38,975	20,873,390

TABLE 2b (iii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) See notes on page 43 for details

PATIENT-DAYS SINCE ADMISSION													
	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
BOTH SEXES													
Newborn													
Under 1	59,498)	19,542	121,228	23,855	792,864	1,054,057	148,143	153,077	264,694	257,880	3,100	6,234	2,320,819
1 - 4	53,506)	18,641	49,870	86,491	422,382	339,624	72,298	98,627	101,707	116,241	1,762	8,502)	2,955,507
5 - 9	44,602	7,823	40,456	44,982	433,584	484,251	75,623	131,942	139,884	167,767	2,631	14,454)	1,145,811
10 - 14	35,950	5,656	31,960	34,123	316,113	336,976	53,226	78,324	102,620	114,111	865	5,713	849,603
15 - 19	40,110	8,665	49,802	46,961	237,755	243,324	41,930	58,021	82,226	75,205	666	2,787	1,252,725
20 - 24	46,225	11,538	72,198	59,441	354,967	397,333	62,552	78,618	109,156	100,704	1,016	2,841	1,975,889
25 - 29	39,293	9,703	58,124	51,543	591,091	664,354	93,030	98,542	173,816	159,095	1,842	4,717	1,867,955
30 - 34	37,482	8,815	54,160	50,564	576,047	652,170	82,966	89,242	154,183	148,303	1,992	4,389	1,833,771
35 - 39	33,555	7,516	57,402	50,474	581,177	644,324	79,082	84,004	147,824	142,033	1,789	3,717	1,909,178
40 - 44	35,053	8,161	57,429	50,030	556,891	659,821	78,404	83,378	137,687	138,438	1,454	4,158	1,750,640
45 - 49	28,723	7,765	64,435	51,580	521,257	636,180	81,472	82,366	129,943	144,772	1,211	2,766	1,783,861
50 - 54	30,022	9,774	69,343	55,604	532,633	743,447	83,574	92,008	129,871	146,641	1,332	2,334	1,937,091
55 - 59	25,274	9,838	70,993	55,397	540,518	789,007	91,244	100,816	144,048	156,792	1,154	2,214	2,015,878
60 - 64	25,186	11,224	72,923	54,214	557,628	881,041	97,510	105,162	160,513	159,165	1,012	1,489	2,159,774
65 - 69	25,997	15,050	82,212	63,403	538,871	989,314	110,373	117,065	161,796	165,632	789	1,903	2,346,468
70 - 74	19,459	13,364	80,111	62,656	522,875	1,062,637	127,803	138,210	180,798	183,084	567	1,159	2,545,621
75 - 79	17,120	12,980	70,808	57,910	479,697	1,048,970	151,839	158,929	255,067	216,886	894	854	2,551,005
80 - 84	10,031	10,151	49,750	43,595	334,223	910,697	166,262	161,044	306,951	227,845	569	849	2,069,430
85+	4,140	8,353	37,613	31,957	210,677	780,064	95,705	124,569	301,026	156,487	398	565	1,631,024
Unknown	568	-	-	-	-	38	-	84,117	282,134	95,225	697	342	46
All Ages	611,794	204,559	1,243,184	974,780	9,623,031	13,971,446	1,921,024	2,116,861	3,465,944	3,072,306	25,740	72,033	37,302,702

TABLE 2c (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963
(1) See notes on page 43 for details

AVERAGE LENGTH OF STAY													
	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
FEMALES													
Newborn	-	6.6	6.6	-	6.3	6.8	6.6	6.5	7.0	7.0	6.4	7.0	6.6
Under 1	14.9)	8.2	10.5	10.4	14.8	10.5	9.2	9.1	9.1	10.9	6.7	10.8)	8.4
1 - 4	12.3)		7.3	9.5	8.5	5.7	5.9	6.8	6.2	6.8	9.9	12.0)	5.3
5 - 9	11.9	6.6	5.7	6.7	6.2	4.6	4.8	4.8	4.8	4.9	5.2	10.4	5.6
10 - 14	11.2	8.1	6.6	6.7	7.7	6.5	5.6	5.3	6.5	6.5	5.2	9.4	6.6
15 - 19	7.1	6.4	6.2	6.5	7.4	6.6	5.8	5.8	5.8	6.1	5.7	6.4	6.2
20 - 24	5.6	5.9	5.9	5.7	6.5	6.3	5.7	5.8	6.0	6.1	5.5	6.8	6.6
25 - 29	5.8	6.1	6.1	6.0	7.0	6.6	5.9	6.0	6.3	6.5	5.6	6.7	7.3
30 - 34	6.5	6.8	6.8	6.6	7.9	7.4	6.7	6.6	7.0	6.9	6.3	7.7	8.4
35 - 39	7.5	6.6	8.2	7.9	9.1	8.8	7.3	7.3	7.6	7.7	7.1	8.6	10.2
40 - 44	10.1	8.3	9.6	9.0	11.5	10.8	8.8	8.4	8.7	8.8	6.9	9.9	12.4
45 - 49	13.0	10.6	12.4	11.4	14.2	13.2	10.4	10.1	9.9	10.0	8.4	11.4	14.0
50 - 54	14.3	11.9	14.1	12.6	15.4	15.5	12.1	10.8	11.7	11.4	7.5	14.7	16.6
55 - 59	16.6	15.3	14.8	13.8	17.6	19.1	13.6	12.4	15.4	13.2	8.3	8.6	18.4
60 - 64	17.3	14.5	16.3	15.6	20.2	21.0	14.9	14.1	15.4	14.5	9.8	14.4	21.2
65 - 69	17.4	20.6	17.6	17.2	21.6	26.2	17.3	15.2	18.2	16.4	11.9	14.1	25.1
70 - 74	16.6	15.3	18.7	16.4	26.2	31.3	19.2	16.2	27.4	17.9	11.6	9.3	31.5
75 - 79	20.2	18.7	19.8	19.8	34.4	40.4	24.5	17.9	40.0	19.6	7.8	14.1	41.4
80 - 84	30.2	18.9	20.2	23.2	47.0	55.4	26.1	20.9	60.3	20.2	9.7	12.5	57.1
85+	16.7	21.8	21.6	25.9	58.2	78.7	37.5	24.7	94.1	22.2	17.9	13.8	8.1
Unknown	8.5	-	-	-	-	9.0	-	-	-	-	-	6.2	-
All Ages	9.2	9.1	9.1	9.3	10.4	11.7	9.4	8.7	10.7	8.9	6.7	9.0	10.5

TABLE 2c (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) See note on page 43 for details

AVERAGE LENGTH OF STAY													
	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
BOTH SEXES													
Newborn	-	6.7	6.5	-	6.3	6.8	6.6	6.5	7.0	7.0	6.5	7.1	6.6
Under 1	13.6)	8.2	10.5	10.3	14.5	10.4	9.1	9.5	8.9	10.5	7.6	11.1)	8.3
1 - 4	11.8)		7.2	9.3	8.3	5.7	5.7	7.1	6.2	6.7	7.7	10.9)	
5 - 9	12.3	8.2	5.8	6.8	6.2	4.7	4.7	5.0	5.1	5.2	4.7	11.3	5.4
10 - 14	11.7	8.3	6.9	7.5	7.6	6.5	5.7	5.6	6.6	6.5	5.8	9.5	6.9
15 - 19	8.1	7.3	6.7	7.0	7.9	7.1	6.1	6.1	6.1	6.4	6.6	7.3	7.0
20 - 24	6.2	6.6	6.4	6.2	7.0	6.7	6.0	6.0	6.3	6.3	6.1	7.6	6.6
25 - 29	6.6	6.5	6.6	6.5	7.5	7.1	6.4	6.3	6.6	6.6	6.0	7.4	7.0
30 - 34	7.5	7.4	7.3	7.2	8.5	8.0	7.1	6.8	7.5	7.2	6.6	8.0	7.9
35 - 39	8.7	7.4	9.1	8.4	9.7	9.5	8.0	7.6	8.3	8.0	7.3	9.6	9.1
40 - 44	11.5	9.8	10.7	9.8	11.8	11.5	9.6	8.7	9.1	9.3	7.8	10.6	10.8
45 - 49	13.7	10.9	12.8	12.1	14.2	13.7	10.7	10.0	10.3	10.4	11.0	12.3	12.7
50 - 54	14.9	11.8	14.1	13.0	15.5	16.0	12.1	11.1	12.1	11.8	11.7	12.7	14.4
55 - 59	16.6	14.7	15.2	14.6	17.4	18.5	13.6	12.2	14.5	13.5	12.5	12.1	16.4
60 - 64	16.6	15.3	16.6	15.6	20.2	20.9	15.1	13.8	15.5	14.7	9.3	13.4	18.3
65 - 69	18.5	18.1	17.8	18.3	22.4	25.5	17.4	15.5	17.8	16.5	12.3	13.2	21.2
70 - 74	17.5	16.1	18.0	18.1	26.5	29.4	18.8	16.3	23.7	17.8	18.6	13.8	23.9
75 - 79	20.1	18.7	19.0	19.9	33.5	35.8	23.0	17.7	32.1	19.3	13.5	13.3	28.5
80 - 84	23.7	18.3	19.5	21.6	44.0	47.5	26.2	19.5	48.6	20.0	20.9	14.5	35.9
85+	19.3	21.0	20.0	24.5	52.9	64.0	32.5	23.1	71.2	20.9	18.8	16.3	46.4
Unknown	10.7	-	-	-	-	6.3	-	-	-	-	-	5.8	9.7
All Ages	10.7	9.9	9.9	10.4	11.1	12.1	10.1	9.3	11.2	9.6	7.7	9.7	11.1

TABLE 2d (i)- HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN (1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) See notes on page 43 for details

SEPARATION RATE PER 1,000 POPULATION													
	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
MALES													
Newborn	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 1	345.7)	188.8	301.4	163.4	251.1	245.0	400.7	519.8	340.0	328.0	463.3	806.0)	175.0
1 - 4	88.7)		112.6	167.5	109.5	157.0	165.9	222.8	165.7	182.7	213.0	390.6)	104.0
5 - 9	62.7	82.9	85.5	91.6	84.8	109.3	117.1	143.9	123.1	129.3	99.0	161.2	65.5
10 - 14	49.7	59.5	59.3	62.6	55.7	61.4	79.0	106.4	86.3	76.4	92.9	119.2	69.7
15 - 19	50.1	71.2	54.5	69.6	61.4	66.6	84.6	103.1	99.0	71.0	90.0	127.8	91.0
20 - 24	65.7	69.4	52.2	76.4	78.0	80.3	90.4	95.1	109.9	78.5	102.0	110.9	75.9
25 - 29	67.9	68.0	48.1	71.9	75.3	74.9	73.4	86.2	95.7	72.3	91.4	91.5	79.4
30 - 34	66.1	96.7	55.6	82.0	80.8	76.9	82.5	92.3	94.6	73.4	66.2	98.2	85.8
35 - 39	70.3	83.3	70.0	83.5	83.3	82.0	88.1	97.6	105.9	78.1	62.5	128.0	98.9
40 - 44	81.0	104.3	81.7	100.9	100.5	95.9	101.7	109.2	121.0	91.6	78.3	113.6	113.7
45 - 49	79.3	107.2	100.6	115.2	115.5	109.7	114.6	133.1	140.7	105.8	145.0	140.0	138.0
50 - 54	97.8	154.1	124.6	144.4	113.3	135.8	138.4	166.9	171.7	129.3	172.5	240.0	166.6
55 - 59	97.1	154.1	161.4	170.7	158.9	163.4	173.8	202.4	203.6	163.5	166.7	180.0	206.8
60 - 64	131.9	189.5	196.2	196.2	185.7	206.8	234.9	263.5	251.0	201.7	320.0	380.0	238.7
65 - 69	135.9	242.8	243.3	223.7	207.3	232.2	275.1	318.7	313.0	240.2	310.0	210.0	237.5
70 - 74	150.3	285.3	273.4	275.2	230.7	270.3	360.7	405.2	403.3	292.2	300.0	400.0	333.4
75 - 79	170.7	305.5	317.0	311.7	257.7	313.1	424.3	490.9	493.6	339.7	240.0	320.0	394.3
80 - 84	141.2	466.7	379.7	386.9	268.1	361.4	531.6	620.7	588.6	383.2	(2)	(2)	441.1
85+	163.8	465.0	452.7	440.0	260.1	405.2	585.4	703.8	753.8	435.8	(2)	(2)	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-
All Ages	83.5	153.7	131.6	117.6	126.8	143.7	167.5	201.5	181.2	155.1	168.8	236.0	144.2

(2) Rates not calculated. Population less than 50 persons

TABLE 2d(ii)- HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN (1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) See notes on page 43 for details

SEPARATION RATE PER 1,000 POPULATION													
	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
FEMALES													
Newborn	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 1	243.3)	150.9	210.7	129.7	185.3	176.7	311.7	387.7	255.2	255.2	470.0	742.0)	135.7
1 - 4	71.6)		84.5	129.2	85.8	121.8	134.1	186.8	137.1	145.9	130.0	366.5)	
5 - 9	48.9	70.5	74.3	81.6	73.0	97.8	102.1	144.2	114.9	116.6	94.4	165.3	92.7
10 - 14	48.4	49.7	53.3	59.4	49.5	56.2	74.4	103.0	87.3	66.5	81.7	106.9	60.3
15 - 19	146.6	165.0	157.9	151.1	115.0	160.6	177.1	221.8	228.0	177.4	292.5	304.4	155.1
20 - 24	368.5	455.5	381.5	391.8	334.4	416.8	409.2	477.3	483.1	413.3	622.5	626.2	394.0
25 - 29	385.0	476.3	363.6	407.5	347.5	382.2	390.6	483.8	407.5	382.4	540.0	589.8	379.1
30 - 34	336.2	374.0	296.6	348.9	289.1	290.2	309.0	364.7	316.6	294.4	366.7	443.3	299.6
35 - 39	242.2	294.4	218.3	253.9	222.0	212.3	227.9	290.0	247.0	216.5	248.3	505.0	224.7
40 - 44	175.4	194.6	158.6	195.9	168.1	165.5	183.1	229.5	213.4	184.7	272.5	356.0	176.6
45 - 49	107.5	148.9	138.4	156.6	141.6	149.7	167.0	215.8	199.0	163.3	210.0	265.0	155.5
50 - 54	113.8	170.4	142.9	168.2	141.3	148.1	170.0	227.0	208.9	164.0	150.0	260.0	156.8
55 - 59	114.0	166.0	158.3	172.8	146.2	150.7	181.5	244.8	223.3	162.6	155.0	255.0	161.9
60 - 64	128.9	197.8	172.6	185.9	162.5	167.8	208.5	274.5	246.7	182.3	210.0	330.0	180.4
65 - 69	151.2	218.9	194.4	207.0	185.3	189.5	248.7	328.8	308.0	202.4	150.0	460.0	207.6
70 - 74	138.5	269.3	227.0	243.2	202.2	222.0	298.0	384.0	376.2	229.6	180.0	220.0	240.3
75 - 79	138.5	298.3	265.0	294.8	220.4	259.0	368.7	481.0	433.4	275.5	(2)	(2)	282.0
80 - 84	132.0	394.3	289.8	348.6	214.7	319.1	466.1	593.2	533.9	321.6	(2)	(2)	331.7
85+	105.0	424.0	293.7	322.5	206.9	344.8	509.3	595.6	683.5	359.0	(2)	(2)	489.0
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-
All Ages	155.7	232.6	200.2	189.6	189.3	213.4	235.3	290.2	263.3	223.5	291.8	402.7	213.3

(2) Rates not calculated. Population less than 50 persons.

TABLE 2d(iii)- HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN (1)IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) See notes on page 43 for details

SEPARATION RATE PER 1,000 POPULATION

	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
BOTH SEXES													
Newborn	255.9)	170.4	257.2	147.2	219.0	211.7	357.0	454.6	298.4	292.2	466.0	774.0)	155.8
Under 1	80.3)		98.8	148.8	99.8	139.8	150.4	205.2	151.7	164.7	171.5	378.9)	83.5
1 - 4	55.2	76.8	80.1	85.7	79.1	103.7	109.8	146.6	119.1	123.1	96.8	113.2	63.0
5 - 9	49.0	54.7	56.4	61.0	52.7	58.8	76.7	104.7	86.8	71.5	87.7	216.1	111.5
10 - 14	95.0	117.2	104.7	109.4	87.8	112.4	129.8	163.7	162.1	122.8	191.2	327.9	235.1
15 - 19	215.6	254.1	210.7	231.4	208.1	250.2	248.0	282.6	297.5	245.6	333.3	261.0	226.7
20 - 24	220.0	261.4	200.8	238.7	212.8	228.7	230.4	279.2	248.8	223.8	278.3	243.7	187.5
25 - 29	194.8	230.0	175.2	215.9	185.4	181.5	192.8	223.2	200.4	179.3	195.0	269.4	155.4
30 - 34	154.1	188.9	145.2	172.4	155.9	147.2	159.0	191.6	174.9	147.4	142.1	217.5	138.0
35 - 39	125.5	149.5	120.5	148.4	134.8	130.8	143.0	168.9	166.7	139.6	156.0	190.0	134.5
40 - 44	92.6	127.3	119.3	135.6	128.6	129.4	140.7	173.7	169.1	134.9	172.9	248.6	147.2
45 - 49	105.3	161.3	133.3	155.8	137.3	141.9	154.0	195.6	189.5	146.3	165.0	205.0	164.3
50 - 54	105.0	159.8	159.9	171.7	152.5	157.1	177.6	222.1	212.7	163.1	162.0	355.0	193.5
55 - 59	130.4	193.4	184.4	191.0	173.8	187.0	222.0	268.6	249.0	192.3	283.3	293.3	222.8
60 - 64	143.6	230.8	218.3	215.2	195.2	209.8	261.9	323.5	310.6	220.9	230.0	310.0	262.9
65 - 69	144.3	277.3	249.4	258.7	215.6	243.8	329.2	395.5	390.8	260.5	240.0	640.0	308.9
70 - 74	154.9	301.7	289.5	302.9	237.6	282.9	396.8	486.6	466.3	303.4	(2)	(2)	361.1
75 - 79	136.8	427.7	330.6	366.7	238.8	337.3	498.9	608.4	563.3	353.2	(2)	(2)	391.8
80 - 84	134.4	442.2	361.0	372.9	230.0	367.4	545.9	651.6	720.5	395.7	(2)	(2)	173.4
85+													
Unknown	118.7	192.3	165.4	153.2	158.0	178.4	200.9	244.4	221.0	188.8	222.9	310.3	
All Ages													

(2) Rates not calculated. Population less than 50 persons.

TABLE 2e (i) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN (1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) See notes on page 43 for details.

PATIENT-DAY RATE PER 1,000 POPULATION

	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
MALES													
Newborn	4392)	1538	3159	1659	3610	2514	3620	5071	2987	3327	3760	8998)	14442
Under 1	1014)		806	1516	895	900	930	1617	1016	1219	1343	3884)	
1 - 4	793	788	504	632	522	518	544	753	667	700	423	1965	575
5 - 9	610	510	421	511	419	403	452	626	575	490	584	1143	454
10 - 14	560	649	452	560	541	554	568	703	658	495	872	1217	558
15 - 19	618	738	522	667	721	702	677	663	852	587	946	1213	696
20 - 24	743	602	463	687	751	696	652	653	742	533	669	952	690
25 - 29	797	895	562	802	843	786	699	714	846	618	501	896	778
30 - 34	907	843	837	892	989	929	850	837	1042	710	495	1567	922
35 - 39	1165	1297	1053	1155	1257	1221	1121	1006	1178	948	763	1427	1178
40 - 44	1146	1212	1343	1501	1643	1563	1283	1307	1520	1165	2008	1877	1493
45 - 49	1519	1814	1760	1946	2096	2257	1669	1890	2163	1599	2320	2660	2043
50 - 54	1611	2158	2509	2621	2734	2930	2370	2451	2803	2253	2517	2620	2688
55 - 59	2108	3030	3307	3053	3725	4288	3568	3562	3927	3009	2915	4750	3785
60 - 64	2673	3862	4363	4326	4823	5757	4792	5043	5456	4011	3890	2545	5048
65 - 69	2755	4789	4765	5411	6156	7449	6676	6618	8388	5200	6850	6500	6560
70 - 74	3421	5709	5770	6237	8425	9710	9244	8606	13022	6462	4290	3990	8692
75 - 79	2532	8210	7175	7750	11017	13777	13957	11429	23207	7565	(2)	(2)	12086
80 - 84	3425	9315	8462	10184	12359	17887	16244	15328	39637	8632	(2)	(2)	15667
85+	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-
All Ages	1116	1708	1465	1417	1552	1842	1834	2032	2131	1634	1532	2486	1723

TABLE 2e (ii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) See notes on page 43 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
FEMALES													
Newborn	3628)	1235	2206	1349	2735	1863	2880	3522	2311	2782	3170	8006)	1134
Under 1	377)		617	1232	726	698	787	1276	850	991	1288	4389)	
1 - 4	581	469	427	547	455	447	488	699	553	572	491	1713	492
5 - 9	541	400	352	400	380	364	420	551	569	434	428	1008	410
10 - 14	1036	1058	973	985	851	1062	1035	1297	1319	1082	1668	1940	1017
15 - 19	2066	2692	2247	2238	2185	2623	2338	2769	2895	2524	3422	4229	2145
20 - 24	2217	2925	2235	2447	2438	2534	2318	2906	2560	2475	3048	3940	2491
25 - 29	2173	2560	2021	2305	2289	2136	2059	2390	2223	2030	2313	3414	2192
30 - 34	1822	1941	1783	2001	2026	1864	1672	2123	1866	1659	1763	4318	1897
35 - 39	1767	1618	1530	1754	1926	1779	1606	1932	1859	1623	1882	3534	1799
40 - 44	1399	1574	1714	1779	2016	1980	1736	2182	1973	1636	1763	3020	1921
45 - 49	1633	2032	2022	2119	2171	2298	2054	2461	2444	1872	1130	3833	2195
50 - 54	1893	2534	2347	2385	2574	2873	2472	3024	3432	2150	1285	2205	2689
55 - 59	2236	2869	2821	2907	3291	3527	3113	3867	3804	2642	2060	4765	3318
60 - 64	2633	4499	3411	3564	3999	4971	4306	5007	5612	3313	1780	6500	4404
65 - 69	2305	4120	4253	3983	5303	6957	5727	6216	10310	4101	2090	2040	6021
70 - 74	2793	5583	5237	5844	7580	10453	9024	8620	17323	5412	(2)	(2)	8893
75 - 79	3987	7464	5866	8084	10091	17678	12152	12400	32177	6504	(2)	(2)	13716
80 - 84	1750	9254	6332	8340	12039	27151	19097	14691	64302	7958	(2)	(2)	20154
85+													
Unknown													
All Ages	1436	2125	1829	1762	1968	2494	2216	2521	2824	1997	1950	3643	2230

(2) Rate not calculated. Population less than 50

TABLE 2e (iii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) See notes on page 43 for details

PATIENT-DAY RATE PER 1,000 POPULATION

	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA
BOTH SEXES													
Newborn	-	-	2696	1510	3183	2197	3257	4307	2656	3059	3524	8502)	1221
Under 1	4020)	1391	713	1377	828	801	860	1450	935	1107	1316	4130)	534
1 - 4	947)	631	467	590	489	483	517	727	612	637	455	1843	432
5 - 9	688	456	387	456	100	384	436	589	572	463	512	1072	783
10 - 14	576	850	705	767	694	802	796	994	982	781	1270	1578	1574
15 - 19	796	1672	1352	1439	1464	1671	1498	1696	1879	1554	2047	2483	1585
20 - 24	1340	1702	1321	1562	1603	1616	1463	1746	1635	1482	1660	2090	1473
25 - 29	1450	1695	1286	1556	1569	1448	1361	1519	1502	1295	1278	1956	1410
30 - 34	1453	1392	1317	1455	1513	1397	1267	1465	1445	1185	1039	2599	1491
35 - 39	1348	1457	1293	1454	1596	1501	1367	1466	1514	1296	1211	2305	1706
40 - 44	1448	1387	1527	1637	1831	1769	1509	1736	1741	1403	1903	2334	2118
45 - 49	1265	1916	1884	2029	2133	2277	1858	2163	2297	1733	1923	3163	2689
50 - 54	1572	2342	2431	2507	2654	2902	2420	2717	3093	2205	2024	2482	3552
55 - 59	1743	2954	3064	2979	3503	3902	3345	3705	3871	2831	2630	4758	4718
60 - 64	2171	4181	3878	3938	4395	5345	4548	5026	5529	3654	2835	3863	6279
65 - 69	2653	4455	4501	4676	5702	7180	6200	6434	9275	4644	4470	4270	8797
70 - 74	2527	5643	3727	6032	7968	10125	9135	8612	14973	5949	5690	8490	12950
75 - 79	3113	7808	6461	7926	10510	16005	13055	11864	27366	7049	(2)	(2)	18183
80 - 84	3236	9281	7233	9131	12178	23496	17723	15021	51297	8280	(2)	(2)	-
85+	2588	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-
All Ages	1272	1912	1614	1588	1760	2167	2022	2269	2467	1813	1716	3001	1974

(2) Rate not calculated. Population less than 50.

TABLE 2f (i) - HOSPITALIZATION BY AGE SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963.

(1) See notes on page 43 for details

[illegible]

TABLE 2f (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) See notes on page 43 for details

[illegible]

NOTES

BASICALLY, TABLE 2 PRESENTS DATA ON PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, WITH THE FOLLOWING EXCEPTIONS:-

- a) Newfoundland:- Includes separations and patient-days not the responsibility of the Provincial Plan.
- b) Prince Edward Island:- Includes separations and patient-days not the responsibility of the Provincial Plan.
- c) Nova Scotia:- Excludes out-of-province hospitalization.
- d) New Brunswick:- Includes separations and patient-days not the responsibility of the Provincial Plan. Excludes non-residents.
- e) Quebec:- Includes separations and patient-days not the responsibility of the Provincial Plan. Includes non-residents.
- f) Ontario:- Includes separations and patient-days not the responsibility of the Provincial Plan. Includes non-residents.
- g) Manitoba:- Includes separations and patient-days not the responsibility of the Provincial Plan. Excludes non-residents.
- h) Saskatchewan:- Excludes Provincial Plan separations and patient-days from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.
- i) Alberta:- Includes 6,438 separations and 79,514 patient-days of Alberta residents not the responsibility of the Provincial Plan. Excludes non-residents.
- j) British Columbia:- Excludes out-of-province separations and patient-days which were the responsibility of the Provincial Plan.

TABLE 5a (i) SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS (2) BY PROVINCE, 1963

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, BOTH SEXES										
	Nfld.	P.E.I.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.	Canada (3)
1	3,965	1,141	60,686	95,070	12,985	15,876	23,873	17,365	244	446	231,651
2	5,475	1,483	51,611	100,563	23,060	26,791	35,500	39,862	403	560	285,308
3	6,639	1,492	46,402	72,626	14,010	18,125	25,858	24,828	286	533	210,799
4	6,207	1,258	60,379	74,869	14,331	17,327	23,701	21,384	255	588	220,299
5	5,449	2,009	76,882	96,050	17,871	19,372	25,495	24,235	327	661	268,351
6	3,851	1,887	60,560	85,834	14,449	17,708	23,450	24,102	284	600	232,725
7	3,057	1,360	49,215	66,837	10,728	14,096	20,371	20,523	208	508	186,903
8	2,596	1,024	37,844	49,057	7,906	10,155	14,556	15,492	140	366	139,136
9	2,091	763	31,430	38,899	6,185	8,151	10,954	12,074	89	318	110,954
10	1,777	638	27,489	33,050	5,373	6,691	8,653	10,117	88	292	94,168
11 - 14	5,121	1,693	81,630	90,523	13,815	17,780	22,015	25,649	239	666	259,131
15 - 19	3,572	1,042	58,217	61,105	9,199	11,624	13,659	16,138	125	367	175,048
20 - 29	3,497	924	53,477	61,029	8,800	10,722	11,733	15,806	93	327	166,408
30 - 59	2,803	703	32,002	49,177	6,888	7,699	8,713	11,876	62	239	120,162
60+	984	243	10,669	20,006	2,778	2,486	4,307	3,920	24	89	45,506
Total	57,084	17,660	738,493	994,695	168,378	204,603	272,838	283,371	2,867	6,560	2,746,549

(1) Excludes newborns, but includes "age unspecified".

(2) Newfoundland, Prince Edward Island, Manitoba and Alberta include some non-insured residents of the Province. Quebec and Ontario include both resident and non-resident out-of-province separations which were the responsibility of the provincial plan.

(3) Excludes Nova Scotia and New Brunswick.

TABLE 5a (ii) SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS BY PROVINCE, 1963
(2)

LENGTH OF STAY IN DAYS	PERCENTAGE DISTRIBUTION OF SEPARATIONS, BOTH SEXES										(3)	
	Nfld.	P.E.I.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA	
1	6.9	6.5	8.2	9.6	7.7	7.8	8.7	6.1	8.5	6.8	8.4	
2	9.6	8.4	7.0	10.1	13.7	13.1	13.0	14.1	14.1	8.5	10.4	
3	11.6	8.4	6.3	7.3	8.3	8.9	9.5	8.8	10.0	8.1	7.7	
4	10.9	7.1	8.2	7.5	8.5	8.5	8.7	7.5	8.9	9.0	8.0	
5	9.5	11.4	10.4	9.7	10.6	9.5	9.3	8.6	11.4	10.1	9.8	
6	6.7	10.7	8.2	8.6	8.6	8.7	8.6	8.5	9.9	9.1	8.5	
7	5.4	7.7	6.7	6.7	6.4	6.9	7.5	7.2	7.3	7.7	6.8	
8	4.5	5.8	5.1	4.9	4.7	5.0	5.3	5.5	4.9	5.6	5.1	
9	3.7	4.3	4.3	3.9	3.7	4.0	4.0	4.3	3.1	4.8	4.0	
10	3.1	3.6	3.7	3.3	3.2	3.3	3.2	3.6	3.1	4.5	3.4	
11 - 14	9.0	9.6	11.1	9.1	8.2	8.7	8.1	9.1	8.3	10.2	9.4	
15 - 19	6.3	5.9	7.9	6.1	5.5	5.7	5.0	5.7	4.4	5.6	6.4	
20 - 29	6.1	5.2	7.2	6.1	5.2	5.2	4.3	5.6	3.2	5.0	6.1	
30 - 59	4.9	4.0	4.3	4.9	4.1	3.8	3.2	4.2	2.2	3.6	4.4	
60+	1.7	1.4	1.4	2.0	1.6	1.2	1.6	1.4	0.8	1.4	1.7	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

(1) Excludes newborns, but includes "age unspecified".
 (2) Newfoundland, Prince Edward Island, Manitoba and Alberta include some non-insured residents of the Province. Quebec and Ontario include both resident and non-resident non-insured in-patients. British Columbia excludes out-of-province separations which were the responsibility of the provincial plan.
 (3) Excludes Nova Scotia and New Brunswick.

TABLE 5a (iii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1) NEWFOUNDLAND, 1963

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+ UNKNOWN
1		1,609	179	231	305	269	327	184	62	45 7
2		1,784	172	299	499	226	293	199	50	44 2
3		1,632	213	228	395	246	296	168	54	32 -
4		1,401	185	215	282	194	249	197	46	31 2
5		1,283	197	215	237	162	222	164	48	35 3
6		1,180	186	158	197	172	201	171	50	43 2
7		1,157	175	148	209	161	224	155	52	33 2
8		1,104	142	154	219	147	200	159	51	31 -
9		893	118	112	134	114	176	155	51	32 1
10		789	120	81	110	77	174	146	48	31 2
11 - 14		2,286	308	257	302	236	424	474	168	114 3
15 - 19		1,685	189	150	211	138	341	396	159	100 1
20 - 29		1,764	215	131	194	130	340	454	189	107 4
30 - 59		1,493	158	120	218	99	255	365	159	118 1
60 - 89		318	44	33	57	21	43	65	30	24 1
90+		215	26	31	55	17	29	24	20	13 -
Total		20,593	2,627	2,563	3,624	2,409	3,794	3,476	1,237	833 30

(1) Includes out-of-province hospitalization. Also includes an unspecified number of separations for whom the Provincial Plan was not financially responsible.

TABLE 5a (iv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1) NEWFOUNDLAND, 1963

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+ UNKNOWN
1		2,356	94	160	213	664	897	229	54	41
2		3,691	116	214	440	1,114	1,542	200	40	24
3		5,007	110	181	388	1,783	2,229	220	70	25
4		4,806	143	143	260	1,710	2,265	197	60	25
5		4,166	125	156	198	1,573	1,845	180	67	21
6		2,671	127	140	174	865	1,124	150	60	29
7		1,900	98	134	199	505	700	179	56	26
8		1,492	97	107	175	368	510	156	50	28
9		1,198	92	100	120	230	386	183	54	30
10		988	65	76	99	186	347	141	49	25
11 - 14		2,835	191	185	245	427	927	561	197	100
15 - 19		1,887	138	121	170	228	543	463	148	74
20 - 29		1,733	171	99	140	183	451	408	188	92
30 - 59		1,310	121	98	144	131	263	324	149	79
60 - 89		246	37	29	47	22	23	46	27	15
90+		205	27	32	44	14	18	36	12	22
Total		36,491	1,752	1,975	3,056	10,003	14,070	3,673	1,281	656 25

(1) Includes out-of-province hospitalization. Also includes an unspecified number of separations for whom the Provincial Plan was not financially responsible.

TABLE 5a (v) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) PRINCE EDWARD ISLAND, 1963

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	1 - 14	15 - 24	25 - 44	45 - 64	65 - 74	75+		
1	21	478	180	82	76	68	38	34		
2	6	604	251	85	103	97	37	31		
3	17	591	300	57	84	88	29	33		
4	129	481	199	62	62	97	33	28		
5	597	467	177	38	70	102	41	39		
6	425	457	163	39	77	79	63	36		
7	113	487	186	49	64	104	51	33		
8	43	455	158	43	69	101	48	36		
9	30	357	104	28	58	81	44	42		
10	18	286	87	18	35	67	34	45		
11 - 14	30	753	183	40	100	175	132	123		
15 - 19	19	527	95	27	78	131	99	97		
20 - 29	21	477	60	21	58	128	106	104		
30 - 59	19	368	42	21	35	96	84	90		
60 - 89	3	65	5	3	10	15	18	14		
90+	2	61	10	7	3	16	8	17		
Total	1,493	6,914	2,200	620	982	1,445	865	802		

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the Provincial Plan.

TABLE 5a (vi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) PRINCE EDWARD ISLAND, 1963

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE							
	NEWBORN	TOTAL	1 - 14	15 - 24	25 - 44	45 - 64	65 - 74	75+
1	14	663	142	187	217	56	32	29
2	7	879	179	206	309	119	32	34
3	17	901	303	167	277	108	26	20
4	161	777	134	205	280	90	39	29
5	573	1,542	141	518	715	90	44	34
6	360	1,430	132	451	687	87	42	31
7	128	873	130	234	312	109	43	45
8	32	569	111	106	177	83	46	46
9	24	406	70	50	129	61	41	55
10	17	352	62	45	98	76	40	31
11 - 14	21	940	155	90	180	236	129	150
15 - 19	19	515	70	27	79	140	98	101
20 - 29	24	447	45	24	62	117	89	110
30 - 59	21	335	26	10	28	86	77	108
60 - 89	1	57	6	4	3	20	12	12
90+	-	60	8	4	8	11	8	21
Total	1,419	10,746	1,714	2,328	3,561	1,489	798	856

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the Provincial Plan.

TABLE 5a (vii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) QUEBEC, 1963

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	Under 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,790	29,374	913	6,211	9,843	3,522	4,386	3,154	809	530
2	899	23,721	648	4,205	8,040	3,465	4,040	2,394	588	341
3	3,986	17,537	707	2,057	3,539	2,950	4,292	2,898	705	389
4	12,602	17,197	718	1,722	2,979	2,706	4,701	3,221	727	423
5	20,084	17,315	934	1,597	2,917	2,545	4,639	3,423	816	444
6	10,935	15,725	894	1,553	2,501	2,290	3,991	3,228	798	470
7	5,419	16,537	1,029	1,488	2,437	2,171	4,279	3,641	1,000	492
8	2,379	15,135	993	1,347	2,138	1,840	3,859	3,463	957	538
9	1,200	13,313	977	1,270	1,601	1,460	3,253	3,263	982	507
10	751	11,519	842	1,104	1,284	1,119	2,745	2,976	958	491
11 - 14	1,447	33,916	2,739	2,896	3,323	3,016	7,603	9,318	3,250	1,771
15 - 19	1,035	25,288	2,071	1,897	1,847	1,786	5,201	7,683	3,099	1,704
20 - 29	1,101	24,753	2,130	1,550	1,403	1,326	4,419	8,334	3,599	1,992
30 - 59	729	15,624	1,171	809	806	901	2,455	4,978	2,750	1,754
60 - 89	96	2,628	196	89	134	160	399	782	503	365
90+	24	2,746	92	89	106	187	268	685	586	733
TOTAL	64,477	282,328	17,054	29,884	44,898	31,444	60,530	63,441	22,127	12,950

(1) Includes out-of-province hospitalization. Also includes resident and non-resident in-patients not the responsibility of the Provincial Plan.
Includes separations from chronic hospitals.

TABLE 5a(viii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) QUEBEC, 1963

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	Under 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,498	31,312	544	4,878	8,673	5,751	8,152	2,117	749	448
2	882	27,890	369	3,001	7,127	6,182	8,506	1,932	468	305
3	4,062	28,865	450	1,329	2,672	8,224	12,782	2,526	571	311
4	12,598	43,182	521	1,141	2,234	13,695	21,657	2,920	654	360
5	19,157	59,567	626	1,143	2,201	19,213	32,226	3,082	706	370
6	10,496	44,835	706	1,087	1,990	13,207	23,616	3,006	770	453
7	4,960	32,678	809	1,169	2,059	8,285	15,711	3,221	918	506
8	1,752	22,709	726	1,046	1,691	4,899	9,776	3,183	894	494
9	982	18,117	663	926	1,335	3,351	7,284	3,166	911	481
10	603	15,970	636	855	1,033	2,500	6,299	3,214	915	518
11 - 14	1,264	47,714	1,915	2,387	2,787	5,818	17,405	12,000	3,534	1,968
15 - 19	927	32,929	1,500	1,414	1,618	3,131	10,442	9,900	3,186	1,738
20 - 29	1,138	28,724	1,448	1,122	1,177	2,043	7,798	9,184	3,858	2,094
30 - 59	737	16,378	868	704	676	921	3,538	5,439	2,548	1,634
60 - 89	91	2,732	141	94	130	182	499	808	452	420
90+	27	2,563	87	74	105	112	278	522	516	869
TOTAL	61,174	456,165	12,009	22,370	37,508	97,514	185,969	66,220	21,650	12,925

(1) Includes out-of-province hospitalization. Also includes resident and non-resident in-patients not the responsibility of the Provincial Plan.
Includes separations from chronic hospitals.

TABLE 5a (ix) SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1963

LENGTH OF STAY IN DAYS	(1) BOTH SEXES AND ALL AGES			
	NEWBORN	TOTAL SEPARATIONS, ADULTS AND CHILDREN FROM ACTIVE CONVALESCENT, AND CHRONIC HOSPITALS	SEPARATIONS, ADULTS AND CHILDREN, FROM ACTIVE AND CONVALESCENT HOSPITALS	SEPARATIONS, ADULTS AND CHILDREN FROM CHRONIC HOSPITALS
1	2,694	95,070	94,950	120
2	958	100,563	100,465	98
3	3,200	72,626	72,533	93
4	19,046	74,869	74,781	88
5	48,563	96,050	95,961	89
6	35,566	85,834	85,738	96
7	18,730	66,837	66,737	100
8	7,640	49,057	48,965	92
9	4,926	38,899	38,826	73
10	3,451	33,050	32,978	72
11 - 14	4,142	90,523	90,182	341
15 - 19	2,530	61,105	60,733	372
20 - 29	2,494	61,029	60,382	647
30 - 59	1,688	49,177	47,923	1,254
60+	254	20,006	14,916	5,090
Total	155,882	994,695	986,070	8,625

(1) Includes all separations from public and private hospitals of Ontario, all insured separations from out-of-province hospitals, all insured separations from Department of Veterans Affairs hospitals, and all insured separations from Federal Indian hospitals.

TABLE 5a (x) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) MANITOBA, 1963

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65 - 74	75+
1	201	6,224	308	926	1,419	924	1,019	864	404	360
2	62	10,261	410	1,937	3,481	1,172	1,385	1,129	428	319
3	229	6,039	457	852	1,124	769	1,085	999	392	361
4	1,602	5,372	460	731	802	651	968	977	434	349
5	4,403	4,696	426	610	672	504	750	921	454	359
6	2,601	4,079	381	487	511	376	708	828	435	353
7	1,057	3,780	381	381	418	297	573	877	431	422
8	301	3,345	255	316	306	307	567	792	421	381
9	201	2,663	236	206	224	181	420	701	367	328
10	139	2,317	179	163	154	143	387	610	348	333
11 - 14	211	6,234	431	388	405	333	904	1,676	1,099	998
15 - 19	127	4,515	249	218	203	211	625	1,243	887	879
20 - 29	183	4,606	198	122	176	193	540	1,336	1,025	1,016
30 - 59	169	3,618	120	115	113	128	354	943	821	1,024
60 - 89	14	735	24	13	23	25	74	162	170	244
90+	6	670	13	2	13	24	57	120	136	305
Total	11,506	69,154	4,528	7,467	10,044	6,238	10,416	14,178	8,252	8,031

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province.

TABLE 5a (xi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) MANITOBA, 1963.

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65 - 74	75+
1	149	6,761	195	641	1,090	1,579	2,035	706	245	270
2	54	12,799	288	1,473	3,207	2,295	3,383	1,594	303	256
3	228	7,971	337	657	905	1,523	2,623	1,311	326	289
4	1,831	8,959	385	553	741	2,124	3,228	1,170	413	345
5	4,273	13,175	351	481	560	4,048	5,994	1,042	363	336
6	2,353	10,370	301	359	442	3,134	4,539	894	366	335
7	881	6,948	267	327	392	1,693	2,679	826	420	344
8	263	4,561	206	227	248	813	1,546	816	408	297
9	184	3,522	165	194	178	468	1,096	766	346	309
10	109	3,056	132	145	139	386	950	737	312	255
11 - 14	197	7,581	320	316	310	607	1,929	2,098	1,037	964
15 - 19	120	4,684	161	156	180	313	950	1,387	826	711
20 - 29	159	4,194	163	135	126	212	718	1,172	787	881
30 - 59	162	3,270	101	78	92	128	428	853	723	867
60 - 89	26	666	15	10	14	20	74	153	154	226
90+	5	707	11	2	14	19	42	134	142	343
Total	10,994	99,224	3,398	5,754	8,638	19,362	32,214	15,659	7,171	7,028

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province.

TABLE 5a (xii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN ⁽¹⁾ IN-PATIENTS, SASKATCHEWAN, 1963.

LENGTH OF STAY (IN DAYS)	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65 - 74	75+
1	242	7,524	376	962	1,653	1,116	1,195	1,196	492	534
2	99	11,638	401	2,311	4,262	1,221	1,317	1,183	483	460
3	262	7,766	495	1,081	1,744	960	1,185	1,225	538	538
4	1,241	7,031	590	994	1,238	703	1,062	1,318	574	552
5	3,899	6,013	539	866	938	535	827	1,133	564	611
6	3,350	5,220	518	724	723	437	703	956	575	584
7	1,364	4,955	448	647	631	382	608	1,090	564	585
8	402	4,094	360	471	484	330	574	868	485	522
9	281	3,523	327	378	360	221	470	811	505	451
10	152	3,019	284	297	258	209	388	694	452	437
11 - 14	228	7,891	684	635	535	465	966	1,863	1,345	1,398
15 - 19	139	5,379	406	381	298	205	625	1,328	1,023	1,113
20 - 29	164	5,487	352	297	245	193	505	1,415	1,162	1,318
30 - 39	110	4,205	204	236	157	167	309	976	990	1,166
40 - 49	26	782	28	30	38	27	49	120	182	303
50 - 59	5	519	18	28	12	11	27	88	117	218
60 - 89										
90+										
TOTAL	11,964	85,046	6,030	10,338	13,576	7,182	10,810	16,264	10,051	10,795

(1) Excludes separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current. Includes out-of-province hospitalization of provincial-plan patients.

TABLE 5a (xiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, SASKATCHEWAN, 1963.

LENGTH OF STAY (IN DAYS)	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65 - 74	75+
1	165	8,352	238	744	1,241	1,830	2,563	1,065	353	318
2	84	15,153	295	1,844	4,139	2,605	3,815	1,748	391	310
3	315	10,359	379	854	1,693	2,052	3,054	1,540	456	331
4	1,414	10,296	448	799	1,153	2,177	3,301	1,433	548	437
5	4,110	13,359	449	692	874	3,668	5,387	1,346	501	442
6	2,956	12,488	353	607	696	3,571	5,132	1,185	512	432
7	1,011	9,141	344	562	674	2,321	3,172	1,094	501	473
8	386	6,061	312	422	482	1,109	1,930	951	435	420
9	246	4,628	221	286	345	760	1,367	845	426	378
10	150	3,672	198	237	217	433	1,123	770	366	328
11 - 14	213	9,889	510	546	437	903	2,547	2,577	1,212	1,157
15 - 19	141	6,245	252	300	275	360	1,295	1,855	956	952
20 - 29	159	5,235	232	254	177	232	859	1,507	966	1,008
30 - 59	114	3,494	122	143	108	123	382	986	731	899
60 - 89	23	651	23	24	19	25	62	151	125	222
90+	6	534	5	18	14	17	28	90	134	228
TOTAL	11,493	119,557	4,381	8,332	12,544	22,186	36,017	19,143	8,613	8,341

(1) Excludes separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current. Includes out-of-province hospitalization of provincial-plan patients.

TABLE 5a (xlv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN(1) IN-PATIENTS, ALBERTA, 1963

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	310	11,085	393	1,274	2,067	1,810	2,537	1,896	611	497
2	83	15,863	477	3,018	5,361	1,683	2,393	1,858	600	473
3	294	11,019	604	1,592	2,335	1,469	2,128	1,736	642	513
4	2,289	9,197	671	1,245	1,499	1,082	1,728	1,717	668	587
5	4,457	7,968	625	1,054	1,108	833	1,531	1,565	700	552
6	4,580	6,836	591	845	845	675	1,297	1,385	645	553
7	3,484	6,469	548	753	779	580	1,210	1,347	636	616
8	1,259	5,413	425	590	576	441	1,034	1,179	634	534
9	639	4,545	358	422	438	360	875	1,088	517	487
10	374	3,686	304	305	273	265	670	887	512	470
11 - 14	605	9,857	713	696	630	601	1,731	2,509	1,433	1,544
15 - 19	394	6,710	401	378	372	320	1,086	1,757	1,202	1,194
20 - 29	344	6,191	317	299	296	262	885	1,731	1,160	1,241
30 - 59	202	4,708	165	157	264	190	564	1,288	996	1,094
60 - 89	27	1,028	26	27	65	57	113	228	227	285
90+	4	1,234	12	19	59	50	89	216	232	557
TOTAL	19,345	111,809	6,630	12,674	16,967	10,678	19,871	22,387	11,415	11,187

(1) Adult and child separations are for "Alberta residents" and include some separations for some non-plan in-patients. (Note: Table I indicates a total of 280,593 adult and child separations, both sexes, for Alberta. Of these, 266,400 were the responsibility of the provincial plan, while 14,193 were not. In Table 5, data on length of stay is available for a total of 272,838 adult and child separations, both sexes, of which 266,400 were the responsibility of the provincial plan, and 6,438 were not.)

TABLE 5a (xv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN(1) IN-PATIENTS, ALBERTA, 1963

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	221	12,788	253	1,026	1,657	3,115	4,295	1,656	463	323
2	59	19,637	356	2,228	5,088	3,432	5,452	2,311	484	286
3	308	14,839	448	1,233	2,208	3,083	4,660	2,280	559	368
4	2,362	14,504	487	1,015	1,380	3,583	5,141	1,894	609	395
5	4,565	17,527	506	884	1,119	5,365	7,157	1,549	554	393
6	4,260	16,614	437	679	837	5,444	6,868	1,379	532	438
7	3,065	13,902	416	605	751	4,186	5,730	1,284	504	426
8	1,055	9,143	284	437	517	2,321	3,544	1,120	509	411
9	523	6,409	250	334	349	1,222	2,360	1,115	444	335
10	367	4,967	191	260	227	763	1,695	1,058	439	334
11 - 14	571	12,158	471	592	541	1,307	3,701	3,057	1,301	1,188
15 - 19	375	6,949	331	323	284	486	1,746	1,901	988	890
20 - 29	319	5,542	198	233	231	301	1,119	1,553	923	984
30 - 59	201	4,005	138	136	185	199	654	1,068	756	869
60 - 89	30	800	18	26	59	37	85	149	176	250
90+	8	1,245	14	14	51	24	68	185	248	641
TOTAL	18,289	161,029	4,798	10,025	15,484	34,868	54,275	23,559	9,489	8,531

(1) Adult and child separations are for "Alberta residents" and include some separations for some non-plan in-patients.
 (Note: Table I indicates a total of 280,593 adult and child separations, both sexes, for Alberta. Of these, 266,400 were the responsibility of the provincial plan, while 14,193 were not. In Table 5, data on length of stay is available for a total of 272,838 adult and child separations, both sexes, of which 266,400 were the responsibility of the provincial plan, and 6,438 were not.)

TABLE 5a (xvi), SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) BRITISH COLUMBIA, 1963

LENGTH OF STAY (IN DAYS)	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	275	8,068	288	1,106	1,897	1,096	1,372	1,223	483	603
2	74	17,443	389	3,898	6,476	1,468	2,240	1,804	640	528
3	187	10,020	463	1,475	2,146	1,156	1,997	1,692	566	525
4	1,392	8,745	531	1,256	1,410	972	1,784	1,661	567	564
5	4,373	7,669	528	1,117	1,125	731	1,520	1,544	564	540
6	5,185	6,701	560	931	941	561	1,212	1,377	567	552
7	3,218	6,431	501	834	829	522	1,141	1,416	563	625
8	1,308	5,565	457	645	599	395	924	1,366	603	576
9	725	4,656	344	490	456	285	759	1,181	608	533
10	483	3,934	318	386	339	205	535	1,036	557	558
11 - 14	620	11,015	877	871	801	523	1,462	2,853	1,810	1,818
15 - 19	298	7,783	415	477	446	304	933	2,153	1,479	1,576
20 - 29	342	8,149	388	362	343	252	804	2,266	1,755	1,979
30 - 59	229	6,319	211	231	260	169	533	1,730	1,418	1,767
60 - 89	33	1,292	41	37	64	36	99	298	274	143
90+	9	788	19	26	43	46	85	154	179	236
TOTAL	18,751	114,578	6,330	14,142	18,175	8,721	17,400	23,754	12,633	13,423

(1) Excludes out-of-province hospitalization.

TABLE 5a (xvii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) BRITISH COLUMBIA, 1963

LENGTH OF STAY (IN DAYS)	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	184	9,297	210	844	1,272	2,132	3,060	1,019	348	412
2	63	22,419	315	2,994	6,074	3,251	6,307	2,658	473	347
3	275	14,808	344	1,027	1,912	2,906	5,233	2,444	532	410
4	1,683	12,639	414	911	1,144	2,910	4,551	1,797	453	459
5	4,789	16,566	433	816	910	4,933	6,938	1,598	512	426
6	4,729	17,401	414	680	754	5,542	7,668	1,416	474	453
7	2,683	14,092	374	611	686	3,959	5,934	1,445	557	526
8	1,084	9,927	332	485	542	2,187	3,985	1,362	526	508
9	614	7,418	265	385	364	1,282	2,824	1,359	492	447
10	396	6,183	229	320	291	780	2,276	1,322	509	456
11 - 14	582	14,634	577	773	617	1,257	4,412	3,865	1,641	1,492
15 - 19	246	8,355	329	407	345	518	1,995	2,353	1,211	1,197
20 - 29	317	7,657	282	306	318	346	1,352	2,149	1,364	1,540
30 - 59	208	5,557	192	197	177	201	770	1,423	1,143	1,454
60 - 89	35	1,060	40	42	40	31	121	231	203	352
90+	10	780	22	15	29	25	61	167	161	300
TOTAL	17,898	168,793	4,772	10,813	15,475	32,260	57,487	26,608	10,599	10,779

(1) Excludes out-of-province hospitalization.

TABLE 5a (xviii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, (1) YUKON, 1963

LENGTH OF STAY (IN DAYS)	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1	119	12	26	17	6	26	26	3	3
2	2	166	12	39	52	14	26	12	6	5
3	-	129	14	20	27	18	28	18	3	1
4	24	105	16	21	16	7	20	15	6	4
5	96	82	6	20	14	5	20	15	-	2
6	52	76	9	16	5	5	14	21	2	4
7	21	63	13	12	6	3	7	14	5	3
8	7	65	8	10	6	4	19	14	-	4
9	2	43	9	6	4	3	7	11	1	2
10	7	23	5	5	-	1	2	4	2	4
11	9	132	20	20	8	11	16	37	9	11
14	2	73	10	12	4	3	12	18	9	5
15	-	50	2	3	3	1	6	21	4	10
20	-	42	2	3	1	4	9	9	8	6
30	-	13	-	-	1	1	2	3	2	4
59	-	8	1	-	-	1	-	3	1	2
60	-	-	-	-	-	-	-	-	-	-
90+	-	-	-	-	-	-	-	-	-	-
TOTAL	229	1,189	139	213	164	87	214	241	61	70

(1) Includes out-of-territory hospitalization.

TABLE 5a (xix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, THERUTORIAL PIAN IN-PATIENTS, (1) YUKON, 1963

LENGTH OF STAY (IN DAYS)	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	5	125	10	15	12	26	44	15	3	-
2	1	237	6	22	36	47	114	9	1	2
3	3	157	9	14	24	24	56	24	3	3
4	36	150	8	4	10	48	60	16	1	3
5	103	245	11	12	9	74	130	5	2	3
6	50	208	8	19	13	52	97	11	3	5
7	21	145	10	10	8	34	68	10	4	1
8	6	75	6	10	1	14	39	1	3	1
9	4	46	6	-	3	11	20	5	-	1
10	4	65	6	3	5	11	32	4	1	3
11 - 14	6	107	9	7	5	13	45	22	5	1
15 - 19	3	52	2	4	4	6	20	12	2	2
20 - 29	1	43	2	7	2	5	16	6	2	3
30 - 59	4	20	1	2	2	1	7	5	2	-
60 - 89	1	2	-	-	-	-	-	-	1	1
90+	-	1	-	1	-	-	-	-	-	-
TOTAL	248	1,678	94	130	134	366	748	145	33	28

(1) Includes out-of-territory hospitalization

TABLE 5a (xx) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS(1), NORTHWEST TERRITORIES, 1963

LENGTH OF STAY (IN DAYS)	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	13	201	15	51	35	22	47	25	5	1
2	10	224	24	49	62	20	41	23	3	2
3	37	203	29	48	46	23	28	20	4	5
4	47	221	25	46	37	25	57	26	1	4
5	147	195	29	56	33	17	32	22	5	1
6	78	202	32	59	32	21	21	23	5	9
7	51	194	35	65	22	16	24	15	10	7
8	23	146	21	48	18	9	26	17	6	1
9	8	127	25	34	10	12	15	20	7	4
10	9	146	36	41	18	12	17	14	5	3
11 - 14	7	312	70	94	28	18	41	38	13	10
15 - 19	7	175	21	45	24	15	31	22	7	10
20 - 29	11	163	20	40	17	15	26	35	2	8
30 - 59	10	121	14	19	22	8	22	25	6	5
60 - 89	-	26	4	6	5	2	6	-	1	2
90+	2	20	3	2	4	2	4	3	2	-
TOTAL	460	2,676	403	703	413	237	438	328	82	72

(1) Includes out-of-territory hospitalization.

TABLE 5a (cont) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS(1), NORTHWEST TERRITORIES, 1963

LENGTH OF STAY (IN DAYS)	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	15	245	19	43	23	47	88	23	2	-
2	11	336	22	38	59	84	108	16	3	6
3	24	330	22	41	38	78	118	24	8	1
4	56	367	37	50	37	83	128	23	4	5
5	130	466	22	45	34	138	206	13	4	4
6	81	398	27	55	27	90	178	13	6	2
7	34	314	24	50	29	76	98	32	4	1
8	19	220	27	35	18	50	67	19	2	2
9	6	191	25	48	20	29	44	17	5	3
10	7	146	29	31	16	17	31	16	4	2
11 - 14	13	354	46	65	40	36	109	42	8	8
15 - 19	6	192	30	40	12	16	54	24	10	6
20 - 29	7	164	19	38	13	15	44	21	3	11
30 - 59	10	118	18	32	12	14	26	12	4	-
60 - 89	1	19	2	4	4	2	4	3	-	-
90+	-	24	2	8	5	-	4	3	1	1
TOTAL	420	3,884	371	623	387	775	1,307	301	68	52

(1) Includes out-of-territory hospitalization.

TABLE 5b (i) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES, AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS (2), BY PROVINCE, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, BOTH SEXES										
	Nfld.	P.E.I.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	3,965	1,141	60,686	95,070	12,985	15,876	23,873	17,365	244	446	231,651
2	10,950	2,966	103,222	201,126	46,120	53,582	71,000	79,726	806	1,120	570,618
3	19,917	4,476	139,206	217,878	42,030	54,375	77,572	74,467	858	1,599	632,378
4	24,828	5,032	241,516	299,476	57,324	69,308	94,799	85,499	1,020	2,352	881,154
5	27,245	10,045	384,410	480,250	89,355	96,860	127,468	121,075	1,635	3,305	1,341,648
6	23,106	11,322	363,360	515,004	86,694	106,248	140,687	144,528	1,704	3,600	1,396,253
7	21,399	9,520	344,505	467,859	75,096	98,672	142,580	143,605	1,456	3,556	1,308,248
8	20,768	8,192	302,752	392,456	63,248	81,240	116,423	123,873	1,120	2,928	1,113,000
9	18,819	6,777	282,870	350,091	55,665	73,359	98,548	108,602	801	2,862	998,394
10	17,770	6,380	274,890	330,510	53,730	66,910	86,496	101,108	880	2,920	941,594
11 - 14	63,468	20,876	1,009,808	1,119,159	169,910	219,138	270,495	315,319	2,905	8,170	3,199,248
15 - 19	59,785	17,397	975,083	1,024,421	154,115	194,669	227,925	269,945	2,100	6,163	2,931,603
20 - 29	83,119	21,966	1,268,016	1,453,709	208,887	254,221	277,726	376,253	2,220	7,807	3,953,924
30 - 59	111,903	28,118	1,261,237	1,963,455	275,188	305,658	347,030	471,719	2,395	9,339	4,776,042
60+	104,752	30,809	1,818,606	4,006,925	382,534	273,668	1,098,630	381,342	2,496	9,586	8,109,348
TOTAL	611,794	185,017	8,830,167	12,917,389	1,772,881	1,963,784	3,201,252	2,814,426	22,640	65,753	32,385,103

(1) Excludes newborns, but includes "age unspecified".

(2) Newfoundland, Prince Edward Island, Manitoba and Alberta include some non-insured residents of the Province. Quebec and Ontario include both resident and non-resident non-insured in-patients. British Columbia excludes out-of-province separations which were the responsibility of the provincial plan.

(3) Excludes Nova Scotia and New Brunswick.

TABLE 5b (ii) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES, AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS (2), BY PROVINCE, 1963

LENGTH OF STAY IN DAYS	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS, BOTH SEXES										
	N.F.L.D.	P.E.I.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	0.6	0.6	0.7	0.7	0.7	0.8	0.7	0.6	1.1	0.7	0.7
2	1.8	1.6	1.2	1.6	2.6	2.7	2.2	2.8	3.6	1.7	1.8
3	3.3	2.4	1.6	1.7	2.4	2.8	2.4	2.6	3.8	2.4	2.0
4	4.1	2.7	2.7	2.3	3.2	3.5	3.0	3.0	4.5	3.5	2.7
5	4.5	5.4	4.4	3.7	5.0	4.9	4.0	4.3	7.2	5.0	4.1
6	3.8	6.1	4.1	4.0	4.9	5.4	4.4	5.1	7.5	5.5	4.3
7	3.5	5.1	3.9	3.6	4.2	5.0	4.5	5.1	6.4	5.4	4.0
8	3.4	4.4	3.4	3.0	3.6	4.1	3.6	4.4	4.9	4.5	3.4
9	3.1	3.7	3.2	2.7	3.1	3.7	3.1	3.9	3.5	4.4	3.1
10	2.9	3.4	3.1	2.6	3.0	3.4	2.7	3.6	3.9	4.4	2.9
11 - 14	10.4	11.3	11.4	8.7	9.6	11.2	8.4	11.2	12.8	12.4	9.9
15 - 19	9.8	9.4	11.0	7.9	8.7	9.9	7.1	9.6	9.3	9.4	9.1
20 - 29	13.6	11.9	14.4	11.3	11.8	12.9	8.7	13.4	9.8	11.9	12.2
30 - 59	18.3	15.2	14.3	15.2	15.5	15.6	10.8	16.8	10.6	14.2	14.7
60+	17.1	16.7	20.6	31.0	21.6	13.9	34.3	13.5	11.0	14.6	25.0
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(1) Excludes newborns, but includes "age unspecified".

(2) Newfoundland, Prince Edward Island, Manitoba and Alberta include some non-insured residents of the Province. Quebec and Ontario include both resident and non-resident non-insured in-patients. British Columbia excludes out-of-province separations which were the responsibility of the provincial plan.

(3) Excludes Nova Scotia and New Brunswick.

TABLE 5b (iii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEWFOUNDLAND, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1		1,609	179	231	305	269	327	184	62	45
2		3,568	344	598	998	452	586	398	100	88
3		4,896	639	684	1,185	738	888	504	162	96
4		5,604	740	860	1,128	776	996	788	184	124
5		6,415	985	1,075	1,185	810	1,110	820	240	175
6		7,080	1,116	948	1,182	1,032	1,206	1,026	300	258
7		8,099	1,225	1,036	1,463	1,127	1,568	1,085	364	231
8		8,832	1,136	1,232	1,752	1,176	1,600	1,272	408	248
9		8,037	1,062	1,008	1,206	1,026	1,584	1,395	459	288
10		7,890	1,200	810	1,100	770	1,740	1,460	480	310
11 - 14		28,329	3,793	3,167	3,730	2,909	5,265	5,891	2,107	1,427
15 - 19		28,159	3,168	2,487	3,503	2,296	5,697	6,615	2,702	1,676
20 - 29		42,014	5,023	3,131	4,623	3,090	8,097	10,879	4,501	2,570
30 - 59		59,862	6,332	4,765	9,322	3,949	10,136	14,140	6,437	4,748
60 - 89		22,930	3,186	2,382	4,132	1,566	3,076	4,650	2,092	1,761
90+		31,764	3,251	4,887	8,468	2,917	3,963	2,984	2,968	2,326
TOTAL		275,088	33,379	29,301	45,282	24,903	47,839	54,091	23,566	16,371
										356

(1) Includes out-of-province hospitalization. Also includes an unspecified number of patient-days for which the provincial plan was not financially responsible.

TABLE 5b (iv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) NEWFOUNDLAND, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1		2,356	94	160	213	664	897	229	54	41
2		7,382	232	428	880	2,228	3,084	400	80	48
3		15,021	330	543	1,164	5,349	6,687	660	210	75
4		19,224	572	572	1,040	6,840	9,060	788	240	100
5		20,830	625	780	990	7,865	9,225	900	335	105
6		16,026	762	840	1,044	5,190	6,744	900	360	174
7		13,300	686	938	1,393	3,535	4,900	1,253	392	182
8		11,936	776	856	1,400	2,944	4,080	1,248	400	224
9		10,782	828	900	1,080	2,070	3,474	1,647	486	270
10		9,880	650	760	990	1,860	3,470	1,410	490	250
11 - 14		35,139	2,362	2,286	3,052	5,281	11,443	6,978	2,495	1,217
15 - 19		31,626	2,326	2,026	2,838	3,785	9,120	7,749	2,506	1,242
20 - 29		41,105	4,055	2,345	3,302	4,354	10,675	9,686	4,417	2,219
30 - 59		52,041	5,101	4,003	5,719	5,197	10,197	12,644	5,866	3,277
60 - 89		17,530	2,671	2,060	3,328	1,517	1,657	3,315	1,927	1,055
90+		32,528	4,049	4,708	6,837	2,753	2,831	5,307	1,602	4,441
TOTAL		336,706	26,119	24,205	35,270	61,432	97,544	55,114	21,890	14,920
										212

(1) Includes out-of-province hospitalization. Also includes an unspecified number of patient-days for which the provincial plan was not financially responsible.

TABLE 5b (v) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS (1), PRINCE EDWARD ISLAND, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE							
	NEWBORN	TOTAL	1-14	15-24	25-44	45-64	65-74	75+
1	21	478	180	82	76	68	38	34
2	12	1,208	502	170	206	194	74	62
3	51	1,773	900	171	252	264	87	99
4	516	1,924	796	248	248	388	132	112
5	2,985	2,335	885	190	350	510	205	195
6	2,550	2,742	978	234	462	474	378	216
7	791	3,409	1,302	343	448	728	357	231
8	344	3,640	1,264	344	552	808	384	288
9	270	3,213	936	252	522	729	396	378
10	180	2,860	870	180	350	670	340	450
11 - 14	366	9,267	2,253	488	1,230	2,139	1,620	1,537
15 - 19	325	8,768	1,568	441	1,294	2,176	1,665	1,624
20 - 29	508	11,374	1,431	487	1,389	3,066	2,546	2,455
30 - 59	763	14,663	1,680	859	1,405	3,673	3,323	3,723
60 - 89	226	4,698	367	190	723	1,155	1,266	997
90+	270	10,907	2,880	1,350	620	2,201	1,325	2,531
TOTAL	10,178	83,259	18,792	6,029	10,127	19,243	14,136	14,932

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the provincial plan.

TABLE 5b (vi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), PRINCE EDWARD ISLAND, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE							
	NEWBORN	TOTAL	1-14	15-24	25-44	45-64	65-74	75+
1	14	663	142	187	217	56	32	29
2	14	1,758	358	412	618	238	64	68
3	51	2,703	909	501	831	324	78	60
4	644	3,108	536	820	1,120	360	156	116
5	2,865	7,710	705	2,590	3,575	450	220	170
6	2,160	8,580	792	2,706	4,122	522	252	186
7	896	6,111	910	1,638	2,184	763	301	315
8	256	4,552	888	848	1,416	664	368	368
9	216	3,564	630	450	1,161	549	369	405
10	170	3,520	620	450	980	760	400	310
11 - 14	258	11,609	1,904	1,080	2,168	3,017	1,589	1,851
15 - 19	317	8,629	1,181	450	1,304	2,338	1,648	1,708
20 - 29	571	10,592	1,066	565	1,432	2,797	2,142	2,590
30 - 59	849	13,455	1,054	383	1,162	3,455	3,098	4,303
60 - 89	83	4,151	468	286	223	1,440	840	894
90+	-	11,053	1,165	808	1,555	1,625	2,721	3,179
TOTAL	9,364	101,758	13,328	14,174	24,068	19,358	14,278	16,552

(1) Includes out-of-province hospitalization. Also includes resident in-patients not the responsibility of the provincial plan.

TABLE 5b (vii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), QUEBEC, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,790	29,374	913	6,211	9,843	3,522	4,386	3,154	809	536
2	1,798	47,442	1,296	8,410	16,080	6,930	8,080	4,788	1,176	682
3	11,958	52,611	2,121	6,171	10,617	8,850	12,876	8,694	2,115	1,167
4	50,408	68,788	2,872	6,888	11,916	10,824	18,804	12,884	2,908	1,692
5	100,405	86,575	4,670	7,985	14,585	12,725	23,195	17,115	4,080	2,220
6	65,610	94,350	5,364	9,318	15,006	13,740	23,946	19,368	4,788	2,820
7	37,933	115,759	7,203	10,416	17,059	15,197	29,953	25,487	7,000	3,444
8	19,032	121,080	7,944	10,776	17,104	14,720	30,872	27,704	7,656	4,304
9	10,800	119,817	8,793	11,430	14,409	13,140	29,277	29,367	8,838	4,563
10	7,510	115,190	8,420	11,040	12,840	11,190	27,450	29,760	9,580	4,910
11 - 14	17,688	419,393	33,873	35,585	40,800	37,127	93,844	115,512	40,552	22,100
15 - 19	17,388	423,906	34,745	31,703	30,736	29,846	86,905	129,047	52,220	28,704
20 - 29	26,281	587,802	50,569	36,509	32,921	31,261	104,615	198,352	85,715	47,860
30 - 59	28,738	617,872	45,438	31,392	31,954	36,077	96,792	195,441	110,029	70,749
60 - 89	6,900	188,187	13,858	6,338	9,726	11,554	28,689	55,786	35,959	26,277
90+	2,942	748,507	17,064	14,010	13,816	27,239	51,633	186,879	175,194	262,672
TOTAL	407,181	3,836,653	245,143	244,182	299,412	283,942	671,317	1,059,338	548,619	484,700

(1) Includes out-of-province hospitalization. Also includes patient-days for resident and non-resident in-patients not the responsibility of the provincial plan. Includes patient-days of separations from chronic hospitals.

TABLE 5b (viii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), QUEBEC, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,498	31,312	544	4,878	8,673	5,751	8,152	2,117	749	448
2	1,764	55,780	738	6,002	14,254	12,364	17,012	3,864	936	610
3	12,186	86,595	1,350	3,987	8,016	24,672	38,346	7,578	1,713	933
4	50,392	172,728	2,084	4,564	8,936	54,780	86,628	11,680	2,616	1,440
5	95,780	297,835	3,130	5,715	11,005	96,065	161,130	15,410	3,530	1,850
6	62,976	269,010	4,236	6,522	11,940	79,242	141,696	18,036	4,620	2,718
7	34,720	228,746	5,663	8,183	14,413	57,995	109,977	22,547	6,426	3,542
8	14,016	181,672	5,808	8,368	13,528	39,192	78,208	25,464	7,152	3,952
9	8,838	163,053	5,967	8,334	12,015	30,159	65,556	28,494	8,199	4,329
10	6,030	159,700	6,360	8,550	10,330	25,000	62,990	32,140	9,150	5,180
11 - 14	15,618	590,415	23,785	29,462	34,284	71,372	214,683	149,392	44,125	23,312
15 - 19	15,776	551,177	25,129	23,568	27,000	52,188	174,419	166,011	53,538	29,324
20 - 29	26,885	680,214	34,257	26,552	27,840	48,164	183,318	217,807	92,046	50,230
30 - 59	29,318	643,365	34,512	27,708	26,623	36,585	136,840	213,425	100,534	67,138
60 - 89	6,305	195,180	10,082	6,542	9,425	13,061	35,152	57,990	32,169	30,759
90+	3,581	686,732	13,594	10,467	16,174	15,526	49,948	121,267	145,624	314,132
TOTAL	385,683	4,993,514	177,239	189,402	254,456	662,116	1,564,055	1,093,222	513,127	539,897

(1) Includes out-of-province hospitalization. Also includes patient-days for resident and non-resident in-patients not the responsibility of the provincial plan. Includes patient-days of separations from chronic hospitals.

TABLE 5b (ix) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1963.

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS(1), BOTH SEXES AND ALL AGES			
	NEWBORN	TOTAL PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE CONVALESCENT, AND CHRONIC HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE AND CONVALESCENT HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN, FROM CHRONIC HOSPITALS
1	2,694	95,070	94,950	120
2	1,916	201,126	200,930	196
3	9,600	217,878	217,599	279
4	76,184	299,476	299,124	352
5	242,815	480,250	479,805	445
6	213,396	515,004	514,428	576
7	131,110	467,859	467,159	700
8	61,120	392,456	391,720	736
9	44,334	350,091	349,434	657
10	34,510	330,510	329,780	730
11 - 14	50,170	1,119,159	1,114,878	4,281
15 - 19	42,451	1,024,421	1,018,172	6,249
20 - 29	59,236	1,453,709	1,437,956	15,753
30 - 59	65,671	1,963,455	1,908,263	55,192
60+	18,850	4,006,925	1,498,354	2,508,571
TOTAL	1,054,057	12,917,389	10,322,552	2,594,837

(1) Includes all patient-days of separations from public and private hospitals of Ontario, all insured separations from out-of-province hospitals, all insured separations from Department of Veterans Affairs hospitals, and from Federal Indian hospitals.

TABLE 5b (x) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) MANITOBA, 1963

LENGTH OF STAY IN DAYS	PATIENT DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	201	6,224	308	926	1,419	924	1,019	864	404	360
2	124	20,522	820	3,874	6,962	2,344	2,770	2,258	856	638
3	687	18,117	1,371	2,556	3,372	2,307	3,255	2,997	1,176	1,083
4	6,408	21,488	1,840	2,924	3,208	2,604	3,872	3,908	1,736	1,396
5	22,015	23,480	2,130	3,050	3,360	2,520	3,750	4,605	2,270	1,795
6	15,606	24,474	2,286	2,922	3,066	2,256	4,248	4,968	2,610	2,118
7	7,399	26,460	2,667	2,667	2,926	2,079	4,011	6,139	3,017	2,954
8	2,408	26,760	2,040	2,528	2,448	2,456	4,536	6,336	3,368	3,048
9	1,809	23,967	2,124	1,854	2,016	1,629	3,780	6,309	3,303	2,952
10	1,390	23,170	1,790	1,630	1,540	1,430	3,870	6,100	3,480	3,330
11 - 14	2,597	76,982	5,295	4,756	4,976	4,087	11,119	20,673	13,680	12,396
15 - 19	2,122	75,616	4,130	3,632	3,405	3,544	10,415	20,857	14,883	14,750
20 - 29	4,419	109,549	4,732	2,883	4,131	4,658	12,843	31,703	24,427	24,172
30 - 59	6,760	144,156	4,687	4,450	4,593	5,007	14,086	37,338	32,630	41,365
60 - 89	1,005	52,619	1,664	899	1,667	1,867	5,266	11,514	12,339	17,403
90+	1,165	133,165	3,023	312	1,735	4,348	9,831	19,650	28,355	65,911
TOTAL	76,115	806,749	40,907	41,863	50,824	44,060	98,671	186,219	148,534	195,671

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province.

TABLE 5b (xi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) MANITOBA, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	149	6,761	195	641	1,090	1,579	2,035	706	245	270
2	108	25,598	576	2,946	6,414	4,590	6,766	3,188	606	512
3	684	23,913	1,011	1,971	2,715	4,569	7,869	3,933	978	867
4	7,324	35,836	1,540	2,212	2,964	8,496	12,912	4,680	1,652	1,380
5	21,365	65,875	1,755	2,405	2,800	20,240	29,970	5,210	1,815	1,680
6	14,118	62,220	1,806	2,154	2,652	18,804	27,234	5,364	2,196	2,010
7	6,167	48,636	1,869	2,289	2,744	11,851	18,753	5,782	2,940	2,408
8	2,104	36,488	1,648	1,816	1,984	6,504	12,368	6,528	3,264	2,376
9	1,656	31,698	1,485	1,746	1,602	4,212	9,864	6,894	3,114	2,781
10	1,090	30,560	1,320	1,450	1,390	3,860	9,500	7,370	3,120	2,550
11 - 14	2,428	92,928	3,908	3,892	3,789	7,335	23,502	25,790	12,797	11,915
15 - 19	2,027	78,499	2,663	2,586	3,019	5,220	15,849	23,248	13,901	12,013
20 - 29	3,869	99,338	3,851	3,166	3,011	4,962	16,898	27,781	18,761	20,908
30 - 59	6,439	131,032	4,018	3,069	3,739	5,130	16,783	33,832	29,277	35,184
60 - 89	1,932	48,263	1,056	709	1,047	1,448	5,363	10,979	11,118	16,543
90+	568	148,487	2,690	708	3,372	2,722	7,587	25,197	25,374	80,837
TOTAL	72,028	966,132	31,391	33,760	44,332	111,522	223,253	196,482	131,158	194,234

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province.

TABLE 5b (xii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) SASKATCHEWAN, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	242	7,524	376	962	1,653	1,116	1,195	1,196	492	534
2	198	23,276	802	4,622	8,524	2,442	2,634	2,366	966	920
3	786	23,298	1,485	3,243	5,232	2,880	3,555	3,675	1,614	1,614
4	4,964	28,124	2,360	3,976	4,952	2,812	4,248	5,272	2,296	2,208
5	19,495	30,065	2,695	4,330	4,690	2,675	4,135	5,665	2,820	3,055
6	20,100	31,320	3,108	4,344	4,338	2,622	4,218	5,736	3,450	3,504
7	9,548	34,685	3,136	4,529	4,417	2,674	4,256	7,630	3,948	4,095
8	3,216	32,752	2,880	3,768	3,872	2,640	4,592	6,944	3,880	4,176
9	2,529	31,707	2,943	3,402	3,240	1,989	4,230	7,299	4,545	4,059
10	1,520	30,190	2,840	2,970	2,580	2,090	3,880	6,940	4,520	4,370
11 - 14	2,756	97,249	8,409	7,840	6,548	5,718	11,876	22,905	16,611	17,342
15 - 19	2,332	90,147	6,796	6,339	4,958	3,401	10,449	22,294	17,229	18,681
20 - 29	3,892	130,450	8,416	6,992	5,766	4,570	11,846	33,653	27,611	31,596
30 - 59	4,428	167,369	8,152	9,286	6,361	6,817	11,913	38,452	39,388	47,000
60 - 89	1,827	55,769	2,004	2,062	2,687	1,980	3,507	8,552	12,942	22,035
90+	505	85,926	2,426	6,386	3,246	1,606	3,655	13,206	19,490	35,911
TOTAL	78,338	899,851	58,828	75,051	73,064	48,032	90,189	191,785	161,802	201,100

(1) Excludes separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current. Includes out-of-province hospitalization of provincial-plan in-patients.

TABLE 5b (x111) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, (1) SASKATCHEWAN, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	165	8,352	238	744	1,241	1,830	2,563	1,065	353	318
2	168	30,306	590	3,688	8,278	5,210	7,630	3,496	782	632
3	945	31,077	1,137	2,562	5,079	6,156	9,162	4,620	1,368	993
4	5,656	41,184	1,792	3,196	4,612	8,708	13,204	5,732	2,192	1,748
5	20,550	66,795	2,245	3,460	4,370	18,340	26,935	6,730	2,505	2,210
6	17,736	74,928	2,118	3,642	4,176	21,426	30,792	7,110	3,072	2,592
7	7,077	63,987	2,408	3,934	4,718	16,247	22,204	7,658	3,507	3,311
8	3,088	48,488	2,496	3,376	3,856	8,872	15,440	7,608	3,480	3,360
9	2,214	41,652	1,989	2,574	3,105	6,840	12,303	7,605	3,834	3,402
10	1,500	36,720	1,980	2,370	2,170	4,330	11,230	7,700	3,660	3,280
11 - 14	2,620	121,889	6,268	6,664	5,313	10,971	31,215	31,991	15,079	14,388
15 - 19	2,393	104,522	4,219	4,997	4,544	5,955	21,567	31,137	16,028	16,075
20 - 29	3,754	123,771	5,463	6,023	4,171	5,431	20,096	35,632	22,900	24,055
30 - 59	4,605	138,289	4,659	5,640	4,217	4,995	15,043	38,562	29,052	36,121
60 - 89	1,595	46,027	1,612	1,720	1,395	1,704	4,404	10,722	8,795	15,675
90+	673	85,946	585	2,301	2,036	2,113	3,813	15,898	18,730	40,470
TOTAL	74,739	1,063,933	39,799	56,891	63,281	129,128	247,601	223,266	135,337	168,630

(1) Excludes separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current. Includes out-of-province hospitalization of provincial-plan in-patients.

TABLE 5b (xiv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), ALBERTA. 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UND-R-1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65 - 74	75+
1	310	11,085	393	1,274	2,067	1,810	2,537	1,896	611	497
2	166	31,726	954	6,036	10,722	3,366	4,786	3,716	1,200	946
3	882	33,057	1,812	4,776	7,005	4,407	6,384	5,208	1,926	1,539
4	9,156	36,786	2,684	4,978	5,996	4,328	6,912	6,868	2,672	2,348
5	22,285	39,837	3,122	5,270	5,540	4,165	7,655	7,825	3,500	2,760
6	27,107	41,011	3,543	5,068	5,070	4,050	7,782	8,310	3,870	3,318
7	24,388	45,275	3,836	5,266	5,450	4,060	8,470	9,429	4,452	4,312
8	10,069	43,290	3,395	4,714	4,608	3,528	8,272	9,429	5,072	4,272
9	5,751	40,884	3,214	3,796	3,942	3,238	7,866	9,792	4,653	4,383
10	3,740	36,852	3,035	3,050	2,727	2,650	6,700	8,870	5,120	4,700
11 - 14	7,339	121,343	8,717	8,473	7,657	7,355	21,311	30,905	17,821	19,104
15 - 19	6,613	112,161	6,655	6,232	6,156	5,259	18,163	29,475	20,122	20,099
20 - 29	8,061	146,834	7,376	6,974	6,980	6,159	20,823	41,361	27,449	29,712
30 - 59	7,793	187,387	6,156	6,215	10,701	7,502	22,451	51,121	39,643	43,598
60 - 89	1,897	72,853	1,873	1,817	4,435	4,013	8,176	16,000	16,335	20,204
90+	442	406,339	1,486	3,822	10,797	10,693	22,769	56,224	64,622	235,926
TOTAL	135,999	1,406,720	58,251	77,761	99,853	76,583	181,057	296,429	219,068	397,718

(1) Alberta "residents", including some patient-days for non-plan in-patients.

(Note: Table 1 indicates a total of 3,398,769 patient-days for adults and children, both sexes, for Alberta. Of these 3,121,736 days were the responsibility of the provincial plan, while 277,033 days were not. In table 5, data on length of stay is available for 3,201,252 patient-days of adult and child separations, both sexes, of which 3,121,736 days were the responsibility of the provincial plan, and 79,516 days were not.)

TABLE 5b (xv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), ALBERTA, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65 - 74	75+
1	221	12,788	253	1,026	1,657	3,115	4,295	1,656	463	323
2	118	39,274	712	4,456	10,176	6,864	10,904	4,622	968	572
3	924	44,515	1,344	3,699	6,624	9,247	13,980	6,840	1,677	1,104
4	9,448	58,013	1,948	4,060	5,520	14,332	20,561	7,576	2,436	1,580
5	22,825	87,631	2,530	4,420	5,595	26,825	35,781	7,745	2,770	1,965
6	25,560	99,676	2,622	4,074	5,020	32,660	41,208	8,272	3,192	2,628
7	21,455	97,305	2,908	4,235	5,255	29,299	40,110	8,988	3,528	2,982
8	8,440	73,133	2,272	3,496	4,136	18,566	28,347	8,556	4,072	3,288
9	4,704	57,664	2,248	2,998	3,141	10,991	21,240	10,035	3,996	3,015
10	3,670	49,644	1,901	2,594	2,261	7,630	16,948	10,580	4,390	3,340
11 - 14	6,822	149,152	5,821	7,205	6,587	15,822	45,180	37,711	16,131	14,695
15 - 19	6,200	115,764	5,478	5,315	4,699	8,015	29,056	31,732	16,571	14,898
20 - 29	7,406	130,892	4,658	5,406	5,395	6,968	26,302	36,685	21,991	23,487
30 - 59	7,866	159,643	5,286	5,119	7,355	7,714	25,840	42,571	30,396	35,362
60 - 89	2,130	57,536	1,293	1,905	4,316	2,597	6,122	10,727	12,627	17,949
90+	906	561,902	2,182	2,115	7,256	5,746	22,706	65,103	91,539	365,205
TOTAL	128,695	1,794,532	43,456	62,123	84,993	206,391	388,580	299,799	216,797	492,393

(1) Alberta "residents", including some patient-days for non-plan in-patients.

(Note: Table 1 indicates a total of 3,398,769 patient-days for adults and children, both sexes, for Alberta. Of these 3,121,736 days were the responsibility of the provincial plan, while 277,033 days were not. In table 5, data on length of stay is available for 3,201,252 patient-days of adult and child separations, both sexes, of which 3,121,736 days were the responsibility of the provincial plan, and 79,516 days were not.)

TABLE 5b (xvi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), BRITISH COLUMBIA, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	275	8,068	288	1,106	1,897	1,096	1,372	1,223	483	603
2	149	34,888	778	7,795	12,952	2,940	4,478	3,606	1,283	1,056
3	560	30,040	1,389	4,423	6,434	3,467	5,985	5,070	1,698	1,574
4	5,565	34,960	2,124	5,023	5,636	3,886	7,133	6,640	2,262	2,256
5	21,866	38,259	2,639	5,577	5,622	3,652	7,576	7,677	2,817	2,699
6	31,100	40,147	3,360	5,588	5,646	3,358	7,255	8,228	3,402	3,310
7	22,480	44,986	3,507	5,833	5,799	3,654	7,977	9,900	3,941	4,375
8	10,413	44,483	3,654	5,160	4,792	3,158	7,388	10,899	4,824	4,608
9	6,217	41,884	3,096	4,410	4,102	2,565	6,816	10,626	5,472	4,797
10	4,282	39,308	3,180	3,860	3,389	2,048	5,337	10,344	5,570	5,580
11 - 14	6,607	135,923	10,782	10,694	9,800	6,404	18,060	35,192	22,468	22,523
15 - 19	4,646	130,344	6,899	7,900	7,469	5,054	15,617	35,959	24,854	26,592
20 - 29	7,232	194,535	9,224	8,475	8,126	5,933	19,153	53,984	41,996	47,644
30 - 59	8,594	250,271	8,197	9,196	10,318	6,609	21,019	67,827	55,992	71,113
60 - 89	2,316	90,752	2,905	2,686	4,424	2,575	7,151	20,876	19,150	30,985
90+	1,012	112,046	2,192	6,590	8,405	6,460	12,946	22,634	22,168	30,651
TOTAL	133,314	1,270,894	64,214	94,316	104,811	62,859	155,263	310,685	218,380	260,366

(1) Excludes out-of-province hospitalization.

TABLE 5b (xvii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS(1), BRITISH COLUMBIA, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	184	9,297	210	844	1,272	2,132	3,060	1,019	348	412
2	126	44,838	630	5,988	12,152	6,501	12,611	5,316	946	694
3	825	44,427	1,031	3,078	5,730	8,715	15,696	7,330	1,596	1,251
4	6,731	50,539	1,656	3,641	4,572	11,640	18,194	7,188	1,812	1,836
5	24,034	82,816	2,165	4,080	4,550	24,659	34,685	7,984	2,563	2,130
6	28,364	104,381	2,484	4,080	4,516	33,252	46,001	8,488	2,842	2,718
7	18,756	98,619	2,617	4,272	4,799	27,709	41,527	10,113	3,899	3,683
8	8,606	79,390	2,656	3,880	4,336	17,487	31,869	10,890	4,208	4,064
9	5,195	66,718	2,385	3,465	3,269	11,529	25,411	12,218	4,421	4,020
10	3,502	61,800	2,290	3,200	2,910	7,790	22,754	13,212	5,084	4,560
11 - 14	6,080	179,396	7,108	9,439	7,565	15,288	53,514	47,571	20,342	18,569
15 - 19	3,752	139,601	5,534	6,777	5,765	8,635	33,168	39,358	20,377	19,987
20 - 29	6,641	181,718	6,584	7,177	7,500	8,091	31,864	50,935	32,632	36,935
30 - 59	7,944	221,448	7,488	7,688	7,049	7,952	30,064	56,257	46,059	58,891
60 - 89	2,562	75,618	2,804	2,902	2,882	2,188	8,598	16,397	14,436	25,411
90+	1,264	102,926	4,385	2,940	5,638	3,372	9,267	23,269	20,025	34,030
TOTAL	124,566	1,543,532	52,027	73,451	84,505	196,940	418,283	317,545	181,590	219,191

(1) Excludes out-of-province hospitalization.

TABLE 5b (xviii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS (1), YUKON, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1	119	12	26	17	6	26	26	3	3
2	4	332	24	78	104	28	52	24	12	10
3	-	387	42	60	81	54	84	54	9	3
4	96	420	64	84	64	28	80	60	24	16
5	480	410	30	100	70	25	100	75	-	10
6	312	456	54	96	30	30	84	126	12	24
7	147	441	91	84	42	21	49	98	35	21
8	56	520	64	80	48	32	152	112	-	32
9	18	387	81	54	36	27	63	99	9	18
10	70	230	50	50	-	10	20	40	20	40
11 - 14	110	1,624	243	243	95	137	200	458	112	136
15 - 19	37	1,218	161	199	70	48	197	302	154	87
20 - 29	65	1,230	46	70	69	22	158	510	108	247
30 - 59	116	1,634	75	119	30	164	318	380	326	222
60 - 89	-	907	-	-	76	64	140	207	140	280
90+	-	1,046	91	-	-	126	-	498	110	221
TOTAL	1,512	11,361	1,128	1,343	832	822	1,723	3,069	1,074	1,370

(1) Includes out-of-territory hospitalization.

TABLE 5b (xix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS(1), YUKON, 1963

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	5	125	10	15	12	26	44	15	3	-
2	2	474	12	44	72	94	228	18	2	4
3	9	471	27	42	72	72	168	72	9	9
4	144	600	32	16	40	192	240	64	4	12
5	515	1,225	55	60	45	370	650	25	10	10
6	300	1,248	48	114	78	312	582	66	18	30
7	147	1,015	70	70	56	238	476	70	28	7
8	48	600	48	80	8	112	312	8	24	8
9	36	414	54	-	27	99	180	45	-	9
10	40	650	60	30	50	110	320	40	10	30
11 - 14	74	1,281	107	88	57	160	537	261	59	12
15 - 19	45	882	33	70	69	106	337	202	34	31
20 - 29	20	990	48	161	46	109	374	138	44	70
30 - 59	140	761	30	80	67	36	275	194	79	-
60 - 89	63	125	-	-	-	-	-	-	63	62
90+	-	418	-	418	-	-	-	-	-	-
TOTAL	1,588	11,279	634	1,288	699	2,036	4,723	1,218	387	294

(1) Includes out-of-territory hospitalization.

TABLE 5b (xx) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS(1) NORTHWEST TERRITORIES, 1963

LENGTH OF STAY IN DAYS	PATIENT DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	13	201	15	51	35	22	47	25	5	1
2	20	448	48	98	124	40	82	46	6	4
3	111	609	87	144	138	69	84	60	12	15
4	188	884	100	184	148	100	228	104	4	16
5	735	975	145	280	165	85	160	110	25	5
6	468	1,212	192	354	192	126	126	138	30	54
7	357	1,358	245	455	154	112	168	105	70	49
8	184	1,168	168	384	144	72	208	136	48	8
9	72	1,143	225	306	90	108	135	180	63	36
10	90	1,460	360	410	180	120	170	140	50	30
11 - 14	84	3,806	859	1,140	337	220	506	467	158	119
15 - 19	118	2,949	360	761	400	256	521	369	120	162
20 - 29	258	3,918	482	969	404	367	613	838	52	193
30 - 59	421	4,805	536	705	872	304	921	1,018	250	199
60 - 89	-	1,836	271	391	389	156	413	-	62	154
90+	193	2,959	406	360	858	272	407	452	204	-
TOTAL	3,312	29,731	4,499	6,992	4,630	2,429	4,789	4,188	1,159	1,045

(1) Includes out-of-territory hospitalization.

TABLE 5b (xxd) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS(1) NORTHWEST TERRITORIES, 1963

LENGTH OF STAY IN DAYS	PATIENT DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER-1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	15	245	19	43	23	47	88	23	2	-
2	22	672	44	76	118	168	216	32	6	12
3	72	990	66	123	114	234	354	72	24	3
4	224	1,468	148	200	148	332	512	92	16	20
5	650	2,330	110	225	170	690	1,030	65	20	20
6	486	2,388	162	330	162	540	1,068	78	36	12
7	238	2,198	168	350	203	532	686	224	28	7
8	152	1,760	216	280	144	400	536	152	16	16
9	54	1,719	225	432	180	261	396	153	45	27
10	70	1,460	290	310	160	170	310	160	40	20
11 - 14	164	4,364	563	799	481	453	1,358	512	101	97
15 - 19	98	3,214	503	666	196	268	905	407	169	100
20 - 29	149	3,889	458	893	325	355	1,048	481	76	253
30 - 59	467	4,534	664	1,286	470	548	948	467	151	-
60 - 89	61	1,316	129	304	280	131	249	223	-	-
90+	-	3,475	238	1,145	696	-	537	611	124	124
TOTAL	2,922	36,022	4,003	7,462	3,870	5,129	10,241	3,752	854	711

(1) Includes out-of-territory hospitalization.

TABLE 6(a) SEPARATIONS, BY PRINCIPAL DIAGNOSIS, BY SEX, AND AGE GROUP, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING
OUT-OF-PROVINCE HOSPITALIZATION, CANADA, (2) 1963

(1) See notes on page 208
(2) Excludes Nova Scotia

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1.	Tuberculosis, all forms	M. F.	30 27	102 92	85 69	58 55	76 94	102 133	109 136	151 161	118 152	147 138
2.	Polionyelitis and encephalitis	M. F.	48 31	172 119	291 215	346 345	187 167	70 99	79 67	72 69	51 49	35 34
3.	Infectious hepatitis	M. F.	27 12	110 119	527 523	618 567	429 440	332 356	301 328	309 269	203 210	139 141
4.	Other diseases attri- butable to viruses	M. F.	855 704	2009 1717	1304 1043	440 395	512 559	350 369	229 169	180 155	150 131	102 86
5.	Other infective bacterial, spiro- chaetal, rickettsial or parasitic diseases	M. F.	1160 1039	1496 1533	1020 1152	594 619	385 577	368 431	358 341	312 298	300 268	229 222
6.	Malignant neoplasms of buccal cavity & pharynx	M. F.	1 --	3 1	-- 2	4 6	7 10	12 17	13 17	33 16	38 28	94 28
7.	Malignant neoplasm of stomach	M. F.	-- --	1 --	-- --	-- --	1 --	1 3	10 3	26 10	43 35	72 43
8.	Malignant neoplasm of large intestine except rectum	M. F.	-- --	-- --	-- --	-- 4	3 4	5 10	18 12	30 34	41 71	97 127

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
1.	Tuberculosis, all forms	M. F. 147 131	173 105	170 86	141 69	134 76	96 67	81 56	40 46	18 23	-- --	1978 1716
2.	Poliomyelitis and encephalitis	M. F. 30 33	25 27	21 25	13 8	6 3	5 1	4 3	-- 2	-- --	-- --	1455 1297
3.	Infectious Hepatitis	M. F. 95 106	87 93	52 48	35 42	42 22	26 24	31 13	12 4	7 8	-- --	3382 3325
4.	Other diseases attri-M. butable to viruses F.	91 102	84 88	82 120	93 121	104 125	111 132	95 117	58 90	31 51	-- --	6881 6274
5.	Other infective bacterial, spiro- chaetal, rickettsial or parasitic diseases	226 249	224 244	217 180	186 156	147 142	133 125	71 76	49 57	27 24	-- --	7504 7733
6.	Malignant neoplasms of buccal cavity & pharynx	100 45	168 75	201 71	202 74	246 67	188 67	205 55	153 39	90 25	-- --	1758 643
7.	Malignant neoplasm of stomach	121 67	238 109	337 141	388 154	464 207	514 260	444 238	272 185	114 80	-- --	3046 1535
8.	Malignant neoplasm of large intestine except rectum	138 216	210 329	285 324	340 351	395 476	466 506	375 393	265 249	118 140	-- --	2786 3266

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
9.	Malignant neoplasm of rectum	M. F.	-- --	1 --	-- --	-- --	1 2	4 1	2 13	18 14	32 35	49 60
10.	Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary	M. F.	-- --	-- --	-- 1	4 --	3 3	5 3	6 6	20 13	38 25	141 36
11.	Malignant neoplasm of breast	M. F.	-- --	-- 1	-- --	1 --	-- 1	2 19	1 70	1 268	1 512	7 1011
12.	Malignant neoplasm of cervix uteri	M. F.	-- --	-- --	-- --	-- --	-- --	-- 54	-- 229	-- 573	-- 876	-- 1057
13.	Malignant neoplasm of uterus other than cervix uteri	M. F.	-- --	-- --	-- --	-- --	-- 4	-- 14	-- 14	-- 52	-- 88	-- 125
14.	Malignant neoplasm of ovary, Fallopian tube, & broad ligament	M. F.	-- --	-- 1	-- 2	-- 8	-- 4	-- 18	-- 14	-- 36	-- 106	-- 138
15.	Malignant neoplasm of prostate	M. F.	-- --	-- --	-- --	-- --	2 --	-- --	-- --	2 --	4 --	9 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F.	8 5	42 19	15 22	2 2	10 2	4 3	11 9	23 11	53 23	97 47
17.	Leukaemia and aleukaemia	M. F.	13 8	224 174	174 126	83 42	71 57	36 27	39 52	53 66	75 51	64 75

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
9.	Malignant neoplasm of rectum	M. F. 90 71	145 132	211 149	245 200	278 226	311 192	246 189	151 101	82 57	-- --	1866 1442
10.	Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary	M. F. 317 89	546 134	807 183	894 199	938 215	783 209	502 128	185 67	62 36	-- --	5251 1347
11.	Malignant neoplasm of breast	M. F. 5 1285	3 1225	13 1113	2 933	19 863	12 770	14 645	7 344	3 215	-- --	91 9275
12.	Malignant neoplasm of cervix uteri	M. F. -- 823	-- 623	-- 522	-- 466	-- 341	-- 242	-- 158	-- 64	-- 30	-- --	-- 6058
13.	Malignant neoplasm of uterus other than cervix uteri	M. F. -- 269	-- 340	-- 422	-- 359	-- 322	-- 272	-- 173	-- 84	-- 24	-- --	-- 2562
14.	Malignant neoplasm of ovary Fallopian tube & broad ligament	M. F. -- 262	-- 267	-- 225	-- 242	-- 145	-- 141	-- 104	-- 36	-- 21	-- --	-- 1770
15.	Malignant neoplasm of prostate	M. F. 26 --	83 --	241 --	486 --	747 --	1194 --	1269 --	1001 --	468 --	5 --	5537 --
16.	Malignant neoplasm of kidney; bladder and other urinary organs	M. F. 179 59	294 95	393 139	522 168	633 235	654 263	584 245	329 167	170 93	-- --	4023 1607
17.	Leukaemia and aleukaemia	M. F. 82 67	121 87	152 80	162 87	194 132	230 121	220 81	97 50	47 14	-- --	2137 1397

TABLE 6(a)(Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
18.	Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue	M. F.	39 37	228 145	161 143	158 155	280 155	220 154	277 217	362 295	492 421	580 596
19.	Benign neoplasm of uterus	M. F.	-- 1	-- 1	-- 3	-- 8	-- 94	-- 440	-- 958	-- 2034	-- 3971	-- 5761
20.	Benign neoplasm of ovary	M. F.	-- 4	-- 5	-- 15	-- 96	-- 795	-- 1559	-- 1533	-- 1479	-- 1259	-- 835
21.	Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature	M. F.	399 516	707 697	637 638	672 667	1072 1865	1374 2078	1066 1747	1050 1953	1002 2177	975 2193
22.	Asthma	M. F.	447 217	1579 829	1114 613	554 421	328 388	190 350	169 389	271 393	300 570	389 601
23.	Other allergic disorders (excluding asthma)	M. F.	341 251	613 387	356 259	243 223	195 276	148 228	166 216	189 237	166 211	146 218
24.	Diseases of thyroid gland	M. F.	21 24	30 25	31 42	57 187	97 454	97 577	102 690	116 924	131 1058	174 1088
25.	Diabetes mellitus	M. F.	9 8	140 114	254 264	394 478	392 470	303 408	363 389	452 389	504 599	663 791

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
18.	Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue	M. F.	947 847	1190 908	1419 1169	1306 1146	1262 1087	1018 922	615 567	313 255	-- --	11602 9951
19.	Benign neoplasm of uterus	M. F.	-- 2951	-- 842	-- 481	-- 292	-- 192	-- 102	-- 39	-- 12	-- --	-- 23658
20.	Benign neoplasm of ovary	M. F.	-- 279	-- 134	-- 96	-- 85	-- 66	-- 39	-- 21	-- 16	-- --	-- 8849
21.	Benign neoplasms (excluding uterus and ovary) and neoplasm of unspecified nature	M. F.	1058 1539	963 1087	913 875	804 790	619 550	423 372	206 209	79 78	-- --	14977 21889
22.	Asthma	M. F.	639 682	747 602	776 540	739 503	609 446	404 228	224 90	67 35	-- --	10080 8612
23.	Other allergic disorders (excluding asthma)	M. F.	101 155	70 129	76 88	55 65	38 47	28 37	14 19	6 8	-- --	3084 3226
24.	Diseases of thyroid gland	M. F.	189 928	136 669	119 502	100 385	58 237	29 126	12 61	3 9	-- --	1666 8992
25.	Diabetes mellitus	M. F.	1266 1480	1350 1854	1409 2374	1326 2349	1387 2310	1095 1654	705 777	261 327	1 --	13217 18009

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
26.	Diseases of other endocrine glands	M. F.	61 44	69 91	62 88	76 79	104 186	42 230	47 182	55 206	52 156	68 114
27.	Avitaminoses and other metabolic diseases	M. F.	538 414	549 541	141 151	144 193	95 261	82 202	114 171	125 222	177 256	173 268
28.	Diseases of the blood and blood- forming organs	M. F.	685 395	1162 735	819 375	496 287	269 394	157 348	99 322	99 465	137 500	143 607
29.	Psychoses	M. F.	-- --	8 7	16 16	49 80	303 440	415 603	411 738	554 928	543 951	593 911
30.	Psychoneurotic disorders	M. F.	10 11	61 60	214 233	282 636	651 2278	965 2787	1086 3127	1396 3626	1546 3693	1624 3015
31.	Disorders of character, behaviour and intelligence	M. F.	100 87	386 309	355 192	280 196	283 365	260 276	428 258	790 291	1052 379	1272 308
32.	Vascular lesions affecting central nervous system	M. F.	75 40	126 125	125 79	86 78	102 87	76 66	76 83	123 106	151 166	272 237
33.	Inflammatory and other diseases of central nervous system	M. F.	646 544	1289 1007	1011 855	747 666	607 728	588 619	540 627	602 746	616 790	728 756
34.	Diseases of nerves & peripheral ganglia	M. F.	20 8	44 48	64 51	88 110	122 227	185 260	220 275	355 396	449 482	462 498

TABLE 6(a)(Cont'd.)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
26.	Diseases of other endocrine glands	M. F. 59 138	57 106	46 96	50 45	29 41	22 27	15 20	6 7	4 3	-- --	924 1859
27.	Avitaminoses and other metabolic diseases	M. F. 206 280	210 224	205 186	172 157	162 102	143 106	132 78	69 30	48 21	-- --	3485 3863
28.	Diseases of the blood and blood- forming organs	M. F. 190 558	219 438	274 356	359 409	388 490	469 571	421 608	340 369	190 187	-- --	6916 8414
29.	Psychoses	M. F. 513 859	475 727	402 592	362 466	285 379	216 329	171 234	128 149	81 113	-- --	5525 8522
30.	Psychoneurotic disorders	M. F. 1368 2576	1190 2070	842 1600	643 1151	403 808	314 578	159 287	59 108	18 30	-- --	12831 28674
31.	Disorders of character, behaviour and intelligence	M. F. 1276 347	1099 248	741 143	486 96	244 56	161 42	78 17	20 4	8 1	6 1	9325 3617
32.	Vascular lesions affecting central nervous system	M. F. 482 397	867 601	1230 807	1637 1184	2020 1752	2559 2407	2730 2599	2129 2188	1374 1496	-- --	16240 14498
33.	Inflammatory and other diseases of central nervous system	M. F. 663 683	778 691	818 627	841 542	716 642	697 643	569 455	321 320	185 170	-- --	12962 12112
34.	Diseases of nerves & peripheral ganglia	M. F. 467 583	427 523	400 433	341 308	271 286	217 298	166 180	80 120	26 49	-- --	4404 5135

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
35.	Diseases and conditions of the eye	M. F.	450 391	2457 2413	2499 2247	1009 897	710 626	521 422	486 327	516 388	506 428	580 514
36.	Diseases of ear and mastoid process	M. F.	2883 2058	4127 3086	2614 1979	1255 1149	627 747	426 559	464 653	527 699	588 804	577 868
37.	Rheumatic fever and chronic rheumatic heart disease	M. F.	6 3	139 120	588 564	553 648	271 430	170 328	192 335	271 431	260 468	345 493
38.	Arteriosclerotic and degenerative heart disease	M. F.	12 14	20 18	46 25	39 30	38 25	80 66	147 88	429 169	1180 384	2542 757
39.	Other diseases of the heart	M. F.	79 57	83 71	81 85	92 92	103 115	123 130	128 162	179 206	254 254	344 335
40.	Hypertensive heart disease and other hypertensive disease	M. F.	1 1	9 8	18 5	24 26	54 37	120 112	141 166	217 265	378 445	489 687
41.	Diseases of arteries	M. F.	4 2	14 8	8 17	12 10	26 26	45 61	58 74	95 80	157 94	280 125
42.	Varicose veins of lower extremities	M. F.	-- --	-- 4	1 1	4 6	34 45	95 374	191 1100	264 1914	404 2265	458 2255

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
35.	Diseases and conditions of the eye	M. F. 681 592	864 819	962 991	1116 1166	1288 1438	1412 1741	1209 1576	697 881	310 374	-- --	18273 18231
36.	Diseases of ear and mastoid process	M. F. 575 785	503 703	421 593	296 417	216 302	127 159	104 123	27 44	17 29	-- --	16375 15757
37.	Rheumatic fever and chronic rheumatic heart disease	M. F. 359 541	339 525	324 474	206 303	123 242	91 149	60 85	25 41	14 26	-- --	4336 6206
38.	Arteriosclerotic and degenerative heart disease	M. F. 4065 1468	5818 2336	6519 3188	7466 4024	7072 5203	7008 5640	5935 5402	3835 3753	2668 2293	-- --	54919 34584
39.	Other diseases of the heart	M. F. 435 420	691 581	905 713	1172 884	1372 1160	1722 1479	1813 1541	1279 1196	846 782	-- --	11701 10263
40.	Hypertensive heart disease and other hypertensive disease	M. F. 667 993	808 1307	948 1517	979 1754	915 1771	876 1807	684 1460	430 888	213 380	-- --	7971 13629
41.	Diseases of arteries	M. F. 408 204	702 264	847 297	1071 408	1182 511	1079 598	1019 713	776 668	679 575	-- --	8462 4735
42.	Varicose veins of lower extremities	M. F. 497 1826	517 1510	520 1208	424 924	279 689	205 491	143 309	72 181	38 74	-- --	4446 15176

TABLE 6(a) (Cont'd.)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
43.	Haemorrhoids	M. F.	4 1	8 1	4 3	6 5	74 103	314 397	645 699	1061 1020	1478 1337	1453 1368
44.	Phlebitis and thrombophlebitis	M. F.	1 --	1 1	3 3	10 10	25 60	42 127	51 171	102 240	144 327	169 373
45.	Other diseases of the circulatory system	M. F.	184 155	1109 851	1780 1748	1221 1169	468 644	268 351	178 249	179 284	185 240	180 230
46.	Acute upper respir- atory infections	M. F.	5398 4214	10660 8012	3181 2861	1128 1346	841 1503	716 965	474 600	443 480	364 425	296 351
47.	Influenza	M. F.	862 703	1634 1421	894 865	672 700	610 793	457 722	398 542	417 612	448 519	411 588
48.	Pneumonia	M. F.	10446 7633	12972 10341	4351 3680	1744 1466	1320 923	794 906	816 1123	1007 1348	1208 1380	1286 1311
49.	Bronchitis	M. F.	6464 4377	8248 5605	2102 1596	763 676	440 648	320 576	307 594	380 685	491 719	656 880
50.	Hypertrophy of tonsils & adenoids	M. F.	316 177	32099 25467	40590 40344	9590 12689	3294 7980	2623 4057	2029 2346	1512 1625	940 991	472 573
51.	Other diseases of respiratory system	M. F.	730 531	1461 927	1200 786	1162 819	2122 1469	1996 1414	1903 1398	1826 1395	1854 1350	1724 1247

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
43.	Haemorrhoids	M. F.	1322 1227	1154 940	886 670	624 449	419 320	252 235	165 120	64 56	29 27	9962 8978
44.	Phlebitis and thrombophlebitis	M. F.	178 427	236 388	233 381	255 363	213 309	204 339	146 206	58 77	23 43	2094 3845
45.	Other diseases of the circulatory system	M. F.	200 257	227 215	253 194	255 200	217 182	213 144	166 122	103 91	73 43	7459 7369
46.	Acute upper respir- atory infections	M. F.	267 319	238 293	193 259	196 218	144 161	155 152	124 125	76 88	47 61	24941 22433
47.	Influenza	M. F.	458 586	540 577	536 580	524 597	472 575	564 577	507 490	344 358	240 212	10988 12017
48.	Pneumonia	M. F.	1537 1368	1682 1340	1821 1377	2071 1446	1941 1493	2324 1520	2274 1613	1638 1185	1227 1008	52460 42463
49.	Bronchitis	M. F.	881 815	1095 821	1366 853	1575 879	1635 803	1556 802	1197 604	654 367	293 228	30424 22528
50.	Hypertrophy of tonsils & adenoids	M. F.	245 297	131 246	77 151	30 52	15 29	6 7	7 3	2 5	1 --	93979 97039
51.	Other diseases of respiratory system	M. F.	1692 1094	1723 1003	1780 941	1866 821	1489 682	1275 674	990 514	498 327	231 195	27523 17587

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
52.	Diseases of teeth and supporting structure	M. F.	72 48	879 949	1595 1777	707 947	1553 2740	1512 2133	1005 1657	835 1268	699 1215	660 1014
53.	Ulcer of stomach, duodenum & jejunum	M. F.	7 11	30 10	79 71	137 85	285 167	1119 436	1638 587	2438 853	3169 1168	3883 1399
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	M. F.	362 267	337 571	369 377	368 318	455 813	673 910	852 864	1094 978	1196 1065	1202 973
55.	Appendicitis	M. F.	19 9	631 501	3907 3803	6148 5684	4464 6013	2843 2987	1947 1616	1579 1162	1288 823	1028 633
56.	Hernia of abdominal cavity	M. F.	2955 797	5178 1303	2987 630	995 177	1169 262	1743 383	1601 560	2073 887	2337 1210	2752 1354
57.	Intestinal obstruction without mention of hernia	M. F.	225 125	237 158	257 146	178 112	108 118	82 149	95 163	125 238	138 325	196 337
58.	Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over	M. F.	9447 7488	6899 5497	1466 1370	1007 854	590 922	511 921	440 673	424 666	466 591	430 601
59.	Chronic enteritis and ulcerative colitis	M. F.	38 27	47 33	33 23	72 49	110 114	164 197	144 173	194 237	203 261	257 337

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
52.	Diseases of teeth and supporting structure	M. F.	458 627	344 429	215 245	152 144	80 87	47 52	15 24	10 9	-- --	11394 16127
53.	Ulcer of stomach, duodenum & jejunum	M. F.	3592 1644	3126 1158	2623 903	2048 748	1570 658	1116 508	631 336	253 182	-- --	31333 12428
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	M. F.	1163 907	902 737	713 603	557 508	453 450	351 306	199 242	99 92	-- --	12450 11858
55.	Appendicitis	M. F.	787 457	483 273	375 194	251 146	191 143	138 124	74 48	25 24	-- --	26797 24986
56.	Hernia of abdominal cavity	M. F.	3181 1379	3593 1120	3340 972	2647 980	2230 766	1530 523	740 279	373 181	-- --	45106 14951
57.	Intestinal obstruction without mention of hernia	M. F.	193 355	268 286	321 326	301 306	352 355	318 345	245 296	169 219	-- --	4060 4677
58.	Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over	M. F.	366 589	349 565	357 511	289 514	293 443	304 375	192 292	149 176	-- --	24428 23604
59.	Chronic enteritis and ulcerative colitis	M. F.	283 366	365 470	433 654	421 718	472 749	399 674	234 425	126 234	-- --	4439 6312

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
60.	Cirrhosis and other diseases of liver	--	24 17	47 26	114 128	167 133	113 191	101 165	112 148	174 188	287 230	349 266
61.	Diseases of gall- bladder & pancreas	--	75 52	78 95	65 59	44 100	93 974	212 3026	452 3547	891 4061	1270 4540	1463 4659
62.	Other diseases of digestive system	--	768 511	1260 1091	863 785	608 592	553 869	645 949	837 1046	1079 1232	1197 1380	1312 1435
63.	Nephritis and nephrosis	--	42 37	450 374	697 518	413 316	227 224	129 174	135 203	165 197	271 168	166 152
64.	Infections of kidney	--	102 188	258 1141	306 1686	382 927	274 1230	252 1498	223 1138	270 998	332 885	323 803
65.	Calculi of kidney, ureter and other parts of urinary system	--	4 1	11 38	37 53	48 51	125 162	467 471	776 515	1085 557	1316 584	1420 550
66.	Other diseases of urinary system	--	215 162	730 1440	798 1866	630 757	444 802	474 1116	481 1132	541 1279	585 1331	614 1372
67.	Hyperplasia of prostate	--	--	--	1 --	--	4 --	14 --	18 --	42 --	87 --	134 --
68.	Redundant prepuce and phimosis	--	1884 --	2847 --	1547 --	736 --	324 --	678 --	401 --	265 --	182 --	15 --

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
60.	Cirrhosis and other diseases of liver	M. F.	437 310	417 294	509 277	361 221	299 173	218 146	132 104	24 15	-- --	3929 3078
61.	Diseases of gall-bladder and pancreas	M. F.	1590 4442	1705 4566	1750 4448	1666 3446	1394 2983	1314 2501	970 1685	264 495	3 1	15791 46225
62.	Other diseases of digestive system	M. F.	1280 1354	1170 1145	979 934	822 866	753 700	707 603	573 509	194 251	-- --	15987 16594
63.	Nephritis and nephrosis	M. F.	190 139	166 144	172 116	157 124	116 88	84 89	85 79	44 27	-- --	3769 3211
64.	Infections of kidney	M. F.	251 708	300 667	320 545	276 456	308 440	297 367	285 309	143 115	-- 1	5099 14294
65.	Calculi of kidney, ureter and other parts of urinary system	M. F.	1457 511	1319 475	1152 398	830 342	579 244	378 185	270 128	55 26	-- --	11446 5342
66.	Other diseases of urinary system	M. F.	664 1360	643 1296	755 1172	806 1001	873 945	1014 763	999 546	397 182	-- --	12263 18879
67.	Hyperplasia of prostate	M. F.	297 --	727 --	1430 --	2325 --	2960 --	3453 --	2990 --	1020 --	36 --	17358 --
68.	Redundant prepuce and phimosis	M. F.	101 --	97 --	87 --	79 --	75 --	55 --	65 --	24 --	-- --	9643 --

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
69.	Diseases of ovary, Fallopian tube & parametrium, & infective disease of uterus, vagina & vulva	M. F.	-- 29	-- 138	-- 202	-- 307	-- 2275	-- 5071	-- 5509	-- 5371	-- 4693	-- 3517
70.	Uterovaginal prolapse	M. F.	-- --	-- 1	-- --	-- --	-- 15	-- 161	-- 602	-- 1159	-- 1980	-- 2417
71.	Disorders of menstruation	M. F.	-- --	-- 1	-- 8	-- 416	-- 2215	-- 3879	-- 4264	-- 4598	-- 4922	-- 4763
72.	Other diseases of genital organs	M. F.	380 47	902 76	583 73	502 135	656 906	602 3055	581 3131	679 3888	736 3953	778 4445
73.	Complications of pregnancy	M. F.	-- --	-- --	-- --	-- 32	-- 8295	-- 22953	-- 19085	-- 13823	-- 8412	-- 3028
74.	Abortion	M. F.	-- --	-- --	-- --	-- 28	-- 3327	-- 12892	-- 13092	-- 11145	-- 8502	-- 4335
75.	Delivery without mention of complications	M. F.	-- --	-- --	-- --	-- 200	-- 36148	-- 125797	-- 107259	-- 73063	-- 40024	-- 12206
76.	Delivery with specified complications	M. F.	-- --	-- --	-- --	-- 17	-- 3079	-- 10016	-- 10136	-- 7799	-- 5141	-- 1934

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
69.	Diseases of ovary, Fallopian tube & para- metrium, & infective disease of uterus vagina & vulva	-- 2386	-- 1256	-- 629	-- 377	-- 276	-- 194	-- 105	-- 59	-- 27	-- --	-- 32421
70.	Uterovaginal prolapse	-- 2390	-- 2217	-- 1839	-- 1678	-- 1481	-- 1012	-- 513	-- 173	-- 56	-- 3	-- 17697
71.	Disorders of menstruation	-- 3898	-- 2182	-- 532	-- 248	-- 148	-- 95	-- 56	-- 22	-- 2	-- --	-- 32249
72.	Other diseases of genital organs	846 4290	877 2259	845 793	753 432	719 315	562 207	443 120	238 50	124 21	-- --	11806 28196
73.	Complications of pregnancy	-- 301	-- 14	-- 2	-- --	-- 1	-- --	-- --	-- --	-- --	-- 6	-- 75952
74.	Abortion	-- 599	-- 40	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- 9	-- 53969
75.	Delivery without mention of compli- cations	-- 847	-- 35	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- 28	-- 395607
76.	Delivery with specified compli- cations	-- 135	-- --	-- 1	-- --	-- --	-- --	-- --	-- --	-- --	-- 5	-- 38263

TABLE C (a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
77.	Complications of the puerperium	M. F.	-- --	-- --	-- --	-- 3	-- 483	-- 1415	-- 1215	-- 933	-- 635	-- 247
78.	Infection of skin & subcutaneous tissue	M. F.	-- 1	2541 2482	1896 1581	1664 1240	1532 1032	949 665	811 572	816 623	835 564	750 578
79.	Other diseases of skin & subcutaneous tissue	M. F.	-- 1	1167 864	778 789	1560 1393	1587 1491	823 1100	592 874	613 901	612 869	666 955
80.	Arthritis & rheumatism, except rheumatic fever	M. F.	-- --	221 207	325 297	416 430	380 552	483 560	620 634	936 871	1195 1166	1354 1510
81.	Displacement of intervertebral disc	M. F.	-- --	-- --	5 1	27 15	146 123	429 316	822 550	1457 890	1896 1208	1725 1234
82.	Other diseases of bones & organs of movement	M. F.	2 1	1168 720	1689 929	1582 1626	1743 1637	1362 1125	1207 1031	1375 1141	1452 1427	1446 1511
83.	Congenital malformations	M. F.	333 2441	2800 2485	2684 1447	1756 988	849 857	450 741	308 495	315 456	287 384	320 379
84.	Certain diseases of early infancy	M. F.	5149 4096	124 113	21 16	4 7	7 3	-- --	1 1	-- 1	-- 3	2 --
85.	Symptoms, senility, & ill-defined conditions	M. F.	1601 1182	3338 2864	3162 2690	2398 2583	1566 2810	1424 2430	1396 2184	1712 2203	1891 2206	1951 2062

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
77.	Complications of the puerperium	M. F. -- 22	-- 2	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	4955
78.	Infection of skin & subcutaneous tissue	M. F. 641 506	593 501	483 357	434 327	318 249	245 229	209 186	145 116	78 73	-- --	15881 12875
79.	Other diseases of skin & subcutaneous tissue	M. F. 637 951	652 931	615 789	560 684	527 523	461 506	415 346	245 205	150 123	-- --	14010 15356
80.	Arthritis & rheumatism, except rheumatic fever	M. F. 1564 1752	1711 2142	1719 2001	1639 1849	1450 1765	1204 1735	1049 1442	590 867	318 462	-- --	17213 20278
81.	Displacement of intervertebral disc	M. F. 1483 1116	1174 844	823 585	529 352	288 196	168 135	67 93	35 46	17 13	-- --	11091 7716
82.	Other diseases of bones & organs of movement	M. F. 1402 1623	1273 1649	1097 1336	855 1113	643 932	441 729	316 533	157 294	74 167	-- --	19617 19738
83.	Congenital malformations	M. F. 251 287	186 233	169 170	122 118	76 80	62 83	33 45	16 29	8 5	-- --	14353 12002
84.	Certain diseases of early infancy	M. F. -- 1	1 --	-- --	-- 1	-- --	-- 1	-- --	-- --	-- --	8 12	8576 6730
85.	Symptoms, senility, & ill-defined conditions	M. F. 1888 1815	1860 1735	1693 1435	1609 1196	1418 1117	1241 1045	1132 823	826 633	556 455	-- --	32664 33469

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
86.	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	M. F.	446 337	2673 1794	3107 1561	2479 944	3390 1235	2926 744	1760 569	1385 529	1261 464	1072 443
87.	Fracture of spine and trunk	M. F.	3 7	56 31	146 67	224 154	598 360	695 269	578 228	584 217	600 265	586 260
88.	Fracture of upper limb	M. F.	55 42	988 722	3593 2099	3925 1661	2160 446	1070 289	812 246	728 296	702 411	662 434
89.	Fracture of femur	M. F.	101 82	508 268	566 243	332 138	306 100	214 50	135 32	139 57	155 58	136 101
90.	Other fractures of lower limbs (excluding femur)	M. F.	15 12	438 239	903 514	1341 709	1607 677	1322 418	1016 401	1063 418	1166 429	1029 522
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F.	12 19	153 126	403 184	811 514	1879 910	1840 661	1705 522	1867 565	1802 680	1451 621
92.	Internal injury of chest, abdomen and pelvis	M. F.	4 3	73 43	208 69	220 61	314 80	259 65	193 64	159 36	130 47	123 39
93.	Burns	M. F.	255 174	1715 1187	639 388	533 197	477 249	536 190	461 143	430 142	325 132	316 139

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
86.	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	M. F. 870 386	742 369	599 285	470 239	328 220	298 212	189 173	133 99	85 99	-- --	24213 10702
87.	Fracture of spine and trunk	M. F. 647 321	676 371	645 352	536 369	460 341	445 427	329 442	211 329	141 275	-- --	8130 5085
88.	Fracture of upper limb	M. F. 594 568	571 783	462 986	380 1010	330 883	272 853	184 715	127 496	83 349	-- --	17698 13289
89.	Fracture of femur	M. F. 163 167	160 273	187 359	227 438	258 669	317 992	454 1435	494 1470	482 1578	-- --	5334 8510
90.	Other fractures of lower limbs (excluding femur)	M. F. 887 607	861 679	703 590	515 557	347 519	280 439	170 341	127 214	55 143	-- --	13845 8428
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F. 1235 558	936 515	707 403	494 301	253 280	217 258	152 192	106 136	44 99	-- --	16067 7544
92.	Internal injury of chest, abdomen and pelvis	M. F. 108 36	104 34	87 30	81 26	46 15	40 16	23 15	11 10	9 3	-- --	2192 692
93.	Burns	M. F. 234 118	188 96	150 91	139 66	95 68	59 46	61 55	35 31	26 21	-- --	6674 3533

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
94.	Other and unspecified effects of accidents, poisonings and violence	M. F.	619 514	7772 5562	5325 3207	4685 2126	6389 3090	6133 2470	4293 1882	3889 1898	3556 1947	3175 1729
95.	Medical or special examination (without sickness)	M. F.	23 20	25 29	31 29	20 26	23 68	25 68	28 44	25 48	36 40	34 31
96.	Mature newborn	M. F.	123585 117075	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
97.	Immature newborn	M. F.	7088 7714	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
98.	Other special admissions, examinations, etc.	M. F.	13 21	256 289	317 248	372 267	450 533	432 829	350 686	360 642	431 531	397 410
Total		M. F.	134293 127576	64335 45710	110238 93915	63251 55660	54594 116158	49096 238053	43774 213502	49000 177090	53395 139598	56124 100855

TABLE 6(a) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
94.	Other and unspecified effects of accidents, poisonings and violence	M. F.	2724 1597	2540 1490	2033 1186	1745 1000	1216 858	952 810	417 518	270 375	1 --	58470 32929
95.	Medical or special examination (without sickness)	M. F.	49 42	46 24	43 24	24 16	16 17	18 14	5 2	1 2	-- --	486 549
96.	Mature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	123585 117075
97.	Immature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	7088 7714
98.	Other special admissions, examinations, etc.	M. F.	400 443	511 493	508 486	552 534	497 641	457 666	205 407	111 253	-- --	7264 9347
Total		M. F.	57816 78024	61908 67970	61418 57270	60801 52812	55495 50889	53433 48850	28335 26892	16850 16830	61 66	1252465 1849525

TABLE 6(b) PATIENT-DAYS BY PRINCIPAL DIAGNOSIS, BY SEX, AND AGE GROUP FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA(2) 1963

(1) See notes on page 208
(2) Excludes Nova Scotia

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1.	Tuberculosis, all forms	M. F.	667 1,154	3,100 1,865	2,479 1,565	903 863	1,440 2,235	1,817 2,360	1,927 1,981	2,981 2,612	1,741 2,273	2,798 2,317
2.	Poliomyelitis and encephalitis	M. F.	1,044 461	5,670 4,158	6,316 6,371	8,768 9,172	5,286 4,033	1,568 2,756	1,930 1,555	4,501 3,920	1,051 1,102	2,480 1,401
3.	Infectious hepatitis	M. F.	468 318	1,567 1,280	5,677 6,194	7,403 6,532	5,730 5,199	4,262 5,170	3,912 4,497	4,133 4,366	2,752 3,320	2,465 2,553
4.	Other diseases attributable to viruses	M. F.	9,311 6,996	18,590 15,986	9,541 7,967	3,112 2,795	4,458 5,127	3,127 3,374	1,997 1,442	1,580 1,307	1,153 1,231	820 767
5.	Other infective bacterial, spirochaetal, rickettsial or para- sitic diseases	M. F.	17,798 16,747	18,567 20,435	10,059 11,936	5,265 5,013	3,325 4,309	3,578 3,192	3,203 3,322	2,888 2,805	3,221 2,851	2,656 2,792
6.	Malignant neoplasms of buccal cavity & pharynx	M. F.	1 --	47 25	-- 70	45 77	102 190	135 158	124 162	315 224	382 389	1,335 440
7.	Malignant neoplasm of stomach	M. F.	-- --	16 --	-- --	-- --	7 --	9 94	232 75	481 377	951 1,010	1,964 1,277
8.	Malignant neoplasm of large intestine except rectum	M. F.	-- --	-- --	-- --	-- 46	116 47	112 184	556 383	749 832	991 1,929	2,216 3,945

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
1.	Tuberculosis, all forms	M. 2,589 F. 2,857	2,873 2,172	3,774 1,497	2,302 1,353	4,253 1,813	2,394 960	1,494 1,440	991 1,435	272 1,304	-- --	40,795 34,056
2.	Poliomyelitis and encephalitis	M. 2,980 F. 1,495	1,792 943	814 755	2,524 531	125 25	92 10	198 65	-- 1,697	-- --	-- --	47,139 40,450
3.	Infectious hepatitis	M. 1,595 F. 1,826	1,633 1,866	732 733	519 822	877 730	591 592	661 362	226 70	133 129	-- --	45,336 46,559
4.	Other diseases attributable to viruses	M. 859 F. 1,147	814 1,081	1,034 1,385	1,213 1,508	1,452 1,670	1,584 2,085	1,890 2,103	931 2,010	603 1,928	-- --	64,081 61,909
5.	Other infective bacterial, spirochaetal, ricketsial or para- sitic diseases	M. 5,165 F. 2,941	3,156 3,602	3,677 2,198	3,246 2,701	6,495 2,539	3,954 2,727	1,776 1,292	2,115 750	393 471	-- --	100,545 92,623
6.	Malignant neoplasms of buccal cavity & F. pharynx	M. 2,150 F. 628	3,730 1,534	4,194 1,569	4,098 1,796	5,761 1,426	4,628 2,537	5,169 1,202	5,136 1,083	3,188 1,236	-- --	40,540 14,746
7.	Malignant neoplasm of stomach	M. 2,836 F. 1,515	5,767 2,051	8,909 3,093	11,084 4,049	13,778 5,771	13,915 6,587	12,952 6,316	7,155 5,828	4,161 4,454	-- --	84,217 42,497
8.	Malignant neoplasm of large intestine except rectum	M. 3,606 F. 5,780	5,819 9,490	7,482 9,413	9,732 12,337	11,925 14,662	14,814 16,607	12,186 15,228	8,712 11,791	4,958 6,886	-- --	83,974 109,560

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
9.	Malignant neoplasm of rectum	M. F.	-- --	8 --	-- --	-- --	16 116	144 262	69 263	486 372	829 1,560	947 1,824
10.	Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary	M. F.	-- --	-- --	25	101 --	95 98	351 47	112 203	682 270	969 845	3,405 827
11.	Malignant neoplasm of breast	M. F.	-- --	-- 3	-- --	9 --	-- 20	32 197	3 1,368	10 4,262	19 10,102	116 21,177
12.	Malignant neoplasm of cervix uteri	M. F.	-- --	-- --	-- --	-- --	-- --	-- 514	-- 2,478	-- 8,931	-- 12,402	-- 16,788
13.	Malignant neoplasm of uterus other than cervix uteri	M. F.	-- --	-- --	-- --	-- --	-- 24	-- 230	-- 219	-- 629	-- 1,133	-- 1,770
14.	Malignant neoplasm of ovary, Fallopian tube, & broad liga- ment	M. F.	-- --	-- 33	-- 46	-- 142	-- 37	-- 272	-- 266	-- 659	-- 1,899	-- 3,170
15.	Malignant neoplasm of prostate	M. F.	-- --	-- --	-- --	-- --	92 --	-- --	-- --	85 --	41 --	175 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F.	211 284	883 633	305 397	146 27	203 28	89 153	211 114	312 229	806 564	1,761 1,190
17.	Leukaemia and aleukaemia	M. F.	288 166	3,383 2,634	2,456 1,739	1,348 697	876 855	584 466	739 861	851 1,339	1,230 1,024	1,140 1,096

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
9.	Malignant neoplasm of rectum	M. 2,234 F. 1,879	4,665 4,347	6,715 4,884	7,508 6,931	9,986 7,972	12,613 7,080	14,001 8,216	7,585 5,245	3,927 2,609	-- --	71,733 53,560
10.	Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary	M. 7,978 F. 2,289	14,608 2,696	22,134 4,252	24,966 3,665	26,884 5,828	22,886 4,832	16,042 2,862	5,452 1,122	1,473 718	-- --	148,138 30,579
11.	Malignant neoplasm of breast	M. 143 F. 29,449	33 29,655	339 27,916	42 28,575	1,042 26,521	758 26,071	464 22,556	123 16,211	40 14,836	-- --	3,173 258,916
12.	Malignant neoplasm of cervix uteri	M. -- F. 13,366	-- 10,338	-- 10,909	-- 9,232	-- 7,285	-- 5,118	-- 4,792	-- 2,641	-- 1,388	-- --	-- 106,482
13.	Malignant neoplasm of uterus other than cervix uteri	M. -- F. 4,728	-- 5,631	-- 7,124	-- 6,849	-- 6,347	-- 5,671	-- 4,932	-- 2,370	-- 908	-- --	-- 48,565
14.	Malignant neoplasm of ovary, Fallopian tube, & broad liga- ment	M. -- F. 5,862	-- 6,183	-- 6,107	-- 6,207	-- 4,102	-- 4,499	-- 3,712	-- 1,985	-- 1,013	-- --	-- 46,194
15.	Malignant neoplasm of prostate	M. 567 F. --	2,266 --	5,587 --	18,434 --	22,229 --	35,675 --	37,582 --	41,101 --	21,162 --	84 --	185,080 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. 3,324 F. 1,512	6,748 2,056	7,700 3,467	10,133 3,905	13,166 5,232	17,472 6,550	14,079 6,422	8,467 4,589	4,850 3,461	-- --	90,866 40,813
17.	Leukaemia and aleukaemia	M. 1,828 F. 1,380	1,790 1,816	2,935 2,008	2,874 1,655	3,719 2,845	4,373 2,938	4,677 3,231	2,453 1,819	964 3,655	-- --	38,506 32,224

TABLE 6 (b) (Cont'd)

Diagnosis	Number	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
18. Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue	M. F.	980 950	5,450 2,036	3,760 3,629	2,603 3,576	5,712 2,308	5,300 2,305	5,648 4,330	7,011 5,900	10,348 7,279	13,389 13,307
19. Benign neoplasm of uterus	M. F.	-- 2	-- 6	-- 24	-- 71	-- 562	-- 3,081	-- 7,628	-- 18,491	-- 41,035	-- 62,897
20. Benign neoplasm of ovary	M. F.	-- 115	-- 21	-- 148	-- 784	-- 6,944	-- 14,562	-- 15,174	-- 15,541	-- 14,228	-- 9,926
21. Benign neoplasm (excluding uterus & ovary) and neoplasm of unspecified nature	M. F.	4,265 5,379	5,705 5,008	4,253 4,626	4,897 5,800	9,448 13,403	12,320 12,574	8,332 9,960	8,065 12,315	8,249 14,536	7,901 16,115
22. Asthma	M. F.	4,682 2,317	11,149 5,563	6,675 3,934	3,504 3,185	2,042 2,998	1,250 2,496	1,176 3,035	2,145 3,348	2,972 5,640	3,741 6,417
23. Other allergic disorders (excluding asthma)	M. F.	5,100 3,765	5,821 3,612	2,292 1,655	1,455 1,458	1,302 2,085	807 1,426	890 1,370	1,069 1,863	1,138 1,544	848 2,647
24. Diseases of thyroid gland	M. F.	370 467	451 535	368 428	451 2,024	1,152 4,314	958 5,180	989 6,488	1,268 8,747	1,152 10,726	1,717 11,269
25. Diabetes mellitus	M. F.	353 234	1,835 1,838	3,526 4,102	4,958 6,128	4,785 5,369	3,074 4,494	4,090 4,346	6,376 4,891	6,872 7,164	8,553 10,348
26. Diseases of other endocrine glands	M. F.	1,374 758	947 1,041	642 781	1,012 1,101	2,032 2,191	735 2,712	539 1,923	722 2,870	825 2,275	1,380 1,715
27. Avitaminoses and other metabolic diseases	M. F.	10,448 8,363	8,708 9,659	1,826 1,792	2,124 2,038	1,698 3,455	809 2,220	1,218 2,186	1,497 3,174	2,420 3,476	2,170 3,841

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
18.	Other malignant neoplasms and neoplasms of lymphatic and haematopoietic tissue	M. 16,916 F. 18,147	23,372 21,309	33,405 26,266	38,113 32,746	36,194 33,748	37,191 34,970	29,755 26,468	18,123 19,945	12,081 13,259	-- --	305,369 274,788
19.	Benign neoplasm of uterus	M. -- F. 61,743	-- 32,369	-- 8,756	-- 5,551	-- 3,476	-- 2,242	-- 1,311	-- 636	-- 178	-- --	-- 250,059
20.	Benign neoplasm of ovary	M. -- F. 6,724	-- 3,707	-- 1,706	-- 1,557	-- 2,421	-- 1,176	-- 669	-- 398	-- 356	-- --	-- 96,157
21.	Benign neoplasm (excluding uterus & ovary) and neoplasm of unspecified nature	M. 9,184 F. 14,858	10,839 14,824	11,300 11,654	11,294 12,475	10,620 11,274	8,971 6,597	6,366 7,016	3,541 4,124	1,426 2,579	-- --	146,976 185,140
22.	Asthma	M. 6,541 F. 8,635	6,872 8,842	9,141 7,498	11,635 7,494	11,711 7,771	9,210 7,408	6,261 4,041	4,747 2,279	1,930 566	-- --	107,384 93,467
23.	Other allergic disorders (excluding asthma)	M. 1,018 F. 1,212	794 1,242	517 1,150	641 840	464 634	395 480	318 400	113 194	78 83	-- --	25,060 27,660
24.	Diseases of thyroid gland	M. 1,700 F. 10,159	2,262 11,841	1,929 8,580	1,741 7,590	1,591 5,961	1,427 4,141	460 3,215	195 1,607	40 410	-- --	20,221 103,682
25.	Diabetes mellitus	M. 12,264 F. 13,529	19,949 23,042	23,210 30,499	28,306 50,913	33,769 55,237	37,882 64,419	37,280 53,088	34,150 28,187	12,231 24,790	7 --	283,470 392,618
26.	Diseases of other endocrine glands	M. 887 F. 2,204	649 1,717	870 1,904	979 963	719 825	357 519	277 382	62 74	141 15	-- --	151,149 25,970
27.	Avitaminoses and other metabolic diseases	M. 2,532 F. 4,865	3,369 3,537	2,903 2,854	2,508 2,819	3,422 1,672	3,399 1,826	3,106 1,563	1,414 687	1,093 569	-- --	56,664 60,596

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
26.	Diseases of the blood and blood- forming organs		9,202 5,097	12,932 9,360	18,232 16,447	5,051 3,184	2,803 4,363	1,680 3,521	1,583 3,115	1,096 5,130	1,742 5,987	2,053 5,799
29.	Psychoses		—	69 95	470 263	1,758 1,862	9,440 11,166	11,980 15,370	9,368 17,598	11,345 21,061	10,129 20,274	12,392 20,411
30.	Psychoneurotic disorders		111 122	567 446	2,023 2,090	2,858 6,147	7,880 29,270	13,885 40,968	15,667 50,035	18,229 59,735	22,469 60,358	25,240 50,370
31.	Disorders of character, be- haviour and in- telligence		1,627 1,655	11,351 9,778	5,338 7,321	4,989 3,223	4,916 7,710	2,935 3,848	4,043 3,442	6,825 3,819	10,029 4,512	12,920 3,904
32.	Vascular lesions affecting central nervous system		1,936 798	2,049 2,555	2,989 2,270	2,183 2,025	3,688 3,310	2,232 1,956	2,678 2,793	6,509 2,479	2,638 2,505	6,247 4,080
33.	Inflammatory and other diseases of central nervous system	32 32	16,932 12,286	25,149 15,630	17,303 13,387	10,649 11,143	13,155 10,818	14,648 13,544	16,249 14,957	16,746 19,537	23,293 25,331	20,919 33,112
34.	Diseases of nerves & peripheral ganglia	— —	259 102	1,070 855	888 738	1,204 1,286	1,335 2,587	1,960 3,202	1,856 3,052	3,809 4,389	5,471 5,408	5,274 5,600

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
28.	Diseases of the blood and blood- forming organs	M. F.	2,646 7,218	3,061 6,158	4,986 5,761	5,910 8,087	7,420 8,528	8,559 12,640	9,462 19,799	7,982 13,614	4,482 9,043	101,182 141,871
29.	Psychoses	M. F.	9,759 18,384	9,384 17,562	9,377 14,395	7,518 12,244	11,869 11,920	13,459 15,983	6,043 22,764	8,902 23,167	4,266 22,996	147,528 267,515
30.	Psychoneurotic disorders	M. F.	20,855 42,095	19,453 34,945	13,252 27,872	10,698 19,491	8,601 15,266	6,078 11,721	2,818 6,655	1,517 2,192	195 696	192,396 460,474
31.	Disorders of character, be- haviour and in- telligence	M. F.	11,193 5,587	11,100 3,448	7,271 1,932	5,284 5,516	2,871 744	3,531 687	1,021 481	284 61	78 1	107,630 67,686
32.	Vascular lesions affecting central nervous system	M. F.	18,370 9,000	25,634 19,489	44,163 34,053	72,623 51,495	104,997 83,125	122,928 136,094	143,691 172,210	112,899 205,362	79,407 118,128	757,861 853,727
33.	Inflammatory and other diseases of central nervous system	M. F.	29,144 36,986	66,983 39,362	46,181 62,603	62,201 40,496	64,362 64,001	56,878 65,921	53,254 77,097	52,546 83,683	21,750 49,206	628,374 689,132
34.	Diseases of nervous & peripheral ganglia	M. F.	6,017 7,051	5,447 6,491	5,405 6,672	4,498 4,379	4,483 4,347	3,684 4,782	2,482 2,594	1,556 1,584	436 1,256	57,134 66,375

TABLE 6 (b) (Cont'd)

Serial List	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
35.	Diseases and condi- tions of the eye	--	2,286 2,229	10,045 9,587	10,632 9,227	6,182 4,411	4,914 3,340	3,821 2,864	3,929 2,258	3,997 3,122	4,168 3,477	5,150 4,615
36.	Diseases of ear & mastoid process	7	30,399 20,648	37,559 28,127	17,979 13,591	9,880 8,678	4,847 5,734	2,987 3,759	3,075 4,647	3,463 4,842	3,676 5,425	4,056 5,997
37.	Rheumatic fever and chronic rheu- matic heart disease	--	58 114	3,014 2,194	11,561 11,134	10,646 12,847	5,546 6,950	2,947 5,087	3,071 5,864	4,315 7,217	4,952 8,969	6,244 9,797
38.	Arteriosclerotic and degenerative heart disease	--	177 462	251 298	390 266	371 411	432 147	1,011 951	2,299 997	6,512 2,368	21,632 5,668	46,967 13,489
39.	Other diseases of the heart	--	1,649 1,104	1,066 1,336	1,152 1,018	1,020 972	1,153 1,141	1,413 1,641	1,380 2,132	2,237 2,030	2,746 2,854	5,101 4,758
40.	Hypertensive heart disease and other hypertensive disease	--	2 19	247 51	177 52	253 376	530 399	1,308 1,065	1,460 1,700	2,346 3,034	4,191 5,304	6,461 8,698
41.	Diseases of arteries	--	50 4	171 274	69 172	243 64	325 380	657 1,718	1,221 1,128	1,631 1,341	3,070 1,729	7,531 2,465
42.	Varicose veins of lower extremities	--	-- --	-- 25	2 8	43 38	306 272	701 2,496	1,716 8,170	2,499 14,506	3,822 19,015	4,596 20,594
43.	Haemorrhoids	--	17 1	47 30	16 15	34 30	539 758	2,406 3,136	5,202 5,725	8,412 8,819	12,678 11,783	13,309 12,747

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total	
35.	Diseases and condi- tions of the eye	M. F.	6,593 5,824	9,673 10,044	11,731 11,865	13,738 14,589	17,205 18,480	18,794 23,282	15,913 26,242	9,672 11,702	6,793 9,934	-- --	165,236 177,092
36.	Diseases of ear & mastoid process	M. F.	3,794 5,361	4,360 5,006	3,192 4,360	2,187 3,138	1,876 2,685	1,300 1,471	1,279 1,639	270 542	1,136 665	-- --	137,422 126,315
37.	Pneumatic fever and chronic rheu- matic heart disease	M. F.	6,987 12,581	6,122 10,531	6,105 9,768	4,668 6,781	3,641 6,926	3,283 2,690	1,435 2,316	1,417 3,666	1,475 3,608	-- --	87,437 129,090
38.	Arteriosclerotic and degenerative heart disease	M. F.	79,318 27,510	116,580 45,521	130,106 70,114	154,223 85,231	161,857 121,642	163,577 147,078	156,109 176,160	121,168 160,718	101,519 148,960	-- --	1,264,499 1,007,994
39.	Other diseases of the heart	M. F.	5,634 5,232	10,654 8,037	13,244 10,717	18,853 14,796	21,194 23,700	34,976 29,984	36,359 35,661	29,551 37,812	20,997 34,950	-- --	210,379 219,875
40.	Hypertensive heart disease and other hypertensive dis- ease	M. F.	8,610 13,062	10,693 17,620	16,026 21,577	17,639 27,189	19,272 33,627	25,167 39,125	20,621 45,020	15,266 29,973	15,104 25,571	-- --	165,373 273,462
41.	Diseases of arteries	M. F.	9,808 4,472	17,489 5,619	24,233 6,349	30,660 11,047	46,332 20,729	47,515 31,416	55,079 47,097	49,452 69,045	47,037 105,219	-- --	342,573 310,268
42.	Varicose veins of lower extremities	M. F.	5,652 19,200	6,472 18,408	7,088 16,945	7,323 15,059	5,143 13,501	4,779 11,931	3,988 7,672	1,851 5,227	905 3,668	-- --	56,886 176,735
43.	Haemorrhoids	M. F.	12,294 11,857	11,295 9,442	9,263 7,136	6,457 4,855	5,067 3,913	3,169 2,908	2,446 1,591	816 827	394 292	-- --	93,561 85,865

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
44.	Phlebitis and thrombophlebitis	M. -- F. --	13 --	4 13	20 14	132 81	236 627	380 1,619	652 2,075	1,371 2,761	1,993 4,335	2,199 5,400
45.	Other diseases of the circulatory system	M. -- F. --	1,902 1,776	8,659 6,696	9,662 9,518	6,596 6,511	2,923 4,129	1,914 2,468	1,346 2,211	1,541 2,905	1,936 2,584	2,326 2,695
46.	Acute upper respiratory infections	M. -- F. --	44,918 30,275	60,924 46,595	14,538 13,523	5,453 6,314	4,022 6,963	3,128 4,476	2,220 2,971	2,067 2,391	1,886 2,441	1,759 2,276
47.	Influenza	M. -- F. --	6,446 5,036	9,711 8,473	4,076 4,220	3,072 3,364	2,840 3,394	2,049 3,553	1,813 2,961	2,127 3,584	2,441 3,320	2,244 4,019
48.	Pneumonia	M. -- F. 18	126,695 88,505	131,246 105,089	37,877 32,643	15,391 13,252	11,329 8,332	6,828 8,492	7,453 10,736	9,523 14,672	12,783 15,248	14,372 14,582
49.	Bronchitis	M. 3 F. --	60,419 33,599	60,587 40,735	14,033 10,802	5,042 4,779	2,912 4,602	2,135 4,217	2,080 4,760	2,471 5,871	3,851 7,427	6,101 18,553
50.	Hypertrophy of tonsils & adenoids	M. -- F. --	1,013 581	59,954 46,995	76,367 76,801	20,534 27,961	9,450 23,422	8,221 13,137	6,577 7,986	5,019 5,686	3,165 3,566	1,669 2,205
51.	Other diseases of respiratory system	M. 1 F. --	9,432 5,846	15,169 9,463	9,363 6,530	7,280 6,156	12,263 8,673	12,069 9,040	11,588 9,938	10,817 9,986	12,263 10,978	13,338 10,554
52.	Diseases of teeth and supporting structure	M. -- F. --	296 212	1,856 2,080	3,149 3,175	1,635 1,975	3,148 5,576	3,147 4,582	2,089 3,497	1,727 2,761	1,441 2,615	1,553 2,321
53.	Ulcer of stomach, duodenum & jejunum	M. -- F. --	178 124	254 101	816 546	1,209 896	3,224 1,548	11,397 4,758	17,884 6,165	26,423 10,055	38,768 14,461	49,955 18,853

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
44.	Phlebitis and thrombophlebitis	M. 2,325 F. 6,272	3,336 5,788	3,268 6,084	4,028 6,067	3,755 5,374	3,611 6,052	2,600 3,955	2,894 1,711	474 1,045	-- --	33,291 59,273
45.	Other diseases of the circulatory system	M. 2,363 F. 3,513	3,070 2,926	4,315 3,206	4,625 3,165	4,424 3,133	5,093 5,784	3,284 2,369	3,126 3,788	1,245 704	-- --	70,350 70,081
46.	Acute upper respir- atory infections	M. 1,648 F. 2,126	1,487 2,128	1,497 1,845	1,612 1,783	1,345 1,351	1,462 1,426	1,114 1,313	700 935	486 684	-- --	149,266 131,816
47.	Influenza	M. 2,592 F. 4,032	3,760 4,108	3,351 4,768	4,212 5,159	3,954 5,240	4,771 5,579	4,648 5,086	3,483 4,186	2,819 3,227	-- --	70,409 83,809
48.	Pneumonia	M. 19,223 F. 16,530	21,141 16,366	23,851 18,226	31,459 20,662	29,597 23,607	41,155 25,080	43,816 34,841	33,598 23,853	24,770 26,213	1 --	642,108 516,947
49.	Bronchitis	M. 9,945 F. 8,536	12,406 8,686	17,169 10,534	24,775 10,272	25,969 10,074	29,880 11,960	22,887 11,803	15,573 7,001	7,581 5,528	-- --	325,819 224,739
50.	Hypertrophy of tonsils & adenoids	M. 934 F. 1,173	501 1,008	320 639	164 263	103 167	46 73	81 13	16 18	6 --	-- --	194,140 211,644
51.	Other diseases of respiratory system	M. 17,582 F. 11,185	18,074 9,969	23,952 13,048	28,460 10,915	27,364 10,370	27,381 12,172	20,361 10,640	12,669 9,003	4,821 8,139	-- --	294,247 182,625
52.	Diseases of teeth and supporting structure	M. 1,262 F. 1,938	1,129 1,778	1,003 1,231	671 754	537 481	337 389	203 232	334 147	89 34	-- --	25,606 35,778
53.	Ulcer of stomach, duodenum & jejunum	M. 47,661 F. 23,158	51,611 23,348	49,074 17,739	42,425 14,777	36,673 13,112	28,614 13,093	21,624 10,022	13,332 7,604	6,702 4,379	-- --	447,824 184,739

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
54.	Gastritis, duode- nitis and other dis- orders and diseases of the stomach and duodenum	M. F. 10 2	3,413 2,239	1,676 1,914	1,590 1,775	1,875 1,540	2,303 4,833	4,011 6,180	5,572 6,489	7,794 7,722	8,146 8,566	9,051 8,506
55.	Appendicitis	M. F. -- --	197 72	5,790 4,888	28,211 26,997	43,155 40,259	32,343 42,807	19,754 21,997	14,366 12,422	11,972 9,416	10,979 7,133	9,107 6,115
56.	Hernia of abdominal cavity	M. F. 66 8	20,946 5,625	27,545 6,794	16,212 3,558	6,298 1,132	8,461 2,106	12,727 3,292	12,183 4,958	16,073 8,588	19,372 12,496	23,368 15,006
57.	Intestinal obstruc- tion without mention of hernia	M. F. -- --	2,703 1,187	1,782 987	1,619 882	1,147 721	998 850	717 1,389	1,054 1,604	1,050 2,589	1,571 3,909	2,041 4,223
58.	Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over	M. F. 26 25	95,475 74,835	50,159 39,498	6,305 6,232	4,004 3,566	2,506 3,930	2,166 4,495	2,236 3,769	1,969 4,322	2,790 4,197	2,364 4,459
59.	Chronic enteritis & ulcerative colitis	M. F. -- --	577 505	556 356	366 365	1,292 898	2,160 2,265	3,111 3,714	2,430 3,687	3,104 4,281	3,366 3,878	4,165 5,756
60.	Cirrhosis & other diseases of liver	M. F. -- --	395 423	700 431	1,101 1,553	1,676 1,551	1,355 2,115	1,245 1,821	1,543 1,887	2,206 2,883	4,720 4,253	6,102 4,454
61.	Diseases of gall- bladder & pancreas	M. F. -- --	2,219 1,470	1,518 2,053	829 882	521 1,122	855 9,531	2,079 31,908	4,535 38,847	9,892 45,794	14,900 54,014	18,406 57,688

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
54.	Gastritis, duodenitis and other disorders and diseases of the stomach and duodenum	M. 8,985 F. 8,092	9,531 8,208	7,796 6,649	7,076 5,883	6,061 5,079	4,861 5,730	3,874 3,534	2,329 3,111	1,259 1,079	-- --	97,218 97,131
55.	Appendicitis	M. 7,599 F. 4,688	6,996 3,850	5,768 3,576	4,333 2,734	3,669 2,155	3,189 2,303	2,445 2,010	1,522 1,005	356 534	-- --	211,751 194,966
56.	Hernia of abdominal cavity	M. 28,512 F. 16,849	34,452 15,192	35,859 15,991	34,594 14,143	30,046 14,386	26,962 11,078	19,818 8,439	10,823 4,690	5,507 2,882	-- --	390,424 167,213
57.	Intestinal obstru- ction without men- tion of hernia	M. 2,142 F. 4,399	3,243 4,354	3,694 4,187	4,303 4,584	4,385 8,065	5,144 5,584	4,904 8,496	4,365 5,123	2,940 3,614	-- --	49,802 66,747
58.	Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over	M. 2,512 F. 4,359	3,029 4,461	2,518 4,818	2,788 4,420	2,414 5,245	2,478 4,388	2,963 5,174	1,750 4,813	1,588 2,214	-- --	192,040 189,220
59.	Chronic enteritis & ulcerative colitis	M. 3,715 F. 5,407	5,517 7,015	7,131 7,585	6,227 9,631	6,359 11,010	6,474 14,751	6,455 11,308	4,761 8,089	2,045 4,830	-- --	69,811 105,331
60.	Cirrhosis and other diseases of liver	M. 9,690 F. 6,677	8,651 6,283	11,876 6,996	7,466 6,468	7,271 4,462	5,697 3,233	4,070 3,813	1,127 1,002	813 257	-- --	77,704 60,567
61.	Diseases of gall- bladder & pancreas	M. 20,369 F. 58,235	23,744 63,194	26,182 60,242	25,957 54,090	24,010 49,922	23,790 43,023	16,983 30,808	9,003 18,159	5,102 12,246	29 20	230,923 633,256

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
62.	Other diseases of digestive system	--	7,242 5,251	10,216 9,319	5,519 4,654	3,773 3,863	4,200 6,500	5,020 7,458	6,442 9,051	8,339 11,682	9,705 13,540	12,443 13,978
63.	Nephritis and nephrosis	--	670 849	10,580 7,530	14,705 10,770	7,933 4,957	4,309 3,149	2,161 2,613	1,978 2,530	2,502 2,987	3,304 2,757	2,747 2,182
64.	Infections of kidney	--	1,800 2,442	3,203 12,113	2,893 14,114	2,974 6,972	2,180 8,843	2,176 11,450	1,964 9,263	2,844 8,987	3,218 8,749	3,441 8,130
65.	Calculi of kidney ureter and other parts of urinary system	--	63 15	166 456	323 418	440 497	1,358 1,105	3,830 3,833	5,611 5,102	7,862 5,520	10,174 5,783	11,472 5,726
66.	Other diseases of urinary system	--	3,521 2,474	8,090 13,375	6,712 13,455	5,198 5,561	4,222 5,978	4,696 8,137	4,397 8,909	5,511 10,950	5,610 11,688	6,163 13,752
67.	Hyperplasia of prostate	--	--	--	5	--	34	121	112	421	812	1,331
68.	Redundant prepuce and phimosis	--	5,462	8,998	4,418	2,408	1,123	2,485	1,367	1,035	675	672
69.	Diseases of ovary, Fallopian tube & parametrium, & infective disease of uterus, vagina & vulva	--	749	1,060	1,397	1,973	15,071	35,044	39,666	39,971	37,116	27,924

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
62.	Other diseases of digestive system	M. 12,194 F. 15,162	11,722 13,322	10,963 11,636	10,955 11,588	9,888 10,422	10,692 9,724	8,468 9,720	5,766 4,546	3,518 3,762	-- --	157,365 175,178
63.	Nephritis and nephrosis	M. 2,012 F. 2,010	3,136 2,372	3,332 2,083	3,794 2,031	2,287 1,946	2,446 3,737	1,943 2,695	3,639 1,054	2,009 1,116	-- --	76,387 59,668
64.	Infections of kidney	M. 2,599 F. 8,115	3,122 8,111	3,710 7,445	5,080 6,435	4,991 6,685	5,076 6,848	5,422 7,503	4,808 4,253	3,706 2,962	-- 9	65,207 149,429
65.	Calculi of kidney ureter and other parts of urinary system	M. 12,549 F. 5,659	11,897 5,395	11,824 4,823	9,237 4,250	7,203 3,116	5,095 3,072	3,902 3,649	1,953 923	1,236 1,624	-- --	106,195 60,966
66.	Other diseases of urinary system	M. 6,255 F. 12,788	7,047 12,385	8,908 12,076	10,486 10,998	10,937 9,927	13,009 9,305	16,217 8,291	11,252 8,258	8,536 2,899	-- --	146,767 181,206
67.	Hyperplasia of prostate	M. 3,563 F. --	10,184 --	23,119 --	42,839 --	60,264 --	75,542 --	74,758 --	47,705 --	32,642 --	155 --	373,607 --
68.	Redundant prepuce and phimosis	M. 574 F. --	534 --	516 --	612 --	745 --	448 --	811 --	559 --	316 --	-- --	33,758 --
69.	Diseases of ovary, Fallopian tube, & parametrium, & in- fective disease of uterus, vagina & vulva	M. -- F. 19,577	-- 9,700	-- 5,161	-- 3,610	-- 2,756	-- 1,828	-- 1,593	-- 693	-- 554	-- --	-- 245,443

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
70.	Uterovaginal prolapse	M. F.	-- --	-- 12	-- --	-- --	-- 123	-- 1,554	-- 6,942	-- 15,125	-- 27,256	-- 33,848
71.	Disorders of menstruation	M. F.	-- --	-- 11	-- 41	-- 2,056	-- 10,729	-- 17,334	-- 19,582	-- 22,238	-- 24,596	-- 24,137
72.	Other diseases of genital organs	M. F.	2,704 379	4,944 387	3,041 453	3,142 752	4,824 4,559	4,057 15,459	3,792 21,096	4,442 21,580	5,347 22,971	5,906 26,510
73.	Complications of pregnancy	M. F.	-- --	-- --	-- --	-- 189	-- 33,429	-- 97,383	-- 84,661	-- 65,400	-- 43,578	-- 16,521
74.	Abortion	M. F.	-- --	-- --	-- --	-- 114	-- 12,605	-- 48,716	-- 52,697	-- 45,272	-- 34,818	-- 18,081
75.	Delivery without mention of complications	M. F.	-- --	-- --	-- --	-- 1,270	-- 213,662	-- 725,569	-- 621,692	-- 430,135	-- 241,613	-- 76,357
76.	Delivery with specified complications	M. F.	-- --	-- --	-- --	-- 136	-- 24,591	-- 85,837	-- 86,993	-- 70,348	-- 50,457	-- 20,259
77.	Complications of the puerperium	M. F.	-- --	-- --	-- --	-- 30	-- 3,750	-- 11,429	-- 10,893	-- 9,052	-- 6,353	-- 2,714
78.	Infection of skin & subcutaneous tissue	M. F.	10,362 9,336	20,820 22,166	12,049 10,791	9,841 6,897	8,604 5,656	5,319 4,086	4,472 3,652	5,446 4,001	5,848 4,483	5,376 4,610

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
70.	Uterovaginal prolapse	M. 33,997 F. --	31,993 --	27,395 --	25,500 --	23,338 --	17,116 --	8,861 --	3,429 --	1,368 --	43 --	257,900 --
71.	Disorders of menstruation	M. -- F. 19,749	10,524 --	2,749 --	1,274 --	914 --	807 --	559 --	136 --	13 --	--	157,449 --
72.	Other diseases of genital organs	M. 7,128 F. 25,515	7,073 14,008	7,934 5,821	8,010 3,463	8,561 2,676	7,630 1,978	8,152 1,300	4,873 605	3,459 403	--	105,019 169,915
73.	Complications of pregnancy	M. -- F. 1,940	-- 88	-- 17	-- --	-- 1	-- --	-- --	-- --	-- --	-- 42	-- 343,249
74.	Abortion	M. -- F. 2,583	-- 193	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- 22	-- 215,101
75.	Delivery without mention of complications	M. -- F. 5,473	-- 166	-- --	-- --	-- --	-- --	-- --	-- --	-- --	208 --	-- 2,316,145
76.	Delivery with specified complications	M. -- F. 1,478	-- --	-- 8	-- --	-- --	-- --	-- --	-- --	-- --	-- 43	-- 340,150
77.	Complications of the puerperium	M. -- F. 225	-- 6	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- 44,452
78.	Infection of skin and subcutaneous tissue	M. 5,501 F. 4,737	5,743 4,898	4,669 3,586	4,773 4,967	4,000 3,200	2,759 3,247	3,448 3,564	1,865 1,791	1,459 1,026	--	122,354 106,702

TABLE 6 (b) (Cont'd)

Serial List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
79.	Other diseases of skin & subcutaneous tissue	--	17,948 12,839	17,247 12,216	7,075 7,652	9,163 10,225	9,482 11,430	7,031 9,034	4,716 7,835	5,624 8,228	6,225 8,620	7,239 9,820
80.	Arthritis & rheuma- tism, except rheumatic fever	--	600 689	3,568 4,388	4,407 4,644	5,689 6,327	5,178 6,155	5,537 6,850	7,812 9,092	12,142 13,113	17,098 18,269	26,903 25,609
81.	Displacement of intervertebral disc	--	--	--	90 11	335 129	2,203 1,824	6,129 4,602	12,675 8,988	23,690 15,289	31,530 22,088	28,361 23,093
82.	Other diseases of bones & organs of movement	52 6	7,418 4,862	19,439 11,289	30,303 15,447	24,516 23,936	22,105 16,073	15,780 10,943	12,259 9,105	15,557 10,862	18,424 14,434	18,123 16,847
83.	Congenital malform- ations	6,538 5,388	65,015 54,142	43,560 41,350	29,298 19,987	18,172 14,956	11,177 10,051	6,492 7,679	5,268 6,612	4,234 6,813	3,867 7,911	5,958 5,591
84.	Certain diseases of early infancy	37,046 30,552	66,983 53,742	1,437 1,351	159 274	55 136	82 33	-- --	58 3	-- 6	-- 18	32 --
85.	Symptoms, senility, and ill-defined conditions	17 5	14,041 10,909	20,652 17,811	16,592 14,940	13,148 14,146	8,507 16,090	8,001 14,868	8,306 14,534	10,338 19,284	12,396 18,226	14,105 16,804
86.	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	--	3,321 2,227	14,518 9,499	16,008 8,673	11,166 4,801	18,243 8,652	21,705 5,919	14,792 5,102	11,577 4,193	10,673 3,913	9,480 3,914

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
79.	Other diseases of skin and subcutaneous tissue	M. 9,564 F. 10,507	8,530 11,594	9,713 17,268	8,438 10,579	8,524 8,212	8,781 9,945	8,438 8,454	10,407 4,085	3,731 4,773	-- --	167,878 183,324
80.	Arthritis & rheumatism, except rheumatic fever	M. 24,981 F. 35,243	29,519 42,830	32,270 48,260	33,005 50,759	36,813 55,022	31,146 70,811	39,970 66,098	15,495 42,933	14,295 52,496	-- --	346,428 559,588
81.	Displacement of intervertebral disc	M. 24,498 F. 20,999	20,482 16,924	14,840 11,118	9,455 6,980	5,235 3,879	3,091 2,575	1,440 2,025	610 1,287	341 204	-- --	185,005 142,015
82.	Other diseases of bones & organs of movement	M. 18,575 F. 18,830	19,074 20,362	17,502 17,880	16,981 21,123	12,447 15,786	9,918 20,712	8,110 14,649	3,872 13,124	2,648 14,645	-- --	293,103 290,915
83.	Congenital malformations	M. 3,577 F. 4,524	3,143 3,473	2,812 3,324	2,508 1,910	988 4,226	1,140 1,466	441 551	279 678	136 132	-- --	214,603 200,764
84.	Certain diseases of early infancy	M. -- F. 40	10 --	-- --	-- 5	-- --	-- 18	-- --	-- --	-- --	81 79	105,943 86,257
85.	Symptoms, senility and ill-defined conditions	M. 13,379 F. 16,809	14,507 17,112	14,893 15,095	14,464 13,278	13,530 13,322	15,503 14,650	16,449 17,016	18,018 21,521	19,510 23,549	-- --	266,356 309,969
86.	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	M. 9,843 F. 3,505	11,366 3,868	6,420 3,281	5,694 3,006	3,982 2,287	3,686 3,793	2,865 3,460	1,511 1,389	1,254 1,542	-- --	178,104 83,024

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
87.	Fracture of spine and trunk	M. 11,527 F. 5,501	11,216 7,837	12,001 7,369	9,895 8,279	8,697 7,776	8,112 11,416	8,180 12,523	4,903 11,541	4,282 11,655	-- --	159,564 120,790
88.	Fracture of upper limb	M. 4,642 F. 3,995	4,626 4,801	4,362 5,992	4,096 7,483	4,546 6,799	3,787 8,744	2,429 8,811	2,627 8,219	1,846 7,362	-- --	99,373 89,604
89.	Fracture of femur	M. 7,960 F. 6,536	6,420 10,628	8,084 13,681	10,979 20,441	12,542 32,723	15,829 49,881	22,638 89,113	31,605 94,249	25,616 118,457	-- --	229,586 471,492
90.	Other fractures of lower limbs (excluding femur)	M. 13,780 F. 8,302	14,197 10,560	13,678 10,118	11,338 10,439	8,200 12,377	9,345 12,426	6,579 13,115	4,722 9,337	2,656 16,577	-- --	201,820 148,832
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. 11,508 F. 5,184	9,462 5,194	6,701 3,796	4,789 2,832	2,618 2,980	2,323 2,494	1,642 1,998	1,189 2,011	536 1,491	-- --	134,584 66,645
92.	Internal injury of chest, abdomen and pelvis	M. 1,490 F. 645	1,803 400	1,632 659	1,645 524	623 507	576 315	221 240	150 140	159 54	-- --	28,277 9,637
93.	Burns	M. 4,066 F. 2,201	3,704 2,165	2,988 2,391	3,114 1,429	2,643 2,668	1,506 1,193	2,186 1,213	1,369 780	773 411	-- --	113,392 62,924
94.	Other and unspecified effects of accidents, poisonings and violence	M. 21,494 F. 12,315	20,301 13,130	17,719 11,317	17,376 10,040	13,711 8,986	9,204 10,317	8,601 9,214	6,120 7,619	3,887 9,567	1 --	373,319 217,599

TABLE 6 (b) (Cont'd)

List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
95.	Medical or special examination (without sickness)	M. F.	109 76	74 132	140 131	78 79	86 128	78 114	102 93	89 136	91 90	79 74
96.	Mature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
97.	Immature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
98.	Other special admissions, examinations, etc.,	M. F.	1,931 1,986	2,841 2,494	3,422 2,453	4,218 3,133	6,553 4,862	7,381 5,225	5,366 5,710	6,295 4,866	7,242 6,307	7,870 6,179
<hr/>												
Total		M. F.	715,254 521,165	908,532 701,030	606,882 496,482	437,229 377,744	435,286 761,600	420,041 1,483,746	396,984 1,411,232	480,324 1,302,500	571,705 1,179,172	668,061 1,039,561

TABLE 6 (b) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
95. Medical or special examination (without sickness)	M.	100	113	90	74	58	61	60	9	5	--	1,496
	F.	73	45	46	40	70	67	13	3	6	--	1,416
96. Mature newborn	M.	--	--	--	--	--	--	--	--	--	--	711,170
	F.	--	--	--	--	--	--	--	--	--	--	660,409
97. Immature newborn	M.	--	--	--	--	--	--	--	--	--	--	127,603
	F.	--	--	--	--	--	--	--	--	--	--	137,445
98. Other special ad- missions, examina- tions, etc.	M.	8,440	8,285	10,487	12,128	13,186	11,552	16,277	7,532	8,992	--	150,077
	F.	9,434	12,078	12,036	15,553	22,973	24,620	32,655	20,731	16,455	--	209,847
Total	M.	757,628	917,094	990,715	1,115,312	1,181,527	1,231,460	1,170,471	882,184	597,269	382	15,367,010
	F.	963,270	950,418	954,091	974,051	1,089,728	1,234,158	1,310,621	1,137,525	995,006	468	19,714,677

TABLE 5 (c) AVERAGE RISK OF ALL SEVERAL DISEASES, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN⁽¹⁾
IN-PATIENTS INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA, (2) 1963

(1) See notes on page 208
(2) Excludes Nova Scotia

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1.	Tuberculosis, all forms	M.	22.2	30.4	29.2	15.6	18.9	17.8	17.7	19.7	14.8	19.0
		F.	42.7	20.3	22.7	15.7	23.8	17.7	14.6	16.2	15.0	16.8
2.	Poliovirus and encephalitis	M.	21.8	33.0	21.7	25.3	28.3	22.4	24.4	62.5	20.6	70.9
		F.	14.9	34.9	29.6	26.6	24.1	27.8	23.2	56.8	22.5	41.2
3.	Infectious hepatitis	M.	17.3	14.2	10.8	12.0	13.4	12.8	13.0	13.4	13.6	17.7
		F.	26.5	10.8	11.8	11.5	11.8	14.5	13.7	16.2	15.8	18.1
4.	Other diseases attributable to viruses	M.	10.9	9.3	7.3	7.1	8.7	8.9	8.7	8.8	7.7	8.0
		F.	9.9	9.3	7.6	7.1	9.2	9.1	8.5	8.4	9.4	8.9
5.	Other infective bacterial, spiro- chaetal, rickett- sial or parasitic diseases	M.	15.3	12.4	9.9	8.9	8.6	9.7	8.9	9.3	10.7	11.6
		F.	16.1	13.3	10.4	8.1	7.5	7.4	9.7	9.4	10.6	12.6
6.	Malignant neoplasm of buccal cavity and pharynx	M.	1.0	15.7	--	11.2	14.6	11.2	9.5	9.5	10.1	14.2
		F.	--	25.0	35.0	12.8	19.0	9.3	9.5	14.0	13.9	15.7
7.	Malignant neoplasm of stomach	M.	--	16.0	--	--	7.0	9.0	23.2	18.5	22.1	27.3
		F.	--	--	--	--	--	31.3	25.0	37.7	28.9	29.7

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
1.	Tuberculosis, all forms	M. F.	17.6 21.8	16.6 20.7	22.2 17.4	16.3 19.6	31.7 23.9	24.9 14.3	18.4 25.7	24.8 31.2	15.1 56.7	20.6 19.8
2.	Poliomyelitis and encephalitis	M. F.	99.3 45.3	71.7 34.9	38.8 30.2	194.2 66.4	20.8 8.3	18.4 10.0	49.5 21.7	-- 848.5	-- --	32.4 31.2
3.	Infectious hepatitis	M. F.	16.8 17.2	18.8 20.1	14.1 15.3	14.8 19.6	20.9 33.2	22.7 24.7	21.3 27.8	18.8 17.5	19.0 16.1	13.4 14.0
4.	Other diseases attributable to viruses	M. F.	9.4 11.2	9.7 12.3	12.6 11.5	13.0 12.5	14.0 13.4	14.3 15.8	19.9 18.0	16.1 22.3	19.5 37.8	9.3 9.9
5.	Other infective bacterial, spiro- chaetal, rickett- sial or parasitic diseases	M. F.	22.9 11.8	14.1 14.8	16.9 12.2	17.5 17.3	44.2 17.9	29.7 21.8	25.0 17.0	43.2 13.2	14.6 19.6	13.4 12.0
6.	Malignant neoplasm of buccal cavity and pharynx	M. F.	21.5 14.0	22.2 20.5	20.9 22.1	20.3 24.3	23.4 21.3	24.6 37.9	25.2 21.9	33.6 27.8	35.4 49.4	23.1 22.9
7.	Malignant neoplasm of stomach	M. F.	23.4 22.6	24.2 18.8	26.4 21.9	28.6 26.3	29.7 27.9	27.1 25.3	29.2 26.5	26.3 31.5	36.5 55.7	27.6 27.7

TABLE 6 (c) (Cont'd)

Jan. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
8.	Malignant neoplasm of large intestine except rectum	M. F.	---	---	---	11.5	33.7 11.8	22.4 18.4	30.9 31.9	25.0 24.5	24.2 27.2	22.8 31.1
9.	Malignant neoplasm of rectum	M. F.	---	8.0	---	---	16.0 58.0	36.0 262.0	34.5 20.2	27.0 26.6	25.9 44.6	19.3 30.4
10.	Malignant neoplasm of bronchus, trachea and lung, primary, and unspecified as to whether primary or secondary	M. F.	---	---	25.0	25.2	31.7 32.7	70.2 15.7	18.7 33.8	34.1 20.8	25.5 33.8	24.1 23.0
11.	Malignant neoplasm of breast	M. F.	---	3.0	---	9.0	---	16.0 10.4	3.0 19.5	10.0 15.9	19.0 19.7	16.6 20.9
12.	Malignant neoplasm of cervix uteri	M. F.	---	---	---	---	---	---	10.8	15.6	14.2	15.9
13.	Malignant neoplasm of uterus other than cervix uteri	M. F.	---	---	---	---	6.0	16.4	15.6	12.1	12.9	14.2
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	M. F.	---	33.0	23.0	17.8	9.2	15.1	19.0	18.3	17.9	23.0

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
8.	Malignant neoplasm of large intestine except rectum	M. 26.1 F. 26.8	27.7 28.8	26.3 29.1	28.6 35.1	30.2 29.6	31.8 32.8	32.5 38.7	32.9 47.4	42.0 49.2	-- --	30.1 33.5
9.	Malignant neoplasm of rectum	M. 24.8 F. 26.5	32.2 32.9	31.8 32.8	30.6 34.7	35.9 35.3	40.6 36.9	56.9 43.5	50.2 51.9	47.9 45.8	-- --	38.4 37.1
10.	Malignant neoplasm of bronchus, trachea and lung, primary, and unspecified as to whether primary or secondary	M. 25.2 F. 25.7	26.8 20.1	27.4 23.2	27.9 18.4	28.7 27.1	29.2 23.1	32.0 22.4	29.5 16.7	23.8 19.9	-- --	28.2 22.7
11.	Malignant neoplasm of breast	M. 28.6 F. 22.9	11.0 24.2	26.1 25.1	21.0 30.6	54.8 30.7	63.2 33.9	33.1 35.0	17.6 47.1	13.3 69.0	-- --	34.9 27.9
12.	Malignant neoplasm of cervix uteri	M. -- F. 16.6	-- 16.6	-- 20.9	-- 19.8	-- 21.4	-- 21.1	-- 30.3	-- 41.3	-- 46.3	-- --	-- 17.6
13.	Malignant neoplasm of uterus other than of cervix uteri	M. -- F. 17.6	-- 16.6	-- 16.9	-- 19.1	-- 19.7	-- 20.8	-- 28.5	-- 28.2	-- 37.8	-- --	-- 19.0
14.	Malignant neoplasm of ovary, Fallopian tube, and broad ligament	M. -- F. 22.4	-- 23.2	-- 27.1	-- 25.6	-- 28.3	-- 31.9	-- 35.7	-- 55.1	-- 48.2	-- --	-- 26.1

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
15.	Malignant neoplasm of prostate	M. F.	-- --	-- --	-- --	-- --	46.0 --	-- --	-- --	42.5 --	10.2 --	19.4 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F.	26.4 56.8	21.0 33.3	20.3 18.0	73.0 13.5	20.3 14.0	22.2 51.0	19.2 12.7	13.6 20.8	15.2 24.5	18.2 25.3
17.	Leukaemia & aleu- kaemia	M. F.	22.2 20.8	15.1 15.1	14.1 13.8	16.2 16.6	12.3 15.0	16.2 17.3	18.9 16.6	16.1 20.3	16.4 20.1	17.8 14.6
18.	Other malignant neoplasms and neoplasms of lym- phatic and haemato- poietic tissue	M. F.	25.1 25.9	22.6 19.6	23.5 25.4	18.3 23.1	20.4 18.1	24.1 18.2	20.4 20.0	19.4 20.0	21.0 17.3	23.1 23.2
19.	Benign neoplasm of uterus	M. F.	-- 2.0	-- 6.0	-- 8.0	-- 8.9	-- 6.0	-- 7.0	-- 8.0	-- 9.1	-- 10.3	-- 10.9
20.	Benign neoplasm of ovary	M. F.	-- 28.8	-- 4.2	-- 9.9	-- 8.2	-- 8.7	-- 9.3	-- 9.9	-- 10.5	-- 11.3	-- 11.9
21.	Benign neoplasms (excluding uterus & ovary) and neoplasm of unspecified nature	M. F.	10.7 10.4	8.1 7.2	6.7 7.2	7.3 8.7	8.8 7.2	9.0 6.1	7.8 5.7	7.7 6.3	8.2 6.7	8.1 7.3

TABLE 6 (c) (Cont'd)

- 139 -

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
15.	Malignant neoplasm of prostate	M. F. 21.3 --	27.3 --	23.2 --	37.9 --	29.8 --	29.9 --	29.6 --	41.1 --	45.2 --	16.8 --	33.4 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F. 18.6 25.6	23.0 21.6	19.6 24.9	19.4 23.2	20.8 22.3	26.7 24.9	24.1 26.2	25.7 27.5	28.5 37.2	-- --	22.6 25.4
17.	Leukaemia & aleukaemia	M. F. 22.3 20.6	14.8 20.9	19.3 25.1	17.7 19.0	19.2 21.6	19.0 24.3	21.3 39.9	25.3 36.4	20.5 261.1	-- --	18.0 23.1
18.	Other malignant neoplasms and neoplasms of lym- phatic and haemato- poietic tissue	M. F. 23.0 24.8	24.7 25.2	28.1 28.9	26.9 28.0	27.7 29.4	29.5 32.2	29.2 28.7	29.5 35.2	38.6 52.0	-- --	26.3 27.6
19.	Benign neoplasm of uterus	M. F. -- 11.3	-- 11.0	-- 10.4	-- 11.5	-- 11.9	-- 11.7	-- 12.9	-- 16.3	-- 14.8	-- --	-- 10.6
20.	Benign neoplasm of ovary	M. F. -- 12.6	-- 13.3	-- 12.7	-- 16.2	-- 28.5	-- 17.8	-- 17.2	-- 19.0	-- 22.2	-- --	-- 10.9
21.	Benign neoplasms (excluding uterus & ovary) & neoplasm of unspecified nature	M. F. 9.6 8.0	10.2 9.6	11.7 10.7	12.4 14.3	13.2 14.3	14.5 12.0	15.0 18.9	17.2 19.7	18.0 33.1	-- --	9.8 8.5

TABLE 6 (c) (Cont'd)

Can. list No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
22.	Asthma	M. F.	10.5 10.7	7.1 6.7	6.0 6.4	6.3 7.6	6.2 7.7	6.6 7.1	7.0 7.8	7.9 8.5	9.9 9.9	9.6 10.7
23.	Other allergic disorders(excluding asthma)	M. F.	15.0 15.0	9.5 9.3	6.4 6.4	6.0 6.5	6.7 7.6	5.5 6.3	5.4 6.3	5.7 7.9	6.9 7.3	5.8 12.1
24.	Diseases of thyroid gland	M. F.	17.6 19.5	15.0 21.4	11.9 10.2	7.9 10.8	11.9 9.5	9.9 9.0	9.7 9.4	10.9 9.5	8.8 10.1	9.9 10.4
25.	Diabetes mellitus	M. F.	39.2 29.2	13.1 16.1	13.9 15.5	12.6 12.8	12.2 11.4	10.1 11.0	11.3 11.2	14.1 12.6	13.6 12.0	12.9 13.1
26.	Diseases of other endocrine glands	M. F.	22.5 17.2	13.7 11.4	10.4 8.9	13.3 13.9	19.5 11.8	17.5 11.8	11.5 10.6	13.1 13.9	15.9 14.6	20.3 15.0
27.	Avitaminoses and other metabolic diseases	M. F.	19.4 20.2	15.9 17.9	13.0 11.9	14.8 10.6	17.9 13.2	9.9 11.0	10.7 12.8	12.0 14.3	13.7 13.6	12.5 14.3
28.	Diseases of the blood and blood- forming organs	M. F.	13.6 12.9	11.1 12.7	10.1 11.9	10.2 11.1	10.4 11.1	12.0 10.1	16.0 9.7	11.1 11.0	12.7 12.0	14.4 11.2
29.	Psychoses	M. F.	-- --	8.6 13.6	29.4 16.4	35.9 23.3	31.2 25.4	28.9 25.5	22.8 23.8	20.5 22.7	18.7 21.3	20.9 22.4
30.	Psychoneurotic disorders	M. F.	11.1 11.1	9.3 7.4	9.5 9.0	10.1 9.7	12.1 12.8	14.4 14.7	14.4 16.0	13.1 16.5	14.5 16.3	15.5 16.7

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
22. Asthma	M. F.	12.2 12.1	10.8 13.0	12.2 12.5	15.0 13.9	15.8 15.4	15.1 16.6	15.5 17.7	21.2 25.3	28.8 16.2	-- --	10.7 10.9
23. Other allergic dis- orders (excluding asthma)	M. F.	7.7 7.0	7.9 8.0	7.4 8.9	8.4 9.5	8.4 9.8	10.4 10.2	11.4 10.8	8.1 10.2	13.0 10.4	-- --	8.1 8.6
24. Diseases of thyroid gland	M. F.	10.4 10.1	12.0 12.8	14.2 12.8	14.6 15.1	15.9 15.5	24.6 17.5	15.9 25.5	16.2 26.3	13.3 45.6	-- --	12.1 11.5
25. Diabetes mellitus	M. F.	13.0 13.9	15.8 15.6	17.2 16.4	20.1 21.4	25.5 23.5	27.3 27.9	34.0 32.1	48.4 36.3	46.9 75.8	7.0 --	21.4 21.8
26. Diseases of other endocrine glands	M. F.	15.0 16.0	11.4 16.2	18.9 19.8	19.6 21.4	24.8 20.1	16.2 19.2	18.5 19.1	10.3 10.6	35.2 5.0	-- --	16.4 14.0
27. Avitaminoses and other metabolic diseases	M. F.	12.3 17.4	16.0 15.8	14.2 15.3	14.6 18.0	21.1 16.4	23.8 17.2	23.5 20.0	20.5 22.9	22.8 27.1	-- --	16.3 15.7
28. Diseases of the blood and blood- forming organs	M. F.	13.9 12.9	14.0 14.1	18.2 16.2	16.5 19.8	19.1 17.4	18.2 22.1	22.5 32.6	23.5 36.9	23.6 48.4	-- --	14.6 16.9
29. Psychoses	M. F.	19.0 21.4	19.8 24.2	23.3 24.3	20.8 26.3	41.6 31.5	62.3 48.6	35.3 97.3	69.5 155.5	52.7 203.5	-- --	26.7 31.4
30. Psychoneurotic disorders	M. F.	15.2 16.3	16.3 16.9	15.7 17.4	16.6 16.9	21.3 18.9	19.4 20.3	17.7 23.2	25.7 20.3	10.8 23.2	-- --	15.0 16.1

TABLE 6 (c) (Cont'd)

Case No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
31.	Disorders of character, behaviour & intelligence	M. F.	16.3 19.0	29.4 31.6	15.0 38.2	17.6 16.4	17.4 21.1	11.3 13.9	9.4 13.4	8.6 13.1	9.5 11.9	10.2 12.7
32.	Vascular lesions affecting central nervous system	M. F.	25.8 20.0	16.3 20.4	23.9 28.7	25.4 26.0	36.2 38.0	29.4 29.6	35.2 33.6	52.9 23.4	17.5 15.1	23.0 17.2
33.	Inflammatory and other diseases of central nervous system	M. F.	26.2 22.6	19.5 15.5	17.1 15.7	14.3 16.7	21.7 14.9	24.9 21.9	30.1 23.9	27.8 26.2	37.8 32.1	28.7 43.8
34.	Diseases of nerves & peripheral ganglia	M. F.	13.0 12.8	24.3 17.8	13.9 14.5	13.7 11.7	10.9 11.4	10.6 12.3	8.4 11.1	10.7 11.1	12.2 11.2	11.4 11.2
35.	Diseases and conditions of the eye	M. F.	5.1 5.7	4.1 4.0	4.3 4.1	6.1 4.9	6.9 5.3	7.3 6.8	8.1 6.9	7.7 8.0	8.2 8.1	8.9 9.0
36.	Diseases of ear and mastoid process	M. F.	10.5 10.0	9.1 9.1	6.9 6.9	7.9 7.6	7.7 7.7	7.0 6.7	6.6 7.1	6.6 6.9	6.3 6.7	7.0 6.9
37.	Rheumatic fever and chronic rheumatic heart disease	M. F.	9.7 38.0	21.7 18.3	19.7 19.8	19.3 19.8	20.5 16.2	17.3 15.5	16.0 17.5	15.9 16.7	19.0 19.2	18.1 19.9
38.	Arteriosclerotic and degenerative heart disease	M. F.	14.8 33.0	12.6 16.6	8.5 10.6	9.5 13.7	11.4 5.9	12.6 14.4	15.6 11.3	15.2 14.0	18.3 14.8	18.5 17.8

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
31.	Disorders of character, behaviour & intelligence	M. 8.8 F. 16.1	10.1 13.9	9.8 13.5	10.9 57.5	11.8 13.3	21.9 16.4	13.1 28.3	14.2 15.2	9.8 1.0	4.0 2.0	11.5 18.7
32.	Vascular lesions affecting central nervous system	M. 38.1 F. 22.7	29.6 32.4	35.9 42.2	44.4 43.5	52.0 47.4	48.0 56.5	52.6 66.3	53.0 93.9	57.8 79.0	-- --	46.7 58.9
33.	Inflammatory and other diseases of central nervous system	M. 44.0 F. 54.2	86.1 57.0	56.5 99.8	74.0 74.7	89.9 99.7	81.6 102.5	93.6 169.4	163.7 261.5	117.6 289.4	-- --	48.5 56.9
34.	Diseases of nerves & peripheral ganglia	M. 12.9 F. 12.1	12.8 12.4	13.5 15.4	13.2 14.2	16.5 15.2	17.0 16.0	15.0 14.4	19.4 13.2	16.8 25.6	-- --	13.0 12.9
35.	Diseases and conditions of the eye	M. 9.7 F. 9.8	11.2 12.3	12.2 12.0	12.3 12.5	13.4 12.9	13.3 13.4	13.2 16.7	13.9 13.9	21.9 26.6	-- --	9.0 9.7
36.	Diseases of ear and mastoid process	M. 6.6 F. 6.8	8.7 7.1	7.6 7.4	7.4 7.5	8.7 8.9	10.2 9.3	12.3 13.3	10.0 12.3	66.8 22.9	-- --	8.4 8.0
37.	Pneumatic fever and chronic rheumatic heart disease	M. 19.5 F. 23.3	18.1 20.1	18.8 20.6	22.7 22.4	29.6 28.6	36.1 18.1	23.9 27.2	56.7 89.4	105.4 138.8	-- --	20.2 20.8
38.	Arteriosclerotic and degenerative heart disease	M. 19.5 F. 18.7	20.0 19.5	20.0 22.3	20.7 21.2	22.9 23.4	23.3 26.1	26.3 32.6	31.6 42.8	38.0 65.0	-- --	23.0 28.9

TABLE 6 (c) (Cont'd)

Can- list No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
39.	Other diseases of the heart	—	20.9 19.4	12.8 18.8	14.2 12.0	11.1 10.6	11.2 9.9	11.5 12.6	10.8 13.2	12.5 9.9	10.8 11.2	14.8 14.2
40.	Hypertensive heart disease and other hypertensive disease	—	2.0 19.0	27.4 6.4	9.8 10.4	10.5 14.5	9.8 10.8	10.9 9.5	10.4 10.2	10.8 11.4	11.1 11.9	13.2 12.7
41.	Diseases of arte- ries	—	12.5 2.0	12.2 34.2	8.6 10.1	20.2 6.4	12.5 14.6	14.6 28.2	21.1 15.2	17.2 16.8	19.6 18.4	26.9 19.7
42.	Varicose veins of lower extremities	—	—	— 10.5	2.0 8.0	10.8 6.3	9.0 6.0	7.4 6.7	9.0 7.4	9.5 7.6	9.5 8.4	10.0 9.1
43.	Haemorrhoids	—	4.2 1.0	5.9 1.1	4.0 5.0	5.7 6.0	7.3 7.4	7.7 7.9	8.1 8.2	7.9 8.6	8.6 8.8	9.2 9.3
44.	Phlebitis and thrombophlebitis	—	13.0 —	4.0 13.0	6.7 4.7	13.2 8.1	9.4 10.4	9.0 12.7	12.8 12.1	13.4 11.5	13.8 13.3	13.0 14.5
45.	Other diseases of the circulatory system	—	10.3 11.5	7.8 7.9	5.4 5.4	5.4 5.6	6.2 6.4	7.1 7.0	7.6 6.3	8.6 10.2	10.5 10.8	12.9 11.7
46.	Acute upper resp- iratory infections	—	7.8 7.2	5.7 5.8	4.6 5.4	4.8 4.7	4.8 4.6	4.4 4.6	4.7 5.0	4.7 5.0	5.2 5.7	5.9 6.5
47.	Influenza	—	7.5 7.2	5.9 6.0	4.6 4.9	4.6 4.8	4.7 4.9	4.5 4.9	4.6 5.5	5.1 5.9	5.4 6.4	5.5 6.8

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
39.	Other diseases of the heart	M. F.	13.0 12.5	15.4 13.8	14.6 15.0	16.1 16.7	15.4 20.4	20.3 20.3	20.1 23.1	24.8 44.7	-- --	18.0 21.4
40.	Hypertensive heart disease and other hypertensive disease	M. F.	12.9 13.2	13.2 13.5	16.9 14.2	18.0 15.5	21.1 19.0	28.7 21.7	30.1 30.8	70.9 67.3	-- --	20.7 20.1
41.	Diseases of arte- ries	M. F.	24.0 21.9	24.9 21.3	28.6 21.4	28.6 27.1	39.2 40.6	44.0 52.5	54.1 66.1	69.3 183.0	-- --	40.5 65.5
42.	Varicose veins of lower extremities	M. F.	11.4 10.5	12.5 12.2	13.6 14.0	17.3 16.3	18.4 19.6	23.3 24.3	27.9 24.8	23.8 49.6	-- --	13.7 11.6
43.	Haemorrhoids	M. F.	9.3 9.7	9.8 10.0	10.5 10.6	10.3 10.8	12.1 12.2	12.6 12.4	13.0 13.3	13.6 10.8	-- --	9.4 9.6
44.	Phlebitis and throm- bophlebitis	M. F.	13.1 14.7	14.1 14.9	14.0 16.0	15.8 16.7	17.6 17.9	17.7 25.3	17.8 19.2	20.6 24.3	-- --	15.9 15.4
45.	Other diseases of the circulatory system	M. F.	11.8 13.7	13.5 13.6	17.1 16.5	18.1 15.8	20.4 17.2	23.9 40.2	19.8 19.4	17.1 16.4	-- --	9.4 9.5
46.	Acute upper resp- iratory infections	M. F.	6.2 6.7	6.2 7.3	7.6 7.1	8.2 8.2	9.3 8.4	9.4 9.4	9.0 10.5	10.3 11.2	-- --	6.0 5.9
47.	Influenza	M. F.	5.7 6.9	7.0 7.1	6.3 8.2	8.0 8.6	8.4 9.1	8.5 9.7	9.2 10.4	11.7 15.2	-- --	6.4 7.0

TABLE 6 (c) (Cont'd)

Diagnosis	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
Age	Sex	Age	Sex	Age	Sex	Age	Sex	Age	Sex	Age
No.										
48. Pneumonia	M. F.	12.1 11.6	10.1 10.2	8.7 8.9	8.8 9.0	8.6 9.0	9.1 9.6	9.5 10.9	10.6 11.0	11.2 11.1
49. Bronchitis	M. F.	9.3 8.8	7.3 7.3	6.7 6.8	6.6 7.1	6.6 7.1	6.8 8.0	6.5 8.6	7.8 10.3	9.3 21.1
50. Hypertrophy of tonsils & adenoids	M. F.	3.2 3.3	1.9 1.8	1.9 1.9	2.1 2.2	2.9 2.9	3.2 3.4	3.3 3.5	3.4 3.6	3.5 3.8
51. Other diseases of respiratory system	M. F.	12.9 11.0	10.4 10.2	7.8 8.3	6.3 7.5	5.8 5.9	6.1 7.1	5.9 7.2	6.6 8.1	7.7 8.5
52. Diseases of teeth and supporting structure	M. F.	4.1 4.4	2.1 2.2	2.0 1.8	2.3 2.1	2.0 2.0	2.1 2.1	2.1 2.2	2.1 2.2	2.4 2.3
53. Ulcer of stomach, duodenum and jejunum	M. F.	25.4 11.3	8.5 10.1	10.3 7.7	8.8 10.5	11.3 9.3	10.9 10.5	10.8 11.8	12.2 12.4	12.9 13.5
54. Gastritis, duodenitis and other disorders and diseases of the stomach & duodenum	M. F.	9.4 8.4	5.0 3.4	4.3 4.7	5.1 4.8	5.1 5.9	6.5 7.5	7.1 7.9	6.8 8.0	7.5 8.7
55. Appendicitis	M. F.	10.4 8.0	9.2 9.8	7.2 7.1	7.0 7.1	7.2 7.1	7.4 7.7	7.6 8.1	8.5 8.7	8.9 9.7

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
48.	Pneumonia M. F.	12.5 12.1	12.6 12.2	13.1 13.2	15.2 14.3	15.2 15.8	17.7 16.5	19.3 21.6	20.5 20.1	20.2 26.0	1.0 —	12.2 12.2
49.	Bronchitis M. F.	11.3 10.5	11.3 10.6	12.6 12.3	15.7 11.7	15.9 12.5	19.2 14.9	19.1 19.5	23.8 19.1	25.9 24.2	— —	10.7 10.0
50.	Hypertrophy of tonsils and adenoids M. F.	3.8 3.9	3.8 4.1	4.2 4.2	5.5 5.1	6.9 5.8	7.7 10.4	11.6 4.3	8.0 3.6	6.0 —	— —	2.1 2.2
51.	Other diseases of respiratory system M. F.	10.4 10.2	10.5 10.0	13.5 13.9	15.3 13.3	18.4 15.2	21.5 18.1	20.6 20.7	25.4 27.5	20.9 41.7	— —	10.7 10.4
52.	Diseases of teeth and supporting structure M. F.	2.3 2.5	2.5 2.8	2.9 2.9	3.1 3.1	3.5 3.3	4.2 4.5	4.3 4.5	22.3 6.1	8.9 3.8	— —	2.2 2.2
53.	Ulcer of stomach, duodenum and jejunum M. F.	13.3 14.1	14.4 15.5	15.7 15.3	16.2 16.4	17.9 17.5	18.2 19.9	19.4 19.7	21.1 22.6	26.5 24.1	— —	14.3 14.9
54.	Gastritis, duode- nitis and other disorders and diseases of the stomach & duodenum M. F.	7.7 8.9	8.6 9.4	8.6 9.0	9.9 9.8	10.9 10.0	10.7 12.7	11.0 11.5	11.7 12.9	12.7 11.7	— —	7.8 8.2
55.	Appendicitis M. F.	9.7 10.3	11.3 11.1	11.9 13.1	11.6 14.1	14.6 14.8	16.7 16.1	17.7 16.2	20.6 20.9	14.2 22.2	— —	7.9 7.8

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
56.	Hernia of abdominal cavity	M. F.	16.5 8.0	7.1 7.1	5.3 5.2	5.4 5.6	6.3 6.4	7.2 8.0	7.3 8.6	7.8 9.7	8.3 10.3	8.7 11.1
57.	Intestinal obstruction without mention of hernia	M. F.	-- --	12.0 9.5	7.5 6.2	6.3 6.0	6.4 6.4	9.2 7.2	8.7 9.3	8.4 10.9	11.4 12.0	10.4 12.5
58.	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M. F.	8.7 8.3	10.1 10.0	7.3 7.2	4.3 4.5	4.3 4.3	4.2 4.9	5.1 5.6	4.6 6.5	6.0 7.1	5.5 7.4
59.	Chronic enteritis and ulcerative colitis	M. F.	-- --	15.2 18.7	11.8 10.8	11.1 15.9	17.9 18.3	19.6 19.9	19.0 18.9	16.0 18.1	16.6 14.9	16.2 17.1
60.	Cirrhosis and other diseases of liver	M. F.	-- --	16.5 24.9	14.9 16.6	9.7 12.1	10.0 11.7	12.0 11.1	12.3 11.0	12.7 15.3	16.4 18.5	17.5 16.7
61.	Diseases of gall-bladder and pancreas	M. F.	-- --	29.6 28.3	19.5 21.6	12.8 14.9	11.8 11.2	9.2 9.8	9.8 10.5	11.1 11.3	11.7 11.9	12.6 12.4
62.	Other diseases of digestive system	M. F.	-- --	9.4 10.3	8.1 8.5	6.4 5.9	6.2 6.5	7.6 7.5	7.8 7.9	7.7 9.5	8.1 9.8	9.5 9.7
63.	Nephritis and nephrosis	M. F.	-- --	16.0 22.9	23.5 20.1	21.1 20.8	19.2 15.7	19.0 14.1	16.8 15.0	15.2 15.2	12.2 16.4	16.5 14.4

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
56.	Hernia of abdominal cavity	M. 9.0 F. 12.2	9.4 12.8	10.0 14.3	10.4 14.6	11.4 14.7	12.1 14.5	13.0 16.1	14.6 16.8	14.8 15.9	-- --	8.7 11.2
57.	Intestinal obstruction without mention of hernia	M. 11.1 F. 12.4	12.9 13.7	13.8 14.6	13.4 17.1	14.6 26.4	14.6 15.7	15.4 24.6	17.8 17.3	17.4 16.5	-- --	12.3 14.3
58.	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M. 6.9 F. 7.4	6.8 8.0	7.2 8.5	7.8 8.6	8.4 10.2	8.5 9.9	9.7 13.8	9.1 16.5	10.7 12.6	-- --	7.9 8.0
59.	Chronic enteritis and ulcerative colitis	M. 13.1 F. 14.8	15.1 14.9	16.1 13.3	14.4 14.7	15.1 15.3	13.7 19.7	16.2 16.8	20.3 19.0	16.2 20.7	-- --	15.7 16.7
60.	Cirrhosis and other diseases of liver	M. 22.2 F. 21.5	20.7 21.4	23.3 25.3	20.7 29.3	24.3 25.8	26.1 23.8	30.8 36.7	25.6 21.8	33.9 17.1	-- --	19.8 19.7
61.	Diseases of gall-bladder and pancreas	M. 12.8 F. 13.1	13.9 13.8	15.0 14.5	15.6 15.7	17.2 16.7	18.1 17.2	17.5 18.3	18.3 21.5	19.3 24.7	9.7 20.0	14.6 13.7
62.	Other diseases of digestive system	M. 9.8 F. 11.2	10.0 11.6	11.2 12.5	13.3 13.4	13.1 14.9	15.1 16.1	14.8 19.1	14.9 13.3	18.1 15.0	-- --	9.8 10.6
63.	Nephritis and nephrosis	M. 15.3 F. 14.5	18.9 16.5	19.4 18.0	24.2 16.4	19.7 22.1	29.1 42.0	22.9 34.1	60.6 25.1	45.7 52.4	-- --	20.3 18.6

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
64.	Infections of kidney	--	17.6 13.0	12.4 10.6	9.5 8.4	7.8 7.5	8.0 7.2	8.6 7.6	8.8 8.1	10.5 9.0	9.7 9.9	10.7 10.1
65.	Calculi of kidney, M. ureter and other F. parts of urinary system	--	15.8 15.0	15.1 12.0	8.7 7.9	9.2 9.7	10.9 6.8	8.2 8.1	7.2 9.9	7.2 9.9	7.7 9.9	8.1 10.4
66.	Other diseases of urinary system	--	16.4 15.3	11.1 9.3	8.4 7.2	8.2 7.3	9.5 7.5	9.9 7.3	9.1 7.9	10.2 8.6	9.6 8.8	10.0 10.0
67.	Hyperplasia of prostate	--	--	--	5.0 --	--	8.5 --	8.6 --	6.2 --	10.0 --	9.3 --	9.9 --
68.	Redundant prepuce and phimosis	--	2.9 --	3.2 --	2.9 --	3.3 --	3.5 --	3.7 --	3.4 --	3.9 --	3.7 --	4.3 --
69.	Diseases of ovary, M. Fallopian tube and F. parametrium, and infective disease of uterus, vagina and vulva	--	25.8	7.7	6.9	6.4	6.6	6.9	7.2	7.4	7.9	7.9
70.	Uterovaginal prolapse	--	--	12.0	--	--	8.2	9.7	11.5	13.1	13.8	14.0
71.	Disorders of menstruation	--	--	11.0	5.1	4.9	4.8	4.5	4.6	4.8	5.0	5.1

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total	
64.	Infections of kidney	M. F.	10.4 11.5	10.4 12.2	11.6 13.7	18.4 14.1	16.2 15.2	17.1 18.7	19.0 24.3	24.4 22.2	25.9 25.8	-- 9.0	12.8 10.5
65.	Calculi of kidney, ureter and other parts of urinary system	M. F.	8.6 11.1	9.0 11.4	10.3 12.1	11.1 12.4	12.4 12.8	13.5 16.6	14.5 28.5	16.7 18.1	22.5 62.5	-- --	9.3 11.4
66.	Other diseases of urinary system	M. F.	9.4 9.4	11.0 9.6	11.8 10.3	13.0 11.0	12.5 10.5	12.8 12.2	16.2 15.2	18.8 23.1	21.5 15.9	-- --	12.0 9.6
67.	Hyperplasia of prostate	M. F.	12.0 --	14.0 --	16.2 --	18.4 --	20.4 --	21.9 --	25.0 --	26.2 --	32.0 --	4.3 --	21.5 --
68.	Redundant prepuce and phimosis	M. F.	5.7 --	5.5 --	5.9 --	7.7 --	9.9 --	8.1 --	12.5 --	14.0 --	13.2 --	-- --	3.5 --
69.	Diseases of ovary, Fallopian tube and parametrium, and infective disease of uterus, vagina and vulva	M. F.	-- 8.2	-- 7.7	-- 8.2	-- 9.6	-- 10.0	-- 9.4	-- 15.2	-- 11.7	-- 20.5	-- --	-- 7.6
70.	Uterovaginal prolapse	M. F.	-- 14.2	-- 14.4	-- 14.9	-- 15.2	-- 15.8	-- 16.9	-- 17.3	-- 19.8	-- 24.4	-- 14.3	-- 14.6
71.	Disorders of menstruation	M. F.	-- 5.1	-- 4.8	-- 5.2	-- 5.1	-- 6.2	-- 8.5	-- 10.0	-- 6.2	-- 6.5	-- --	-- 4.9

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
72.	Other diseases of genital organs	-- --	7.1 8.1	5.5 5.1	5.2 6.2	6.3 5.6	7.4 5.0	6.7 5.1	6.5 6.7	6.5 5.6	7.3 5.8	7.6 6.0
73.	Complications of pregnancy	-- --	-- --	-- --	-- --	-- 5.9	-- 4.0	-- 4.2	-- 4.4	-- 4.7	-- 5.2	-- 5.5
74.	Abortion	-- --	-- --	-- --	-- --	-- 4.1	-- 3.8	-- 3.8	-- 4.0	-- 4.1	-- 4.1	-- 4.2
75.	Delivery without mention of com- plications	-- --	-- --	-- --	-- --	-- 6.4	-- 5.9	-- 5.8	-- 5.8	-- 5.9	-- 6.0	-- 6.3
76.	Delivery with spe- cified complica- tions	-- --	-- --	-- --	-- --	-- 8.0	-- 8.0	-- 8.6	-- 8.6	-- 9.0	-- 9.8	-- 10.5
77.	Complications of the puerperium	-- --	-- --	-- --	-- --	-- 10.0	-- 7.8	-- 8.1	-- 9.0	-- 9.7	-- 10.0	-- 11.0
78.	Infection of skin and subcutaneous tissue	-- 8.0	11.4 11.5	8.2 8.9	6.4 6.8	5.9 5.6	5.6 5.5	5.6 6.1	5.5 6.4	6.7 6.4	7.0 7.9	7.2 8.0
79.	Other diseases of skin and subcuta- neous tissue	-- 8.0	15.4 14.9	12.8 11.5	9.1 9.7	5.9 7.3	6.0 7.7	8.5 8.2	8.0 9.0	9.2 9.1	10.2 9.9	10.9 10.3

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
72.	Other diseases of genital organs	M. 8.4 F. 5.9	8.1 6.2	9.4 7.3	10.6 8.0	11.9 8.5	13.6 9.6	18.4 10.8	20.5 12.1	27.9 19.2	-- --	8.9 6.0
73.	Complications of pregnancy	M. -- F. 6.4	-- 6.3	-- 8.5	-- --	-- 1.0	-- --	-- --	-- --	-- --	-- 7.0	-- 4.5
74.	Abortion	M. -- F. 4.3	-- 4.8	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- 2.4	-- 4.0
75.	Delivery without mention of compli- cations	M. -- F. 6.5	-- 4.7	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- 7.4	-- 5.9
76.	Delivery with spe- cified complica- tions	M. -- F. 10.9	-- --	-- 8.0	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- 8.9
77.	Complicationsof the puerperium	M. -- F. 10.2	-- 3.0	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- 9.0
78.	Infection of skin and subcutaneous tissue	M. 8.6 F. 9.4	9.7 9.8	9.7 10.0	11.0 15.2	12.6 12.9	11.3 14.2	16.5 19.2	12.9 15.4	18.7 14.1	-- --	7.7 8.4
79.	Other diseases of skin and subcuta- neous tissue	M. 15.0 F. 11.0	13.1 12.5	15.8 21.9	15.1 15.5	16.2 15.7	19.0 19.7	20.3 24.4	42.5 19.9	24.9 38.8	-- --	12.0 11.9

TABLE 6 (c) (Cont'd)

Case List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
80.	Arthritis and rheu- matism, except rheumatic fever	--	15.4 19.1	16.1 21.2	13.6 15.6	13.7 14.7	13.6 11.2	11.5 12.2	12.6 14.3	13.0 15.1	14.3 15.7	19.9 17.0
81.	Displacement of in- tervertebral disc	--	--	--	18.0 11.1	12.4 8.6	15.1 14.8	14.3 14.6	15.4 16.3	16.3 17.2	16.6 18.3	16.4 18.7
82.	Other diseases of bones and organs of movement	26.0 6.0	22.3 22.7	16.6 15.7	17.9 16.6	15.5 14.7	12.7 9.8	11.6 9.7	10.2 8.8	11.3 9.5	12.7 10.1	12.5 11.1
83.	Congenital mal- formation	19.8 19.3	19.5 22.2	15.6 16.6	10.9 13.8	10.3 15.1	13.2 11.7	14.4 10.4	17.1 13.4	13.4 14.9	13.5 20.6	18.6 14.8
84.	Certain diseases of early infancy	11.4 12.3	13.0 13.1	11.6 12.0	7.6 17.1	13.8 19.4	11.7 11.0	--	58.0 3.0	--	--	16.0 --
85.	Symptoms, senility, and ill-defined conditions	8.5 5.0	8.8 9.2	6.2 6.2	5.2 5.6	5.5 5.5	5.4 5.7	5.6 6.1	5.9 6.7	6.0 8.0	6.6 8.3	7.2 8.1
86.	Fracture of or in- volving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp	--	7.4 6.6	5.4 5.3	5.2 5.6	4.5 5.1	5.4 7.0	7.4 8.0	8.4 9.0	8.4 7.9	8.5 8.4	8.8 8.8
87.	Fracture of spine and trunk	--	23.3 15.6	12.1 14.4	16.3 12.6	18.7 15.7	18.2 23.5	23.2 18.1	19.1 16.9	23.0 17.3	16.8 17.6	20.3 17.3

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
80.	Arthritis and rheumatism, except rheumatic fever	M. 16.0 F. 20.1	17.3 20.0	18.8 24.1	20.1 27.5	25.4 31.2	25.9 40.8	38.1 45.8	26.3 49.5	45.0 113.6	-- --	20.1 27.6
81.	Displacement of in- tervertebral disc.	M. 16.5 F. 18.8	17.4 20.1	18.0 19.0	17.9 19.8	18.2 19.8	18.4 19.1	21.5 21.8	17.4 28.0	20.1 15.7	-- --	16.7 18.4
82.	Other diseases of bones and organs of movement	M. 13.2 F. 11.6	15.0 12.3	16.0 13.4	19.9 19.0	19.4 16.9	22.5 28.4	25.7 27.5	24.7 44.6	35.8 87.7	-- --	14.9 14.7
83.	Congenital mal- formation	M. 14.2 F. 15.8	16.9 14.9	16.6 19.6	20.6 16.2	13.0 52.8	18.4 17.7	13.4 12.2	17.4 23.4	17.0 26.4	-- --	15.0 16.7
84.	Certain diseases of early infancy	M. -- F. 40.0	10.0 --	-- --	-- 5.0	-- --	-- 18.0	-- --	-- --	-- --	10.1 6.6	12.4 12.8
85.	Symptoms, senility, and ill-defined conditions	M. 7.1 F. 9.3	7.8 9.9	8.8 10.5	9.0 11.1	9.5 11.9	12.5 14.0	14.5 20.7	21.8 34.0	35.1 51.8	-- --	8.2 9.3
86.	Fracture of or in- volving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp	M. 11.3 F. 9.1	15.3 10.5	10.7 11.5	12.1 12.6	12.1 10.4	12.4 17.9	15.2 20.0	11.4 14.0	14.8 15.6	-- --	7.4 7.8
87.	Fracture of spine and trunk	M. 17.8 F. 17.1	16.6 21.1	18.6 20.9	18.5 22.4	18.9 22.8	19.5 33.8	24.9 28.3	23.2 35.1	30.4 42.4	-- --	19.6 23.8

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
88.	Fracture of upper limb	--	7.0 8.5	4.1 3.9	3.4 3.4	3.4 3.2	4.6 5.3	6.0 6.0	6.4 5.8	6.9 5.0	7.3 6.0	6.6 5.7
89.	Fracture of femur	--	19.6 19.6	30.8 27.8	32.5 30.7	31.1 31.4	36.9 34.9	42.4 42.5	38.6 43.3	33.7 42.9	37.3 36.3	40.9 33.4
90.	Other fractures of lower limbs (excluding femur)	--	10.8 26.8	8.1 6.9	8.5 7.3	7.8 6.2	11.3 9.6	13.0 13.8	13.5 12.8	13.6 12.4	14.6 13.4	14.5 13.8
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	--	8.8 6.2	5.1 5.9	4.7 3.8	5.2 6.2	6.4 7.4	7.2 8.2	8.4 8.9	9.1 8.8	9.3 9.5	9.4 9.1
92.	Internal injury of chest, abdomen and pelvis	--	6.0 34.7	10.2 7.3	9.5 11.2	9.7 12.2	10.6 11.2	12.7 14.4	12.5 12.0	14.4 11.9	13.9 11.0	15.9 17.0
93.	Burns	--	14.1 14.0	14.9 15.7	22.3 21.9	18.8 17.9	13.5 11.4	14.2 12.0	13.3 16.1	14.8 19.6	16.6 15.8	17.8 22.4
94.	Other and unspecified effects of accidents, poisonings and violence	--	5.4 5.3	4.1 3.8	4.8 4.2	6.0 4.9	5.3 4.6	5.6 4.9	6.3 6.3	6.1 6.6	6.9 7.2	7.3 7.2

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
88.	Fracture of upper limb	M. 7.8 F. 7.0	8.1 6.1	9.4 6.1	10.8 7.5	13.8 7.7	13.9 10.2	13.2 12.3	20.7 16.6	22.2 21.1	-- --	5.6 6.7
89.	Fracture of femur	M. 48.8 F. 39.1	40.1 38.9	43.2 38.1	48.4 46.7	48.6 48.9	49.9 50.3	49.9 62.1	64.0 64.1	53.1 75.1	-- --	43.0 55.4
90.	Other fractures of lower limbs (excluding femur)	M. 15.5 F. 13.7	16.5 15.6	19.5 17.1	22.0 18.7	23.6 23.8	33.4 28.3	38.7 38.5	37.2 43.6	48.3 115.9	-- --	14.6 17.7
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. 9.3 F. 9.3	10.1 10.1	9.5 9.4	9.7 9.4	10.3 10.6	10.7 9.7	10.8 10.4	11.2 14.8	12.2 15.1	-- --	8.4 8.8
92.	Internal injury of chest, abdomen and pelvis	M. 13.8 F. 17.9	17.3 11.8	18.8 22.0	20.3 20.2	13.5 33.8	14.4 19.7	9.6 16.0	13.6 14.0	17.7 18.0	-- --	12.9 13.9
93.	Burns	M. 17.4 F. 18.7	19.7 22.6	19.9 26.3	22.4 21.7	27.8 39.2	25.5 25.9	35.8 22.1	39.1 25.2	29.7 19.6	-- --	17.0 17.8
94.	Other and unspecified effects of accidents, poisonings and violence	M. 7.9 F. 7.7	8.0 8.8	8.7 9.5	10.0 10.0	11.3 10.5	9.7 12.7	11.7 13.8	14.7 14.7	14.4 25.5	1.0 --	6.4 6.6

TABLE 6 (c) (Cont'd)

Case List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
95.	Medical or special examination (without sickness)	M. F.	4.7 3.8	3.0 4.6	4.5 4.5	3.9 3.0	3.7 1.9	3.4 1.7	3.6 2.1	3.6 2.8	2.5 2.2	2.3 2.4
96.	Mature newborn	M. F.	5.8 5.6	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
97.	Immature newborn	M. F.	18.0 17.8	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
98.	Other special ad- missions, examina- tions, etc.	M. F.	6.9 6.8	11.1 8.6	10.8 9.9	11.3 11.7	14.6 9.1	17.1 6.3	15.3 8.3	17.5 7.6	16.8 11.9	19.8 15.1

TABLE 6 (c) (Cont'd)

Can. List No.	Diagnosis		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Unspec.	Total
95.	Medical or special examination (with- out sickness)	M. F.	2.0 1.7	2.5 1.9	2.1 1.9	3.1 2.5	3.6 4.1	3.4 4.8	4.3 2.6	1.8 1.5	5.0 3.0	-- --	3.1 2.6
96.	Mature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	5.8 5.6
97.	Immature newborn	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	18.0 17.8
98.	Other special ad- missions, examina- tions, etc.,	M. F.	21.1 21.3	16.2 24.5	20.6 24.8	22.0 29.1	26.5 35.8	25.3 37.0	44.5 48.4	36.7 50.9	81.0 65.0	-- --	20.7 22.5

TABLE 6(d) SEPARATION RATES PER 100,000 POPULATION BY PRINCIPAL DIAGNOSIS, BY SEX, AND AGE GROUP, FOR PROVINCIAL PLAN (1)
IN-PATIENTS INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA(2), 1963.

(1) See notes on page 208
(2) Excludes Nova Scotia

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1.	Tuberculosis, all forms	M. F.	13.2 12.5	11.4 10.7	8.1 6.9	6.0 6.0	9.7 12.5	17.1 22.0	19.1 24.1	24.7 27.3	19.1 24.5	26.2 24.3
2.	Poliomyelitis and encephalitis	M. F.	21.2 14.3	19.2 13.9	27.6 21.4	36.0 37.5	24.0 22.3	11.7 16.4	13.9 11.9	11.8 11.7	8.2 7.9	6.2 6.0
3.	Infectious hepatitis	M. F.	11.9 5.5	12.3 13.9	50.1 52.0	64.2 61.6	55.0 58.7	55.6 58.9	52.8 58.1	50.5 45.5	32.8 33.9	24.8 24.8
4.	Other diseases attributable to viruses	M. F.	376.8 324.9	224.0 200.5	123.8 103.7	45.7 42.9	65.6 74.6	58.6 61.1	40.2 29.9	29.4 26.2	24.2 21.1	18.2 15.1
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	M. F.	511.2 479.5	166.8 179.0	96.9 114.5	61.7 67.3	49.3 77.0	61.6 71.3	62.8 60.4	51.0 50.4	48.5 43.2	40.8 39.0
6.	Malignant neoplasm of buccal cavity & pharynx	M. F.	0.4 --	0.3 0.1	-- --	0.4 0.7	0.9 1.3	2.0 2.8	2.3 3.0	5.4 2.7	6.1 4.5	16.7 4.9
7.	Malignant neoplasm of stomach	M. F.	-- --	0.1 --	-- --	-- --	0.1 --	0.2 0.5	1.8 0.5	4.2 1.7	6.9 5.6	12.8 7.6
8.	Malignant neoplasm of large intestine except rectum	M. F.	-- --	-- --	-- --	-- 0.4	0.4 0.5	0.8 1.6	3.2 2.1	4.9 5.8	6.6 11.4	17.3 22.3

TABLE 6(d) (Cont'd.)

Case No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total	
1.	Tuberculosis, all forms	M. F.	29.1 26.3	38.7 24.3	46.2 24.4	48.2 23.7	57.7 31.2	51.8 33.1	61.1 38.8	55.9 57.1	46.4 48.6	21.6 19.0
2.	Poliovirulitis and encephalitis	M. F.	5.9 6.6	5.6 6.3	5.7 7.1	4.4 2.7	2.6 1.2	2.7 0.5	3.0 2.1	-- 2.5	-- --	15.9 14.4
3.	Infectious hepatitis	M. F.	18.8 21.3	19.5 21.6	14.1 13.6	12.0 14.4	18.1 9.0	14.0 11.9	23.4 9.0	16.8 5.0	18.8 16.9	37.0 37.0
4.	Other diseases attributable to viruses	M. F.	18.0 20.5	18.8 20.4	22.3 34.0	32.7 41.5	44.8 51.3	59.9 65.3	71.6 81.0	81.0 111.8	83.3 107.8	75.2 69.8
5.	Other infective bacterial, spirochetal, rickettisial or parasitic diseases	M. F.	44.7 50.0	50.2 56.5	59.0 51.0	63.4 53.5	63.3 58.3	71.7 61.8	53.5 52.6	68.4 70.8	72.6 50.3	82.0 80.0
6.	Malignant neoplasm of buccal cavity & pharynx	M. F.	19.8 9.0	37.6 17.4	54.7 20.1	69.0 25.4	105.9 27.5	101.4 33.1	154.6 38.1	213.7 48.4	241.9 52.9	19.2 7.2
7.	Malignant neoplasm of stomach	M. F.	23.9 13.5	53.3 25.3	91.7 39.9	132.6 52.8	199.7 84.9	277.2 128.6	334.8 164.7	379.9 229.8	306.5 169.1	33.3 17.1
8.	Malignant neoplasm of large intestine except rectum	M. F.	27.3 43.4	47.0 76.2	77.5 91.8	116.2 120.4	170.0 203.5	251.3 250.2	282.8 272.0	370.1 309.3	317.2 296.0	30.4 36.3

TABLE 6 (c) (Cont'd)

Age- sex N.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
10. Malignant neoplasm of rectum	M.	--	--	0.1	--	--	0.1	0.7	0.4	2.9	5.2	6.7
	F.	--	--	--	--	--	0.3	0.2	2.3	2.4	5.0	10.0
11. Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary	M.	--	--	--	--	0.4	0.4	0.8	1.1	3.3	0.1	25.1
	F.	--	--	--	0.1	--	0.4	0.5	1.1	2.2	4.0	0.3
12. Malignant neoplasm of breast	M.	--	--	--	--	0.1	--	0.3	0.2	0.2	0.2	1.2
	F.	--	--	0.1	--	--	0.1	3.1	12.4	45.4	62.0	177.8
13. Malignant neoplasm of cervix uteri	M.	--	--	--	--	--	--	--	--	--	--	--
	F.	--	--	--	--	--	--	8.9	40.6	97.0	141.2	185.9
14. Malignant neoplasm of uterus other than cervix uteri	M.	--	--	--	--	--	--	--	--	--	--	--
	F.	--	--	--	--	--	0.5	2.3	2.5	8.8	14.2	22.0
15. Malignant neoplasm of ovary, Fallopian tube & broad ligament	M.	--	--	--	--	--	--	--	--	--	--	--
	F.	--	--	0.1	0.2	0.9	0.5	3.0	2.5	6.1	17.1	24.3
16. Malignant neoplasm of prostate	M.	--	--	--	--	--	0.3	--	--	0.3	0.6	1.0
	F.	--	--	--	--	--	--	--	--	--	--	--
17. Malignant neoplasm of kidney, bladder and other urinary organs	M.	3.5	4.7	1.4	1.4	0.2	1.3	0.7	1.9	3.8	8.6	17.3
	F.	2.3	2.2	2.2	2.2	0.2	0.3	0.5	1.6	1.9	3.7	8.3
18. Leukaemia and a leukaemia	M.	5.7	25.0	16.5	16.5	8.6	9.1	6.0	6.8	8.7	12.1	11.4
	F.	3.7	20.3	12.5	12.5	4.6	7.6	4.5	9.2	11.2	8.2	13.2

TABLE 6(d) (Cont'd)

Can. List	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total	
9.	Malignant neoplasm of rectum	M. F.	17.8 14.3	32.5 30.6	57.4 42.2	83.7 68.6	119.6 92.7	167.7 95.0	185.5 130.8	210.9 125.5	220.4 120.5	20.4 16.0
10.	Malignant neoplasm of bronchus, trachea & lung, primary & unspecified as to whether primary or secondary	M. F.	62.7 17.9	122.3 31.1	219.5 51.8	305.4 68.3	403.6 88.2	422.3 103.4	378.6 88.6	258.4 63.2	166.7 76.1	57.4 15.0
11.	Malignant neoplasm of breast	M. F.	1.0 258.0	0.7 283.9	3.5 315.3	0.7 320.1	8.2 354.8	6.5 380.8	10.6 446.4	9.8 427.3	8.1 454.5	1.0 103.2
12.	Malignant neoplasm of cervix uteri	M. F.	-- 165.2	-- 144.4	-- 147.9	-- 159.9	-- 139.9	-- 119.7	-- 109.3	-- 79.5	-- 63.4	-- 67.4
13.	Malignant neoplasm of uterus other than cervix uteri	M. F.	-- 54.0	-- 78.8	-- 119.5	-- 123.2	-- 132.1	-- 134.5	-- 119.7	-- 104.3	-- 50.7	-- 28.5
14.	Malignant neoplasm of ovary, Fallopian tube & broad ligament	M. F.	-- 52.6	-- 61.9	-- 63.7	-- 83.0	-- 59.5	-- 69.7	-- 72.0	-- 44.7	-- 44.4	-- 19.7
15.	Malignant neoplasm of prostate	M. F.	5.1 --	18.6 --	65.6 --	166.0 --	321.4 --	644.0 --	957.0 --	1398.0 --	1258.1 --	60.5 --
16.	Malignant neoplasm of kidney, bladder and other urinary organs	M. F.	35.4 11.8	65.8 22.0	106.9 39.4	178.3 57.6	272.4 96.4	352.8 130.1	440.4 169.6	459.5 207.5	457.0 196.6	44.0 17.9
17.	Leukaemia and aleukaemia	M. F.	16.2 13.5	27.1 20.2	41.3 22.7	55.4 29.8	83.5 54.2	124.1 59.8	165.9 56.1	135.5 62.1	126.3 29.6	23.4 15.5

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
18.	Other malignant neo- plasms and neoplasms of lymphatic and haematopoietic tissue	M. F.	145.4 147.0	212.1 196.3	323.7 257.2	484.8 401.0	562.0 470.3	680.7 537.6	858.9 704.3	841.4 539.1	126.8 110.7
19.	Benign neoplasm of uterus	M. F.	-- 1099.4	-- 683.9	-- 241.4	-- 165.0	-- 119.8	-- 95.0	-- 48.4	-- 25.4	-- 263.2
20.	Benign neoplasm of ovary	M. F.	-- 107.0	-- 64.7	-- 38.0	-- 32.0	-- 34.9	-- 27.0	-- 26.1	-- 33.8	-- 98.4
21.	Benign neoplasms, (excluding uterus & ovary) and neoplasm of unspecified nature	M. F.	189.5 372.8	237.0 356.7	262.0 307.9	311.9 300.2	346.0 324.2	333.9 272.0	287.7 259.6	212.4 164.9	163.7 243.5
22.	Asthma	M. F.	105.6 143.5	143.1 158.1	203.2 170.5	265.1 185.2	318.0 206.4	328.5 220.6	304.7 157.8	150.1 74.0	110.2 95.8
23.	Other allergic dis- orders (excluding asthma)	M. F.	26.3 34.5	22.6 35.9	19.0 36.5	26.0 30.2	23.7 26.7	20.5 23.2	19.6 23.6	16.1 16.9	33.7 35.9
24.	Diseases of thyroid gland	M. F.	32.4 202.0	42.3 215.1	37.0 189.5	40.7 172.2	43.0 158.0	31.3 117.2	16.8 75.8	8.1 19.0	18.2 100.0
25.	Diabetes mellitus	M. F.	186.5 195.5	263.5 343.0	367.2 525.2	481.4 814.4	570.6 963.9	748.1 1142.4	984.6 965.2	701.6 691.3	144.4 200.3
26.	Diseases of other endocrine glands	M. F.	11.7 27.7	12.8 24.6	12.5 27.2	17.1 15.4	12.5 16.8	11.9 13.4	8.4 8.7	10.8 6.3	10.1 20.7

TABLE 6 (3) (Cont'd)

Gen. List	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
27.	Avitaminoses and other metabolic diseases	M. F.	237.1 191.0	61.2 63.2	13.4 15.0	15.0 21.0	12.2 34.8	13.7 33.4	20.0 30.3	20.4 37.6	28.6 41.3	30.8 47.1
28.	Diseases of the blood and blood- forming organs	M. F.	301.9 182.3	129.6 85.8	77.8 37.3	51.5 31.2	34.5 52.6	26.3 57.6	17.4 57.0	16.2 78.7	22.1 80.6	25.5 106.8
29.	Psychoses	M. F.	-- --	0.9 0.8	1.5 1.6	5.1 8.7	38.8 58.7	69.4 99.8	72.1 130.7	90.5 157.1	87.7 153.3	105.6 160.2
30.	Psychoneurotic disorders	M. F.	4.4 5.1	6.8 7.0	20.3 23.2	29.3 69.1	83.4 304.0	161.5 461.2	190.6 553.9	228.1 613.8	249.7 595.5	289.3 530.2
31.	Disorders of character, behaviour, and intelligence	M. F.	44.1 40.1	43.0 36.1	33.7 19.1	29.1 21.3	36.3 48.7	43.5 45.7	75.1 45.7	129.1 49.3	169.9 61.1	226.6 54.2
32.	Vascular lesions affecting central nervous system	M. F.	33.1 18.5	14.0 14.6	11.9 7.9	8.9 8.5	13.1 11.6	12.7 10.9	13.3 14.7	20.1 17.9	24.4 26.8	48.4 41.7
33.	Inflammatory and other diseases of central nervous system	M. F.	284.7 251.0	143.7 117.6	96.0 85.0	77.6 72.4	77.8 97.2	98.4 102.4	94.8 111.1	98.4 126.3	99.5 127.4	129.7 133.0
34.	Diseases of nerves & peripheral ganglia	M. F.	8.8 3.7	4.9 5.6	6.1 5.1	9.1 12.0	15.6 30.3	31.0 43.0	38.6 48.7	58.0 67.0	72.5 77.7	82.3 87.6

186

TABLE 6(d) (Cont'd)

Sen- list No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
27.	Avitaminoses and other metabolic diseases	M. F.	47.0 51.9	55.8 52.7	58.8 53.9	69.7 41.9	77.1 52.4	99.5 54.0	96.4 37.3	129.0 44.4	38.1 43.0
28.	Diseases of the blood and blood- forming organs	M. F.	37.6 112.0	74.5 100.8	122.7 140.3	167.0 201.1	253.0 282.4	317.5 420.8	474.9 458.4	510.8 395.3	75.6 93.6
29.	Psychoses	M. F.	101.5 172.5	109.4 167.7	123.7 159.9	122.6 155.5	116.5 162.7	129.0 161.9	178.8 185.1	217.7 238.9	60.4 94.8
30.	Psychoneurotic disorders	M. F.	270.6 517.2	229.1 453.3	219.7 394.9	173.4 331.6	169.4 285.9	119.9 198.6	82.4 134.2	48.4 63.4	140.2 319.0
31.	Disorders of character, behaviour, and intelligence	M. F.	252.4 69.7	201.6 40.5	166.0 32.9	105.0 23.0	86.8 20.8	56.8 11.8	27.9 5.0	21.5 2.1	101.9 40.2
32.	Vascular lesions affecting central nervous system	M. F.	95.3 79.7	334.6 223.6	559.3 400.2	869.2 718.9	1380.3 1190.4	2058.8 1798.6	2973.5 2718.0	3693.5 3162.8	177.5 161.3
33.	Inflammatory and other diseases of central nervous system	M. F.	131.1 137.1	222.5 177.6	287.3 185.9	308.1 263.4	375.9 318.0	429.1 314.9	448.3 397.5	497.3 359.4	141.6 134.7
34.	Diseases of nerves & peripheral ganglia	M. F.	92.4 117.0	108.8 122.7	116.5 105.7	116.6 117.4	117.0 147.3	125.2 124.6	111.7 149.1	69.9 103.6	48.1 57.1

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
35.	Diseases and conditions of the eye	M. F.	198.3 130.4	273.9 251.7	237.3 223.4	104.8 97.5	91.0 63.5	37.2 69.8	85.3 57.9	84.3 65.7	81.7 69.0	103.3 90.4
36.	Diseases of ear and mastoid process	M. F.	1270.6 949.7	400.1 300.3	248.3 190.7	130.4 124.9	80.4 99.7	71.3 92.5	81.4 116.4	86.1 118.3	95.0 129.6	102.8 152.7
37.	Rheumatic fever and chronic rheumatic heart disease	M. F.	2.0 1.4	15.5 14.0	55.8 56.1	57.5 70.4	34.7 57.4	28.4 54.3	33.7 59.3	44.3 73.0	42.0 75.5	61.5 86.7
38.	Arteriosclerotic & degenerative heart disease	M. F.	5.3 6.5	2.2 2.1	4.4 2.5	4.1 3.3	4.9 3.3	13.4 10.9	25.8 15.6	70.1 28.6	190.6 61.9	452.8 133.1
39.	Other diseases of the heart	M. F.	34.8 26.3	9.3 8.3	7.7 8.4	9.6 10.0	13.2 15.3	20.6 21.5	22.5 28.7	29.2 34.9	41.0 41.0	61.3 58.9
40.	Hypertensive heart disease and other hypertensive disease	M. F.	0.4 0.5	1.0 0.9	1.7 0.5	2.5 2.8	6.9 4.9	20.1 13.5	24.7 29.4	35.5 44.9	61.0 71.8	87.1 120.8
41.	Diseases of arteries	M. F.	1.3 0.9	1.6 0.9	0.8 1.7	1.2 1.1	3.3 3.5	7.5 10.1	10.2 13.1	15.5 13.5	25.4 15.2	49.9 22.0
42.	Varicose veins of lower extremities	M. F.	-- --	-- 0.5	0.1 0.1	0.4 0.7	4.4 6.0	15.9 61.9	33.5 194.9	43.1 324.0	65.3 365.2	81.6 396.6

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total	
35.	Diseases and conditions of the eye	M. F.	134.7 118.9	193.5 189.8	261.7 280.7	381.3 400.0	554.2 590.1	761.6 861.0	911.8 1090.7	973.5 1094.4	833.3 790.7	199.7 202.8
36.	Diseases of ear and mastoid process	M. F.	113.7 157.6	112.7 162.9	114.5 168.0	101.1 143.1	92.9 123.9	68.5 78.6	78.4 85.1	37.7 54.7	45.7 61.3	178.9 175.3
37.	Rheumatic fever and chronic rheumatic heart disease	M. F.	71.0 108.6	75.9 121.7	88.1 134.3	70.4 103.9	52.9 99.3	49.1 73.7	45.2 58.8	34.9 50.9	37.6 55.0	47.4 69.0
38.	Arteriosclerotic & degenerative heart disease	M. F.	804.0 294.7	1303.0 541.4	1773.4 903.1	2550.7 1380.4	3043.0 2135.0	3779.9 2789.3	4475.9 3738.4	5356.1 4062.1	7172.0 4847.8	600.2 388.1
39.	Other diseases of the heart	M. F.	86.0 84.3	154.8 134.6	246.2 202.0	400.4 303.3	590.4 476.0	928.8 731.5	1367.3 1066.4	1786.3 1485.7	2274.2 1653.3	127.9 114.2
40.	Hypertensive heart disease and other hypertensive disease	M. F.	131.9 199.4	181.0 302.9	257.9 429.7	334.5 601.7	393.7 726.7	472.5 893.7	515.8 1010.4	600.6 1103.1	572.6 803.4	87.1 151.6
41.	Diseases of arteries	M. F.	80.7 41.0	157.2 61.2	230.4 84.1	365.9 140.0	508.6 209.7	582.0 295.7	768.5 493.4	1083.8 829.8	1825.3 1215.6	92.5 52.7
42.	Varicose veins of lower extremities	M. F.	98.3 366.6	115.8 349.9	141.5 342.2	144.9 317.0	120.1 282.7	110.6 242.8	107.8 213.8	100.6 224.8	102.2 156.4	45.3 168.8

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
43.	Haemorrhoids	M. F.	1.8 0.5	0.9 0.1	0.4 0.3	0.6 0.5	9.5 13.7	52.5 65.7	113.2 123.8	173.4 172.7	238.7 215.6	258.8 240.6
44.	Phlebitis and thrombophlebitis	M. F.	0.4 --	0.1 0.1	0.3 0.3	1.0 0.7	3.2 8.0	7.0 21.0	9.0 30.3	16.7 40.6	23.3 52.7	30.1 65.6
45.	Other diseases of the circulatory system	M. F.	81.1 71.5	123.6 99.4	169.1 173.8	126.9 127.1	60.0 85.9	44.8 58.1	31.2 44.1	29.2 48.1	29.9 38.7	32.1 40.4
46.	Acute upper respir- atory infections	M. F.	2379.0 1944.6	1188.5 935.4	302.1 284.4	117.2 140.3	107.8 200.6	119.8 159.7	83.2 106.3	72.4 81.3	58.8 68.5	52.7 61.7
47.	Influenza	M. F.	379.9 324.4	182.2 165.9	84.9 86.0	69.8 76.1	78.2 105.8	76.5 119.5	69.9 96.0	68.1 103.6	72.4 83.7	73.2 103.4
48.	Pneumonia	M. F.	4603.8 3522.4	1446.3 1207.4	413.2 365.8	181.2 159.3	169.2 123.2	132.9 149.9	143.2 198.9	164.5 228.2	195.1 222.5	229.1 230.6
49.	Bronchitis	M. F.	2848.8 2019.8	919.6 654.4	199.6 158.6	79.3 73.5	56.4 86.5	53.5 95.3	53.9 105.2	62.1 116.0	79.3 115.9	116.8 154.8
50.	Hypertrophy of tonsils & adenoids	M. F.	139.3 81.7	3578.9 2973.4	3855.1 4010.3	996.5 1379.1	422.1 1065.0	438.9 671.4	356.2 415.6	247.1 275.1	151.8 159.8	84.1 100.8
51.	Other diseases of respiratory system	M. F.	321.7 245.0	162.9 108.2	114.0 78.1	120.7 89.0	271.9 196.0	334.0 234.0	334.0 247.7	298.4 236.2	299.5 217.7	307.1 219.3

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
43.	Haemorrhoids	M. F.	258.5 217.8	241.0 189.8	213.2 154.0	180.3 131.3	135.9 116.2	124.4 83.0	89.4 69.6	78.0 57.1	108.9 97.9
44.	Phlebitis and thrombophlebitis	M. F.	52.9 89.9	63.4 107.9	87.1 124.5	91.7 126.8	110.0 167.7	110.1 142.6	81.0 95.7	61.8 90.9	22.9 42.8
45.	Other diseases of the circulatory system	M. F.	50.8 49.8	68.8 55.0	87.1 68.6	93.4 74.7	114.9 71.2	125.2 84.4	143.9 113.0	196.2 90.9	81.5 82.0
46.	Acute upper respir- atory infections	M. F.	53.3 67.9	52.5 73.4	67.0 74.8	62.0 66.1	83.6 75.2	93.5 86.5	106.1 109.3	126.3 129.0	272.9 249.6
47.	Influenza	M. F.	120.9 133.7	145.8 164.3	179.0 204.8	203.1 235.9	304.2 285.4	382.4 339.1	480.4 444.7	645.2 448.2	120.1 133.7
48.	Pneumonia	M. F.	376.7 310.5	495.4 391.1	707.6 490.1	835.2 612.6	1253.5 751.7	1714.9 1116.3	2287.7 1472.0	3290.4 2131.1	573.3 472.4
49.	Bronchitis	M. F.	245.2 190.3	371.6 241.6	538.1 301.5	703.5 329.5	839.3 396.6	902.7 416.9	913.4 455.9	737.6 482.0	332.5 250.6
50.	Hypertrophy of tonsils & adenoids	M. F.	29.3 57.0	20.9 42.8	10.2 17.8	6.5 11.9	3.2 3.5	5.3 2.1	2.8 6.2	2.7 --	1027.0 1079.5
51.	Other diseases of respiratory system	M. F.	385.9 232.4	484.2 266.6	637.5 281.6	640.7 279.9	637.7 333.3	746.6 355.7	695.5 406.2	621.0 412.3	300.8 195.6

TABLE 6(d) (Cont'd)

Jan. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
52.	Diseases of teeth and supporting structure	M. F.	31.7 22.2	98.0 110.8	151.5 176.6	73.5 102.3	199.0 365.7	253.0 353.0	176.4 293.5	136.4 214.7	112.9 195.9	117.6 173.3
53.	Ulcer of stomach, duodenum & jejunum	M. F.	3.1 5.1	3.3 1.2	7.5 7.1	14.2 9.2	36.5 21.8	187.2 72.1	287.5 104.0	398.4 144.4	511.9 188.3	691.7 246.0
54.	Gastritis, duoden- itis & other disorders & diseases of the stomach & duodenum	M. F.	159.5 123.2	37.0 60.7	35.0 37.5	38.2 34.6	58.3 108.5	112.6 150.6	149.6 153.1	178.8 165.6	193.2 171.7	214.1 171.1
55.	Appendicitis	M. F.	8.4 4.2	70.4 58.5	371.1 370.0	638.8 617.8	572.1 802.5	475.7 494.3	341.8 286.3	258.0 190.7	200.0 132.7	183.1 111.3
56.	Hernia of abdominal cavity	M. F.	1302.3 267.8	577.3 152.1	283.7 62.6	103.4 19.2	149.8 35.0	291.7 63.4	281.0 99.2	338.7 150.2	377.5 195.1	490.2 238.1
57.	Intestinal obstru- ction without mention of hernia	M. F.	99.2 57.7	26.4 18.4	24.4 14.5	18.5 12.2	13.8 15.7	13.7 24.7	16.7 28.9	20.4 40.3	22.3 52.4	34.9 59.3
58.	Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over	M. F.	4163.5 3455.5	769.2 641.8	139.2 136.2	104.6 92.8	75.6 123.0	85.5 152.4	77.2 119.2	69.3 112.7	75.3 95.3	76.6 105.7
59.	Chronic enteritis & ulcerative colitis	M. F.	16.7 12.5	5.2 3.9	3.1 2.3	7.5 5.3	14.1 15.2	27.4 32.6	25.3 30.6	31.7 40.1	32.8 42.1	45.8 59.3
60.	Cirrhosis and other diseases of liver	M. F.	10.6 7.8	5.2 3.0	10.8 12.7	17.4 14.5	14.5 25.5	16.9 27.3	19.7 26.2	28.4 31.8	46.4 37.1	62.2 46.8

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
52.	Diseases of teeth and supporting structure	M. F. 110.0 153.0	102.6 145.3	93.6 121.5	73.5 84.0	65.4 59.1	43.1 43.0	35.4 36.0	20.9 29.0	26.9 19.0	124.5 179.4
53.	Ulcer of stomach, duodenum & jejunum	M. F. 710.4 330.1	803.8 348.6	850.4 328.0	896.1 310.0	881.2 306.9	846.8 325.4	841.6 351.6	881.3 417.4	680.1 364.8	342.4 138.3
54.	Gastritis, duoden- itis & other dis- orders & diseases of the stomach & duodenum	M. F. 230.0 182.1	247.3 203.0	245.4 206.8	243.6 206.9	239.7 208.5	244.3 222.6	264.7 211.8	277.9 300.6	206.1 194.5	136.1 131.9
55.	Appendicitis	M. F. 155.7 91.7	138.6 80.6	131.4 77.3	128.1 66.6	108.0 60.0	103.0 70.7	104.1 85.8	103.4 59.6	67.2 50.7	292.9 278.0
56.	Hernia of abdominal cavity	M. F. 629.2 270.9	823.7 275.1	977.4 317.3	1141.1 333.4	1139.0 402.1	1202.8 376.8	1153.8 361.9	1033.5 340.6	1002.7 362.7	492.9 166.3
57.	Intestinal obstruction without mention of hernia	M. F. 38.2 71.3	56.4 73.7	72.9 81.0	109.7 111.8	129.5 125.6	169.9 175.6	239.8 238.8	342.2 307.7	454.3 463.0	44.4 52.0
58.	Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over	M. F. 72.4 118.2	99.9 128.9	94.9 160.1	122.0 175.3	124.4 210.9	158.0 219.1	229.3 259.5	268.2 362.7	400.5 372.1	200.9 202.0
59.	Chronic enteritis & ulcerative colitis	M. F. 56.0 73.5	81.7 106.9	120.8 161.8	147.9 224.4	181.2 294.6	254.6 370.4	300.9 466.4	326.8 528.0	338.7 494.7	45.5 70.2
60.	Cirrhosis and other diseases of liver	M. F. 86.4 62.2	93.4 995.0	138.5 78.5	123.3 75.8	128.7 71.0	117.6 72.2	99.5 72.0	61.5 57.1	64.5 31.7	42.9 34.2

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
61.	Diseases of gall- bladder & pancreas	M. F.	33.1 24.0	8.7 11.1	6.2 5.9	4.6 10.9	11.9 130.0	35.5 500.7	79.3 628.3	145.6 687.5	205.1 732.0	260.6 819.4
62.	Other diseases of digestive system	M. F.	338.5 235.8	140.5 127.4	82.0 78.0	63.2 64.3	70.9 116.0	107.9 157.0	146.9 185.3	176.3 208.6	193.3 222.5	233.7 252.4
63.	Nephritis and nephrosis	M. F.	18.5 17.1	50.2 43.7	66.2 51.5	42.9 34.3	29.1 29.9	21.6 28.8	23.7 36.0	27.0 33.4	43.8 27.1	29.6 26.7
64.	Infection of kidney	M. F.	45.0 86.8	28.8 133.2	29.1 167.6	39.7 100.7	35.1 164.2	42.2 247.9	39.1 201.6	44.1 169.0	53.6 142.7	57.5 141.2
65.	Calculi of kidney, ureter and other parts of urinary system	M. F.	1.8 0.5	1.2 4.4	3.5 5.3	5.0 5.5	16.0 21.6	78.1 77.9	136.2 91.2	177.3 94.3	212.6 94.2	252.9 96.7
66.	Other diseases of urinary system	M. F.	94.8 74.8	81.4 168.1	75.8 185.5	65.5 82.3	56.9 107.0	79.3 184.7	84.4 200.5	88.4 216.5	94.5 214.6	109.4 241.3
67.	Hyperplasia of prostate	M. F.	-- --	-- --	0.1 --	-- --	0.5 --	2.3 --	3.2 --	6.9 --	14.1 --	23.9 --
68.	Redundant prepuce and phimosis	M. F.	830.3 --	317.4 --	146.7 --	78.5 --	41.5 --	113.5 --	70.4 --	43.3 --	29.4 --	27.8 --

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
61.	Diseases of gall- bladder & pancreas	M. F.	381.9 1058.2	476.1 1175.1	569.2 1182.2	599.8 1224.0	708.7 1236.9	731.5 1166.1	687.2 1050.0	709.7 1046.5	172.6 511.2
62.	Other diseases of digestive system	M. F.	262.0 265.4	266.3 264.6	280.8 297.1	324.0 287.2	381.3 298.3	432.1 352.2	540.5 424.8	521.5 530.7	174.7 164.6
63.	Nephritis and nephrosis	M. F.	37.2 33.4	46.8 32.9	53.6 42.5	49.9 36.1	45.3 44.0	64.1 54.7	83.8 52.2	118.3 57.1	41.2 35.7
64.	Infection of kidney	M. F.	67.2 154.6	87.1 154.4	94.3 156.4	132.5 180.6	160.2 181.5	214.9 213.8	275.1 238.5	384.4 243.1	55.7 159.0
65.	Calculi of kidney, ureter and other parts of urinary system	M. F.	295.4 110.1	313.4 112.7	283.6 117.3	249.1 100.1	203.9 91.5	203.6 88.6	163.4 63.4	147.5 55.0	125.1 59.4
66.	Other diseases of urinary system	M. F.	144.0 300.3	205.4 332.0	276.4 343.4	375.6 387.8	546.9 377.3	753.4 377.9	838.0 443.5	1067.2 384.8	134.0 210.0
67.	Hyperplasia of prostate	M. F.	162.8 --	389.0 --	794.3 --	1273.7 --	1862.5 --	2254.9 --	2541.9 --	2741.9 --	189.7 --
68.	Redundant prepuce and phimosis	M. F.	21.7 --	23.7 --	27.0 --	32.3 --	29.7 --	49.0 --	55.9 --	64.5 --	105.4 --

TABLE 20 (Cont'd.)

Diagnosis	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
69. Diseases of ovary, fallopian tube & parametrium & infective disease of uterus, vagina & vulva	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
		13.4	20.1	33.4	303.6	839.2	975.9	909.3	756.7	616.5
70. Uterovaginal prolapse	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
		--	--	--	2.0	26.6	106.6	196.2	319.3	425.1
71. Disorders of menstruation	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
		--	0.1	45.2	295.6	641.9	755.4	773.4	793.6	837.7
72. Other diseases of genital organs	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
		167.5	100.6	52.2	84.1	100.7	102.0	110.9	118.9	138.6
		21.7	8.9	14.7	120.9	505.5	554.7	658.2	637.4	751.7
73. Complications of pregnancy	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
		--	--	3.5	1107.0	3798.3	3380.9	2340.1	1356.3	532.5
74. Abortion	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
		--	--	3.0	444.0	2133.4	2319.4	1886.7	1370.8	762.4
75. Delivery without mention of complications	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
		--	--	21.7	4824.2	20817.0	19000.7	12368.9	6453.4	2146.7
76. Delivery with specified complications	M. F.	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- --
		--	--	1.8	440.9	1657.5	1795.6	1320.3	828.9	340.1

TABLE 6(d) (Cont'd)

List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
69.	Diseases of ovary, Fallopian tube & parametrium & infective disease of uterus, vagina & vulva	M. F.	-- 479.0	-- 291.1	-- 178.2	-- 129.3	-- 95.9	-- 72.7	-- 73.3	-- 57.1	-- 360.7
70.	Uterovaginal prolapse	M. F.	-- 479.8	-- 513.8	-- 521.0	-- 575.6	-- 500.5	-- 355.0	-- 214.9	-- 118.4	-- 190.9
71.	Disorders of menstruation	M. F.	-- 782.6	-- 505.7	-- 150.7	-- 85.1	-- 47.0	-- 38.8	-- 27.3	-- 4.2	-- 358.8
72.	Other diseases of genital organs	M. F.	167.3 861.3	196.4 523.5	229.9 224.6	257.3 148.2	303.1 102.4	334.1 83.0	332.4 62.1	333.3 44.4	125.0 313.7
73.	Complications of pregnancy	M. F.	-- 60.4	-- 3.2	-- 0.6	-- --	-- --	-- --	-- --	-- --	-- 844.9
74.	Abortion	M. F.	-- 120.3	-- 9.3	-- --	-- --	-- --	-- --	-- --	-- --	-- 600.4
75.	Delivery without mention of complications	M. F.	-- 170.0	-- 8.1	-- --	-- --	-- --	-- --	-- --	-- --	-- 4400.9
76.	Delivery with specified complications	M. F.	-- 27.1	-- --	-- 0.6	-- --	-- --	-- --	-- --	-- --	-- 425.7

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
77.	Complications of the puerperium	M. F.	-- --	-- --	-- --	-- 0.3	-- 64.5	-- 234.2	-- 215.2	-- 157.9	-- 102.4	-- 43.4
78.	Infection of skin & subcutaneous tissue	M. F.	401.5 375.2	283.3 289.8	180.1 157.2	172.9 134.8	196.3 137.7	158.8 110.0	142.4 101.3	133.3 105.5	134.9 90.9	133.6 101.7
79.	Other diseases of skin & subcutaneous tissue	M. F.	514.3 398.7	150.5 123.9	73.9 78.4	162.1 151.4	203.4 199.0	137.7 182.0	103.9 154.8	100.2 152.5	96.9 140.1	116.0 168.0
80.	Arthritis & rheumatism, except rheumatic fever	M. F.	17.2 16.6	24.6 24.2	30.9 29.5	43.2 46.7	48.7 73.7	80.8 92.7	108.8 112.3	152.9 147.5	193.0 188.0	241.2 205.6
81.	Displacement of intervertebral disc	M. F.	-- --	-- --	0.5 0.1	2.8 1.6	18.7 16.4	71.8 52.3	144.3 97.4	238.1 150.7	306.3 194.8	307.3 217.0
82.	Other diseases of bones & organs of movement	M. F.	146.8 98.8	130.2 84.1	160.4 92.3	164.4 176.7	223.4 218.5	227.9 186.2	211.9 182.6	224.7 193.2	234.5 230.1	257.6 265.7
83.	Congenital malformations	M. F.	1468.0 1126.4	312.2 290.1	254.9 143.8	182.5 107.4	108.8 114.4	75.3 122.6	54.1 87.7	51.5 77.2	46.4 61.9	57.0 66.7
84.	Certain diseases of early infancy	M. F.	2269.3 1890.2	13.8 13.2	2.0 1.6	0.4 0.8	0.9 0.4	-- --	0.2 0.2	-- 0.2	-- 0.5	0.4 --
85.	Symptoms, senility, & ill-defined conditions	M. F.	705.6 545.5	372.2 334.4	300.3 267.4	249.2 280.7	200.7 375.0	238.3 402.1	245.0 386.9	279.7 372.9	305.4 355.7	347.5 362.6

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
77.	Complications of the puerperium	M. F. -- 4.4	-- 0.5	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- 55.1
78.	Infection of skin & subcutaneous tissue	M. F. 126.8 101.6	132.8 116.1	131.4. 101.1	148.3 112.2	136.8 102.2	132.1 113.3	157.6 128.7	202.5 144.1	209.7 154.3	173.2 141.2
79.	Other diseases of skin & subcutaneous tissue	M. F. 126.0 190.9	140.0 215.8	167.3 223.5	191.3 234.6	226.8 214.6	248.7 250.2	313.0 239.4	342.2 254.7	403.2 260.0	153.1 170.8
80.	Arthritis & rheumatism, except rheumatic fever	M. F. 309.3 351.7	383.2 496.4	467.6 560.9	560.0 634.3	623.9 724.3	649.4 858.1	791.1 997.9	824.0 1077.0	854.8 970.7	188.1 225.6
81.	Displacement of intervertebral disc	M. F. 293.3 224.1	262.9 195.6	223.9 165.7	180.7 120.8	123.9 80.4	90.6 66.8	50.5 64.4	48.9 57.1	45.7 27.5	121.2 85.8
82.	Other diseases of bones & organs of movement	M. F. 277.3 325.8	285.1 382.2	298.4 378.5	292.1 381.8	276.7 382.4	237.9 360.5	238.3 368.9	219.3 365.2	198.9 353.1	214.4 219.6
83.	Congenital malformations	M. F. 49.6 57.6	41.7 54.0	46.0 48.2	41.7 40.5	32.7 32.8	33.4 41.0	24.9 31.1	22.3 36.0	21.5 10.6	156.8 133.5
84.	Certain diseases of early infancy	M. F. -- 0.2	0.2 --	-- --	-- 0.3	-- --	-- 0.5	-- --	-- --	-- --	93.7 74.9
85.	Symptoms, senility, & ill-defined conditions	M. F. 373.4 364.4	416.6 402.1	460.6 406.5	549.7 410.3	610.2 458.4	669.4 516.8	853.7 569.6	1153.6 786.3	1494.6 961.9	357.0 372.3

TABLE 6(d) (Cont'd)

Can. Dist. No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
86.	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma of scalp	M. F.	196.6 155.5	298.0 209.5	295.1 155.2	257.6 102.6	434.4 164.8	489.6 123.1	308.9 100.8	226.3 89.6	203.7 74.8	191.0 77.9
87.	Fracture of spine and trunk	M. F.	1.3 3.2	6.2 3.6	13.9 6.7	23.3 16.7	76.6 48.0	116.3 44.5	101.5 40.4	95.4 36.7	96.9 42.7	104.4 45.7
88.	Fracture of upper limb	M. F.	24.2 19.4	110.2 84.3	341.2 208.6	407.8 180.5	276.8 59.5	179.0 47.8	142.5 43.6	119.0 50.1	113.4 66.3	117.9 76.3
89.	Fracture of femur	M. F.	44.5 37.8	56.6 31.3	53.8 24.2	34.5 15.0	39.2 13.3	35.8 8.3	23.7 5.7	22.7 9.6	25.0 9.4	24.2 17.8
90.	Other fractures of lower limbs (excluding femur)	M. F.	6.6 5.5	48.8 27.9	85.8 51.1	139.3 77.1	205.9 90.4	221.2 69.2	178.3 71.0	173.7 70.8	188.3 69.2	183.3 91.8
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F.	5.3 8.8	17.1 14.7	38.3 18.3	84.3 55.9	240.8 121.4	307.9 109.4	299.3 92.5	305.1 95.6	291.1 109.6	258.5 109.2
92.	Internal injury of chest, abdomen and pelvis	M. F.	1.8 1.4	8.1 5.0	19.8 6.9	22.9 6.6	40.2 10.7	43.3 10.8	33.9 11.3	26.0 6.1	21.0 7.6	21.9 6.9
93.	Burns	M. F.	112.4 80.3	191.2 138.6	60.7 38.6	55.4 21.4	61.1 33.2	89.7 31.4	80.9 25.3	70.3 24.0	52.5 21.3	56.3 24.4

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
86.	Fracture of or involving skull or face bones, and head injury, except open wound, contusion and haematoma or scalp	M. F. 172.1 77.5	166.2 85.5	162.9 80.7	160.6 82.0	141.1 90.3	160.7 104.8	142.5 119.7	185.8 123.0	228.5 209.3	264.6 119.1
87.	Fracture of spine and trunk	M. F. 128.0 64.4	151.4 86.0	175.5 99.7	183.1 126.6	197.9 139.9	223.8 211.2	248.1 305.9	294.7 408.7	379.0 581.4	80.8 56.6
88.	Fracture of upper arm	M. F. 117.5 110.0	127.9 111.5	125.7 97.8	129.8 146.5	142.0 362.3	146.7 121.9	138.8 451.8	177.4 610.1	223.1 737.8	193.4 147.6
89.	Fracture of femur	M. F. 32.2 33.5	35.8 63.3	51.0 101.7	77.6 150.3	111.0 274.5	171.0 490.6	342.4 993.1	689.9 1826.1	1295.7 3336.2	58.3 94.7
90.	Fractures of lower arm (excluding forearm)	M. F. 175.4 121.9	191.3 157.1	191.2 167.1	175.9 191.1	149.3 213.0	151.0 217.1	126.2 236.0	177.6 265.6	447.8 302.3	111.2 93.6
91.	Dislocation without fracture, and sprains and strains of joints and adjacent muscles	M. F. 244.3 112.0	209.6 119.4	193.3 114.2	168.8 103.3	108.9 114.9	117.0 127.6	114.6 132.9	148.0 168.9	118.3 209.3	175.6 83.9
92.	Internal injury of chest, abdomen and pelvis	M. F. 21.4 7.2	23.2 7.9	23.7 8.5	27.7 8.9	19.8 6.2	21.6 7.9	17.3 10.4	15.4 12.4	24.2 6.3	24.0 7.7
93.	Burns	M. F. 46.3 23.7	42.1 22.2	40.8 25.8	47.5 22.6	40.9 27.9	31.8 22.7	46.0 36.1	48.9 38.5	69.9 44.4	72.9 39.3

TABLE 6(d) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
94. Other and unspecified effects of accidents, poisonings and violence	M.		272.8	866.5	505.7	466.8	816.8	1020.3	753.6	635.5	574.4	505.6
	F.		237.2	649.4	318.8	231.1	412.4	408.7	333.4	321.3	313.9	304.1
95. Medical or special examination (without sickness)	M.		10.1	2.8	2.9	2.1	2.9	4.2	4.9	4.1	5.8	6.1
	F.		9.2	3.4	2.9	2.8	9.1	11.3	7.8	8.1	6.4	5.5
96. Mature newborn	M.		--	--	--	--	--	--	--	--	--	--
	F.		--	--	--	--	--	--	--	--	--	--
97. Immature newborn	M.		--	--	--	--	--	--	--	--	--	--
	F.		--	--	--	--	--	--	--	--	--	--
98. Other special admissions, examinations, etc.	M.	123.0		28.5	30.1	38.7	57.7	72.3	61.4	58.8	69.6	70.7
	F.	135.7		33.7	24.7	29.0	71.1	137.2	121.5	108.7	85.6	72.1

TABLE 6(d) (Cont'd)

List	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
94.	Other and unspecified effects of accidents, poisonings and violence	M. 538.8	508.9	553.0	596.2	522.2	513.5	555.1	582.4	725.8	639.0
		F. 300.0	345.3	317.0	311.1	352.7	1,111.0	1,053.7	843.5	792.8	356.3
95.	Medical or special examination (without sickness)	M. 9.7	10.1	11.1	8.2	6.9	9.7	10.6	7.5	2.7	5.3
		F. 8.4	5.1	8.8	5.5	1.0	6.9	3.5	2.5	1.2	6.1
96.	Mature newborn	M.									1350.5
		F.									1302.4
97.	Immature newborn	M.									77.5
		F.									65.8
98.	Other special admissions, examinations, etc.	M. 79.1	114.4	138.2	188.6	213.9	246.5	276.0	266.3	298.4	77.4
		F. 66.9	114.3	137.7	163.2	203.0	329.4	400.4	505.6	534.9	101.5

TABLE 6(e) PATIENT-DAY RATE PER 100,000 POPULATION, BY SEX AND AGE GROUP, FOR PROVINCIAL PLAN (1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, CANADA, (2) 1963

(1) See notes on page 208
(2) Excludes Nova Scotia

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1.	Tuberculosis, all forms	M. F.	294 533	346 218	235 156	94 94	185 298	304 391	338 351	487 442	281 366	498 407
2.	Poliomyelitis and encephalitis	M. F.	460 213	632 485	600 633	911 997	677 538	262 456	339 275	735 664	170 178	442 246
3.	Infectious hepatitis	M. F.	206 147	175 149	539 616	769 710	734 694	713 856	687 797	675 739	445 535	439 449
4.	Other diseases attributable to viruses	M. F.	4,104 3,228	2,073 1,866	906 792	323 304	571 684	523 558	351 255	258 221	186 198	146 135
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	M. F.	7,844 7,728	2,070 2,386	955 1,186	547 545	426 575	599 528	562 588	472 475	520 460	473 491
6.	Malignant neoplasm of buccal cavity & pharynx	M. F.	-- --	5 3	-- 7	5 8	13 25	23 26	22 29	51 38	62 63	238 77
7.	Malignant neoplasm of stomach	M. F.	-- --	2 --	-- --	-- --	1 --	2 16	41 13	79 64	154 163	350 225
8.	Malignant neoplasm of large intestine except rectum	M. F.	-- --	-- --	-- --	-- 5	15 6	19 30	98 68	122 141	160 311	395 694

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total	
1.	Tuberculosis, all forms	M. F.	512 574	643 503	1,027 424	787 464	1,830 744	1,291 475	1,127 997	1,384 1,783	731 2,757	446 379
2.	Poliomyelitis and encephalitis	M. F.	589 300	401 219	221 214	862 182	53 10	50 5	149 45	-- 2,108	-- --	515 450
3.	Infectious hepatitis	M. F.	315 367	366 432	199 208	177 282	377 300	319 293	498 251	316 87	358 273	495 518
4.	Other diseases attributable to viruses	M. F.	170 230	182 251	281 392	414 517	625 685	854 1,031	1,425 1,455	1,300 2,497	1,621 4,076	700 689
5.	Other infective bacterial, spirochaetal, rickettsial or parasitic diseases	M. F.	1,022 590	707 835	1,000 623	1,109 927	2,795 1,042	2,133 1,349	1,339 894	2,954 932	1,056 996	1,099 1,030
6.	Malignant neoplasm of buccal cavity & pharynx	M. F.	425 126	835 356	1,111 444	1,400 616	2,479 585	2,496 1,255	3,898 832	7,173 1,345	8,570 2,613	443 164
7.	Malignant neoplasm of stomach	M. F.	561 304	1,292 475	2,424 876	3,787 1,389	5,929 2,368	7,505 3,258	9,764 4,371	9,993 7,240	11,185 9,416	920 473
8.	Malignant neoplasm of large intestine except rectum	M. F.	713 1,160	1,303 2,199	2,035 2,667	3,329 4,232	5,131 6,016	7,990 8,213	9,190 10,538	12,168 14,647	13,328 14,558	918 1,219

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
9.	Malignant neoplasm of rectum	M. F.	-- --	1 --	-- --	-- --	2 15	24 43	12 47	79 63	134 252	169 321
10.	Malignant neoplasm of bronchus, trachea & lung, primary & un- specified as to whether primary or secondary	M. F.	-- --	-- --	-- 2	10 --	12 13	59 8	20 36	111 46	157 136	607 145
11.	Malignant neoplasm of breast	M. F.	-- --	-- --	-- --	1 --	-- 3	5 33	1 242	2 722	3 1,629	21 3,724
12.	Malignant neoplasm of cervix uteri	M. F.	-- --	-- --	-- --	-- --	-- --	-- 85	-- 439	-- 1,512	-- 2,000	-- 2,953
13.	Malignant neoplasm of uterus other than cervix uteri	M. F.	-- --	-- --	-- --	-- --	-- 3	-- 38	-- 39	-- 106	-- 183	-- 311
14.	Malignant neoplasm of ovary, Fallopian tube, & broad ligament	M. F.	-- --	-- 4	-- 5	-- 15	-- 5	-- 45	-- 47	-- 112	-- 306	-- 558
15.	Malignant neoplasm of prostate	M. F.	-- --	-- --	-- --	-- --	12 --	-- --	-- --	14 --	7 --	31 --
16.	Malignant neoplasm of kidney, bladder & other urinary organs	M. F.	93 131	98 74	29 39	15 3	26 4	15 25	37 20	51 39	130 91	314 209

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
8.	Malignant neoplasm of rectum	M. F.	442 377	1,045 1,007	1,827 1,384	2,585 2,378	1,227 3,271	6,203 3,501	10,559 5,686	10,556 5,516	784 596
10.	Malignant neoplasm of bronchus, trachea & lung, primary & un- specified as to whether primary or secondary	M. F.	1,571 460	3,272 625	6,021 1,205	8,530 1,257	11,568 2,391	12,344 2,390	12,098 1,981	3,960 1,518	1,619 340
11.	Malignant neoplasm of breast	M. F.	28 5,912	7 6,873	92 7,908	14 9,803	448 10,883	409 12,894	350 15,610	108 31,366	35 2,880
12.	Malignant neoplasm of cervix uteri	M. F.	-- 2,744	-- 2,396	-- 3,090	-- 3,167	-- 2,989	-- 2,531	-- 3,316	-- 2,934	-- 1,185
13.	Malignant neoplasm of uterus other than cervix uteri	M. F.	-- 949	-- 1,305	-- 2,018	-- 2,350	-- 2,604	-- 2,805	-- 3,413	-- 1,920	-- 540
14.	Malignant neoplasm of ovary, Fallopian tube, & broad ligament	M. F.	-- 1,177	-- 1,433	-- 1,730	-- 2,129	-- 1,683	-- 2,225	-- 2,569	-- 2,142	-- 514
15.	Malignant neoplasm of prostate	M. F.	112 --	508 --	1,520 --	6,298 --	9,565 --	19,242 --	28,342 --	56,887 --	2,022 --
16.	Malignant neoplasm of kidney, bladder & other urinary organs	M. F.	657 304	1,511 476	2,048 982	3,462 1,340	5,665 2,147	9,424 3,239	10,618 4,444	13,038 7,317	993 454

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
17.	Leukaemia and aleukaemia	M. F.	127	377	233	140	112	98	129	139	199	203
			77	308	173	76	114	77	153	227	165	193
18.	Other malignant neo-M. plasms & neoplasms F. of lymphatic and haematopoietic tissue	M. F.	432	574	360	301	732	887	991	1,146	1,672	2,385
			443	331	361	389	375	464	767	999	1,174	2,824
19.	Benign neoplasm of uterus	M. F.	--	--	--	--	--	--	--	--	--	--
			1	1	2	8	75	510	1,351	3,130	6,616	11,062
20.	Benign neoplasm of ovary	M. F.	--	--	--	--	--	--	--	--	--	--
			53	2	15	85	927	2,410	2,688	2,631	2,294	1,746
21.	Benign neoplasms (excluding uterus and ovary) and neo- plasm of unspeci- fied nature	M. F.	1,880	636	404	509	1,211	2,062	1,463	1,318	1,332	1,407
			2,482	585	460	630	1,783	2,081	1,764	2,085	2,344	2,834
22.	Asthma	M. F.	2,063	1,243	634	364	262	209	206	351	480	666
			1,069	650	391	346	400	413	538	567	909	1,129
23.	Other allergic disorders (ex- cluding asthma)	M. F.	2,248	649	218	151	167	135	156	175	184	151
			1,737	422	165	158	278	236	243	315	249	466
24.	Diseases of thy- roid gland	M. F.	163	50	35	47	148	160	174	207	186	306
			216	62	43	220	576	857	1,449	1,481	1,729	1,982

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
17.	Leukaemia and aleukaemia	M. F.	401 421	798 569	982 568	1,600 1,167	2,359 1,453	3,527 2,236	3,426 2,260	2,591 7,727	421 358
18.	Other malignant neo- plasms & neoplasms of lymphatic and haematopoietic tissue	M. F.	5,235 4,938	9,087 7,441	13,021 11,234	15,574 13,848	20,060 17,295	22,140 18,317	25,312 24,776	32,476 28,032	3,337 3,057
19.	Benign neoplasm of uterus	M. F.	-- 7,502	-- 2,480	-- 1,904	-- 1,426	-- 1,109	-- 907	-- 790	-- 376	-- 2,782
20.	Benign neoplasm of ovary	M. F.	-- 859	-- 483	-- 534	-- 993	-- 582	-- 463	-- 494	-- 753	-- 1,070
21.	Benign neoplasms (excluding uterus and ovary) and neo- plasm of unspeci- fied nature	M. F.	2,428 3,435	3,074 3,301	3,859 4,280	4,570 4,626	4,839 3,263	4,801 4,855	4,946 5,123	3,833 5,452	1,606 2,060
22.	Asthma	M. F.	1,539 2,049	2,487 2,124	3,975 2,571	5,039 3,189	4,968 3,664	4,722 2,797	6,630 2,831	5,188 1,197	1,174 1,040
23.	Other allergic disorders (ex- cluding asthma)	M. F.	178 288	141 326	219 288	200 260	213 237	240 277	158 241	210 175	274 308
24.	Diseases of thy- roid gland	M. F.	507 2,744	525 2,431	595 2,604	685 2,446	770 2,048	347 2,225	272 1,996	108 867	221 1,153

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
25.	Diabetes mellitus	M. F.	156 108	205 215	335 408	515 666	613 717	514 744	718 770	1,042 828	1,110 1,155	1,524 1,820
26.	Diseases of other endocrine glands	M. F.	606 350	106 122	61 78	105 120	260 292	123 449	95 341	118 486	133 367	246 302
27.	Avitaminoses and other metabolic diseases	M. F.	4,605 3,859	971 1,128	173 178	221 221	218 461	135 367	214 387	245 537	391 560	387 676
28.	Diseases of the blood and blood- forming organs	M. F.	4,100 2,352	1,442 1,093	782 442	525 346	359 585	315 583	278 552	179 868	281 965	366 1,196
29.	Psychoses	M. F.	-- --	8 11	45 26	221 202	1,210 1,490	2,005 2,543	1,644 3,117	1,854 3,565	1,636 3,269	2,207 3,590
30.	Psychoneurotic dis- orders	M. F.	49 56	63 52	192 208	297 668	1,010 3,906	2,324 6,779	2,750 8,864	2,979 10,113	3,629 9,732	4,496 8,859
31.	Disorders of character, behaviour, and intelligence	M. F.	717 764	1,266 1,142	507 729	518 350	630 1,029	491 637	710 610	1,115 647	1,620 728	2,301 687
32.	Vascular lesions affecting central nervous system	M. F.	853 368	229 298	284 226	227 220	473 442	374 324	470 495	1,064 420	426 404	1,113 718
33.	Inflammatory and other diseases of central nervous system	M. F.	7,462 5,670	2,804 1,825	1,643 1,331	1,107 1,211	1,686 1,444	2,451 2,241	2,852 2,650	2,736 3,307	3,762 4,084	3,726 5,823

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
25.	Diabetes mellitus	M. 2,426 F. 2,716	4,468 5,340	6,314 8,640	9,671 17,466	14,531 22,666	20,433 31,859	28,115 36,739	47,696 35,015	32,879 52,410	3,098 4,368
26.	Diseases of other endocrine glands	M. 175 F. 442	145 398	237 539	335 330	309 339	193 257	209 264	87 92	379 32	166 289
27.	Avitaminoses and other metabolic diseases	M. 501 F. 977	755 820	790 808	857 967	1,473 686	1,833 903	2,342 1,082	1,975 853	2,938 1,203	619 674
28.	Diseases of the blood and blood- forming organs	M. 523 F. 1,449	686 1,427	1,356 1,632	2,019 2,774	3,193 3,499	4,617 6,251	7,136 13,702	11,148 16,912	12,048 19,118	1,106 1,578
29.	Psychoses	M. 1,930 F. 3,691	2,102 4,070	2,551 4,078	2,569 4,200	5,107 4,891	7,259 7,905	4,557 15,754	12,433 28,779	11,468 48,617	1,612 2,976
30.	Psychoneurotic dis- orders	M. 4,125 F. 8,451	4,357 8,098	3,605 7,896	3,655 6,686	3,701 6,264	3,278 5,797	2,125 4,606	2,119 2,723	524 1,471	2,103 5,123
31.	Disorders of character, behaviour, and intelligence	M. 2,214 F. 1,122	2,486 799	1,978 547	1,805 1,892	1,235 305	1,905 340	770 333	397 76	210 2	1,176 753
32.	Vascular lesions affecting central nervous system	M. 3,633 F. 1,807	5,741 4,517	12,014 9,647	24,811 17,665	45,179 34,110	66,304 67,307	108,364 119,176	157,680 255,108	213,460 249,712	8,282 9,497
33.	Inflammatory and other diseases of central nervous system	M. 5,764 F. 7,425	15,002 9,122	12,563 17,735	21,251 13,892	27,695 26,262	30,679 32,602	40,161 53,354	73,388 103,954	58,468 104,030	6,867 7,666

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
34.	Diseases of nerves & peripheral ganglia	M. F.	114 47	119 100	84 73	125 140	171 345	328 530	326 541	622 743	884 872	939 985
35.	Diseases and conditions of the eye	M. F.	1,008 1,029	1,120 1,119	1,010 917	642 479	630 446	639 474	690 400	653 529	673 561	917 812
36.	Diseases of ear & mastoid process	M. F.	13,398 9,528	4,199 3,284	1,708 1,351	1,027 943	621 765	500 622	540 823	566 820	594 875	723 1,055
37.	Rheumatic fever & chronic rheumatic heart disease	M. F.	26 53	336 256	1,098 1,112	1,106 1,396	711 928	493 842	539 1,039	705 1,222	800 1,446	1,112 1,723
38.	Arteriosclerotic and degenerative heart disease	M. F.	78 213	28 35	37 26	39 45	55 20	169 157	404 177	1,064 401	3,494 914	8,366 2,372
39.	Other diseases of the heart	M. F.	727 510	119 156	109 101	106 106	148 152	236 272	242 378	366 344	444 460	909 837
40.	Hypertensive heart diseases & other hypertensive disease	M. F.	1 9	28 6	17 5	26 41	68 53	219 176	256 301	383 514	677 855	1,151 1,530
41.	Diseases of arteries	M. F.	22 2	19 32	7 17	25 7	42 51	110 284	214 200	267 227	496 279	1,342 434
42.	Varicose veins of lower extremities	M. F.	-- --	-- 3	-- 1	5 4	39 36	117 413	301 1,447	408 2,456	617 3,066	819 3,622

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total	
34.	Diseases of nerves & peripheral ganglia	M. F.	1,190 1,416	1,220 1,504	1,470 1,890	1,537 1,502	1,929 1,784	1,987 2,365	1,872 1,795	2,173 1,968	1,172 2,655	624 738
35.	Diseases and conditions of the eye	M. F.	1,304 1,169	2,166 2,328	3,191 3,361	4,694 5,005	7,403 7,583	10,137 11,514	12,001 18,161	13,508 14,537	18,261 21,002	1,806 1,970
36.	Diseases of ear & mastoid process	M. F.	750 1,076	977 1,160	868 1,235	747 1,077	807 1,102	701 727	965 1,134	377 673	3,054 1,406	1,502 1,405
37.	Rheumatic fever & chronic rheumatic heart disease	M. F.	1,382 2,526	1,371 2,441	1,661 2,767	1,595 2,326	1,567 2,842	1,771 1,330	1,082 1,603	1,979 4,554	3,965 7,628	956 1,436
38.	Arteriosclerotic and degenerative heart disease	M. F.	15,688 5,523	26,110 10,549	35,393 19,862	52,690 29,239	69,646 49,915	88,229 72,739	117,729 121,910	169,229 199,650	272,901 314,926	13,819 11,213
39.	Other diseases of the heart	M. F.	1,114 1,050	2,386 1,863	3,603 3,036	6,441 5,076	9,120 9,725	18,865 14,829	27,420 24,679	41,272 46,971	56,444 73,890	2,299 2,446
40.	Hypertensive heart diseases & other hypertensive disease	M. F.	1,703 2,622	2,395 4,083	4,360 6,112	6,026 9,327	8,293 13,799	13,574 19,350	15,551 31,156	21,321 37,234	40,602 54,061	1,807 3,042
41.	Diseases of arteries	M. F.	1,940 897	3,917 1,302	6,592 1,799	10,475 3,790	19,936 8,506	25,628 15,537	41,538 32,593	69,067 85,770	126,444 222,450	3,744 3,452
42.	Varicose veins of lower extremities	M. F.	1,118 3,855	1,450 4,266	1,928 4,800	2,502 5,166	2,213 5,540	2,578 5,901	3,008 5,309	2,585 6,493	2,433 7,755	622 1,966

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
43.	Haemorrhoids	M. F.	8 1	5 4	2 1	4 3	69 101	403 519	913 1,014	1,375 1,493	2,048 1,900	2,371 2,242
44.	Phlebitis and thrombophlebitis	M. F.	6 --	-- 2	2 1	14 9	30 84	64 268	114 368	224 467	322 699	392 950
45.	Other diseases of the circulatory system	M. F.	838 820	965 782	918 946	685 708	375 551	320 408	236 392	252 492	313 417	414 474
46.	Acute upper respir- atory infections	M. F.	18,474 13,972	6,793 5,440	1,381 1,344	567 686	515 929	523 741	390 526	338 405	305 394	313 400
47.	Influenza	M. F.	2,841 2,324	1,083 989	387 419	319 366	364 520	343 588	318 525	348 607	394 535	400 707
48.	Pneumonia	M. F.	55,837 40,842	14,633 12,270	3,597 3,245	1,599 1,114	1,452 1,112	1,143 1,405	1,308 1,902	1,556 2,484	2,065 2,459	2,560 2,565
49.	Bronchitis	M. F.	26,628 17,812	6,755 4,756	1,333 1,074	524 519	373 614	357 698	365 843	404 994	622 1,198	1,087 3,263
50.	Hypertrophy of tonsils & adenoids	M. F.	447 268	6,685 5,487	7,253 7,634	2,134 3,038	1,211 3,126	1,376 2,182	1,155 1,397	820 963	511 575	297 388
51.	Other diseases of respiratory system	M. F.	4,157 2,698	1,691 1,105	889 649	756 669	1,572 1,157	2,020 1,496	2,034 1,760	1,768 1,691	1,981 1,770	2,376 1,856

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
43.	Haemorrhoids	M. 2,432 F. 2,380	2,530 2,188	2,520 2,022	2,206 1,666	2,180 1,606	1,709 1,438	1,618 1,101	1,140 1,027	1,059 617	1,022 955
44.	Phlebitis and thrombophlebitis	M. 460 F. 1,259	747 1,341	889 1,724	1,376 2,081	1,616 2,205	1,948 2,993	1,961 2,737	4,042 2,125	1,274 2,209	364 659
45.	Other diseases of the circulatory system	M. 467 F. 705	688 678	1,174 908	1,580 1,086	1,904 1,286	2,747 2,861	2,477 1,639	4,366 4,706	3,347 1,488	769 780
46.	Acute upper respir- atory infections	M. 326 F. 427	333 493	407 523	551 612	579 554	789 705	841 909	978 1,161	1,307 1,446	1,631 1,466
47.	Influenza	M. 513 F. 809	842 952	912 1,351	1,439 1,770	1,701 2,150	2,573 2,759	3,505 5,086	4,865 5,200	7,578 6,822	769 932
48.	Pneumonia	M. 3,802 F. 3,319	4,735 3,793	6,438 5,163	10,746 7,088	12,735 9,687	22,198 12,404	33,044 24,111	46,923 29,631	66,586 55,419	7,017 5,751
49.	Bronchitis	M. 1,967 F. 1,714	2,779 2,013	4,671 2,984	8,464 3,524	11,174 4,134	16,117 5,915	17,260 8,168	21,750 8,697	20,379 11,687	3,561 2,500
50.	Hypertrophy & tonsils & adenoids	M. 185 F. 235	112 234	87 181	56 90	44 69	25 36	61 9	22 22	16 ---	2,122 2,354
51.	Other diseases of respiratory system	M. 3,478 F. 2,246	4,048 2,315	6,516 3,696	9,723 3,744	11,774 4,255	14,769 6,020	15,355 7,363	17,694 11,184	12,960 17,207	3,216 2,032

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
52.	Diseases of teeth & supporting structure	M. F.	131 98	207 243	299 316	170 215	403 744	527 758	367 619	282 467	233 422	277 408
53.	Ulcer of stomach, duodenum & jejunum	M. F.	78 57	28 12	78 54	127 97	413 207	1,907 787	3,139 1,092	4,318 1,702	6,262 2,332	8,898 3,316
54.	Gastritis, duodenitis and other disorders & diseases of the stomach & duodenum	M. F.	1,504 1,033	187 223	151 176	195 167	296 645	671 1,023	978 1,150	1,274 1,307	1,316 1,381	1,612 1,496
55.	Appendicitis	M. F.	87 33	646 571	2,679 2,684	4,484 4,376	4,145 5,713	3,306 3,640	2,522 2,201	1,956 1,594	1,773 1,151	1,622 1,075
56.	Hernia of abdominal cavity	M. F.	9,231 2,596	3,071 793	1,538 354	654 123	1,084 281	2,130 545	2,139 878	2,626 1,454	3,129 2,015	4,269 2,639
57.	Intestinal obstruction without mention of hernia	M. F.	1,191 548	199 115	154 88	119 78	128 113	120 230	185 284	172 438	254 630	364 743
58.	Gastro-enteritis & colitis, except ulcerative, age 4 weeks & over	M. F.	42,078 34,534	5,593 4,612	599 619	416 388	321 524	362 744	393 668	322 732	451 677	421 784
59.	Chronic enteritis & ulcerative colitis	M. F.	254 233	62 42	35 36	134 98	277 302	521 615	427 653	507 725	544 625	742 1,012

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
52.	Diseases of teeth & supporting structure	M. 250 F. 389	253 412	273 349	229 259	231 197	182 192	153 161	467 183	239 72	280 398
53.	Ulcer of stomach, duodenum & jejunum	M. 9,427 F. 4,649	11,559 5,411	13,350 5,025	14,494 5,069	15,780 5,380	15,434 6,475	16,308 6,936	18,620 9,446	18,016 9,258	4,894 2,055
54.	Gastritis, duodenitis and other disorders & diseases of the stomach & duodenum	M. 1,777 F. 1,625	2,135 1,902	2,121 1,884	2,417 2,018	2,608 2,084	2,622 2,834	2,922 2,446	3,253 3,865	3,384 2,281	1,062 1,081
55.	Appendicitis	M. 1,503 F. 941	1,567 892	1,569 1,013	1,480 938	1,579 884	1,720 1,139	1,844 1,391	2,126 1,248	957 1,129	2,314 2,169
56.	Hernia of abdominal cavity	M. 5,639 F. 3,383	7,716 3,521	9,755 4,530	11,819 4,852	12,929 5,903	14,543 5,479	14,946 5,840	15,116 5,826	14,804 6,093	4,267 1,860
57.	Intestinal obstruction without mention of hernia	M. 424 F. 883	726 1,009	1,005 1,186	1,470 1,573	1,889 3,309	2,775 2,762	3,698 5,880	6,096 6,364	7,903 7,641	514 743
58.	Gastro-enteritis & colitis, except ulcerative, age 4 weeks and over	M. 497 F. 875	678 1,034	685 1,365	953 1,516	1,039 2,152	1,337 2,170	2,235 3,581	2,444 5,979	4,269 4,681	2,099 2,105
59.	Chronic enteritis & ulcerative colitis	M. 735 F. 1,086	1,237 1,626	1,940 2,149	2,127 3,304	2,736 4,518	3,492 7,295	4,868 7,826	6,649 10,048	5,497 10,211	763 1,172

TABLE 6(e) (Cont'd)

Rank	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	25-39	40-44
60.	Cirrhosis and other diseases of liver	M. F.	174 195	78 50	105 154	174 169	174 282	208 301	271 334	361 488	762 687	1,027 733
61.	Diseases of gall-bladder & pancreas	M. F.	978 678	169 240	79 88	54 122	110 1,272	348 5,280	796 6,882	1,616 7,752	2,407 8,709	3,279 10,146
62.	Other diseases of digestive system	M. F.	3,192 2,423	1,139 1,088	524 463	392 420	538 867	840 1,234	1,131 1,603	1,363 1,978	1,568 2,183	2,216 2,458
63.	Nephritis and nephrosis	M. F.	295 392	1,180 879	1,397 1,071	824 539	552 420	362 432	347 448	409 506	534 445	489 384
64.	Infections of kidney	M. F.	793 1,127	357 1,444	275 1,403	309 758	279 1,180	364 1,895	345 1,641	465 1,521	520 1,411	613 1,430
65.	Calculi of kidney, ureter & other parts of urinary system	M. F.	28 7	19 53	31 42	46 54	174 147	641 634	985 904	1,285 934	1,643 932	2,044 1,007
66.	Other diseases of urinary system	M. F.	1,552 1,442	902 1,562	637 1,337	540 604	541 798	786 1,347	772 1,578	901 1,854	906 1,885	1,098 2,419
67.	Hyperplasia of prostate	M. F.	-- --	-- --	1 --	-- --	4 --	20 --	20 --	69 --	131 --	237 --
68.	Redundant prepuce and phimosis	M. F.	2,407 --	1,003 --	420 --	250 --	144 --	416 --	240 --	169 --	109 --	120 --

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
60.	Cirrhosis and other diseases of liver	M. 1,917 F. 1,340	1,938 1,456	3,231 1,982	2,551 2,219	3,129 1,831	3,073 1,599	3,069 2,639	1,574 1,245	2,186 543	849 674
61.	Diseases of gall-bladder & pancreas	M. 4,029 F. 11,691	5,318 14,645	7,122 17,066	8,868 18,558	10,331 20,485	12,832 21,277	12,808 21,320	12,574 22,558	13,715 25,890	2,524 7,045
62.	Other diseases of digestive system	M. 2,471 F. 3,044	2,625 3,087	2,982 3,296	3,743 3,975	4,255 4,277	5,767 4,809	6,386 6,727	8,053 5,647	9,457 7,953	1,720 1,919
63.	Nephritis and nephrosis	M. 576 F. 404	702 550	906 590	1,296 697	984 799	1,319 1,848	1,465 1,865	5,082 1,309	5,401 2,994	835 664
64.	Infections of kidney	M. 514 F. 1,629	699 1,880	1,009 2,109	1,736 2,208	2,148 2,743	2,738 3,387	4,089 5,192	6,715 5,283	9,962 6,262	713 1,662
65.	Calculi of kidney, ureter & other parts of urinary system	M. 2,482 F. 1,136	2,665 1,250	3,217 1,366	3,156 1,458	3,099 1,279	2,748 1,519	2,943 2,525	2,728 1,147	3,323 3,433	1,161 678
66.	Other diseases of urinary system	M. 1,237 F. 2,567	1,578 2,870	2,423 3,421	3,583 3,773	4,706 4,073	7,017 4,602	12,230 5,738	15,715 10,258	22,946 6,129	1,604 2,016
67.	Hypertrophia of prostate	M. 705 F. --	2,281 --	6,289 --	14,636 --	25,931 --	40,745 --	56,379 --	66,627 --	87,747 --	1,083 --
68.	Redundant prepuce and phimosis	M. 114 F. --	120 --	140 --	209 --	321 --	242 --	612 --	781 --	849 --	369 --

TABLE 6(e) (Cont'd)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
69.	Diseases of ovary, Fallopian tube & para- metrium, & infective disease of uterus, vagina & vulva	M. F.	-- 346	-- 124	-- 139	-- 214	-- 2,011	-- 5,799	-- 7,027	-- 6,767	-- 5,985	-- 4,911
70.	Uterovaginal prolapse	M. F.	-- --	-- 1	-- --	-- --	-- 16	-- 257	-- 1,230	-- 2,561	-- 4,395	-- 5,953
71.	Disorders of menstruation	M. F.	-- --	-- 1	-- 4	-- 223	-- 1,432	-- 2,868	-- 3,469	-- 3,765	-- 3,966	-- 4,245
72.	Other diseases of genital organs	M. F.	1,192 175	551 45	289 45	326 82	618 608	679 2,558	666 3,737	726 3,653	864 3,704	1,052 4,662
73.	Complications of pregnancy	M. F.	-- --	-- --	-- --	-- 21	-- 4,461	-- 16,115	-- 14,998	-- 11,072	-- 7,026	-- 2,906
74.	Abortion	M. F.	-- --	-- --	-- --	-- 12	-- 1,682	-- 8,062	-- 9,335	-- 7,664	-- 5,614	-- 3,180
75.	Delivery without mention of compli- cations	M. F.	-- --	-- --	-- --	-- 138	-- 28,515	-- 120,068	-- 110,131	-- 72,818	-- 38,957	-- 13,429
76.	Delivery with speci- fied complications	M. F.	-- --	-- --	-- --	-- 15	-- 3,282	-- 14,204	-- 15,411	-- 11,909	-- 8,136	-- 3,563

TABLE 6(e) (Cont'd.)

Case List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
77.	Complications of the puerperium	M. F.	-- --	-- --	-- --	-- 3	-- 500	-- 1,891	-- 1,930	-- 1,532	-- 1,024	-- 1,77
78.	Infection of skin & subcutaneous tissue	M. F.	4,567 4,308	2,321 2,538	1,144 1,073	1,023 750	1,103 755	890 676	725 647	890 677	945 723	958 811
79.	Other diseases of skin & subcutaneous tissue	M. F.	7,866 5,925	1,923 1,426	672 761	952 1,111	1,215 1,525	1,177 1,495	828 1,388	919 1,393	1,005 1,390	1,289 1,727
80.	Arthritis & rheumatism, except rheumatic fever	M. F.	264 318	398 512	419 462	591 688	644 821	927 1,134	1,371 1,611	1,984 2,220	2,762 2,946	4,792 4,504
81.	Displacement of intervertebral disc	M. F.	-- --	-- --	9 1	35 14	282 243	1,026 762	2,225 1,592	3,871 2,588	5,093 3,561	5,052 4,061
82.	Other diseases of bones & organs of movement	M. F.	3,269 2,244	2,167 1,318	2,878 1,535	2,547 2,601	2,833 2,145	2,641 1,811	2,152 1,613	2,542 1,839	2,976 2,327	3,228 2,963
83.	Congenital malformations	M. F.	28,654 24,985	4,857 4,828	2,783 1,987	1,888 1,625	1,432 1,341	1,086 1,271	925 1,171	692 1,153	625 1,276	1,061 983
84.	Certain diseases of early infancy	M. F.	29,521 24,800	160 158	15 27	6 15	11 4	-- --	10 1	-- 1	-- 3	6 --
85.	Symptoms, senility, & ill-defined conditions	M. F.	6,188 5,034	2,303 2,080	1,576 1,485	1,366 1,537	1,090 2,147	1,339 2,460	1,458 2,575	1,689 3,265	2,002 2,939	2,512 2,955

TABLE 6(e) (Cont'd.)

Can. List No.	Diagnosis		45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
77.	Complications of the puerperium	M. F.	-- 45	-- 1	-- --	-- --	-- --	-- --	-- --	-- --	-- --	-- 494
78.	Infection of skin & subcutaneous tissue	M. F.	1,088 951	1,286 1,135	1,270 1,016	1,631 1,704	1,721 1,313	1,488 1,606	2,600 2,466	2,605 2,225	3,922 2,169	1,337 1,187
79.	Other diseases of skin & subcutaneous tissue	M. F.	1,892 2,109	1,910 2,687	2,642 4,892	2,883 3,629	3,668 3,370	4,736 4,918	6,363 5,851	14,535 5,075	10,030 10,091	1,835 2,039
80.	Arthritis & rheuma- tism, except rheumatic fever	M. F.	4,941 7,075	6,611 9,926	8,779 13,671	11,276 17,413	15,840 22,578	16,799 35,020	30,143 45,743	21,641 53,333	38,427 110,985	3,786 6,225
81.	Displacement of inter- vertebral disc	M. F.	4,845 4,216	4,587 3,922	4,037 3,150	3,230 2,395	2,253 1,592	1,667 1,273	1,086 1,401	852 1,599	917 431	2,022 1,580
82.	Other diseases of bones & organs of movement	M. F.	3,674 3,780	4,272 4,719	4,761 5,065	5,802 7,246	5,356 6,478	5,350 10,243	6,116 10,138	5,408 16,303	7,118 30,962	3,203 3,236
83.	Congenital malform- ations	M. F.	707 908	704 805	765 942	857 655	425 1,734	615 725	333 381	390 842	366 279	2,345 2,233
84.	Certain diseases of early infancy	M. F.	-- 8	2 --	-- --	-- 2	-- --	-- 9	-- --	-- --	-- --	1,158 960
85.	Symptoms, senility, & ill-defined conditions	M. F.	2,646 3,375	3,249 3,966	4,051 4,276	4,942 4,555	5,822 5,467	8,362 7,245	12,405 11,776	25,165 26,734	52,446 49,786	2,911 3,448

TABLE 6(e) (Cont'd.)

Can. List No.	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
86.	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	M. F.	1,464 1,028	1,619 1,109	1,520 862	1,160 522	2,336 1,155	3,632 979	2,597 904	1,892 710	1,724 631	1,689 688
87.	Fracture of spine and trunk	M. F.	31 50	76 52	227 84	435 263	1,395 1,128	2,703 804	1,934 684	2,194 634	1,625 752	2,116 791
88.	Fracture of upper limb	M. F.	169 166	457 325	1,170 703	1,398 569	1,277 313	1,082 289	912 255	824 252	828 397	777 435
89.	Fracture of femur	M. F.	871 742	1,745 870	1,745 741	1,073 471	1,449 465	1,517 352	915 245	765 414	933 340	990 593
90.	Other fractures of lower limbs (excluding femur)	M. F.	71 148	396 193	730 371	1,088 474	2,329 864	2,874 953	2,415 908	2,362 880	2,745 930	2,655 1,253
91.	Dislocation without fracture, & sprains & strains of joints & adjacent muscles	M. F.	47 54	87 87	180 70	438 346	1,531 907	2,204 900	2,524 826	2,779 839	2,693 1,036	2,430 993
92.	Internal injury of chest, abdomen and pelvis	M. F.	11 48	83 37	188 77	223 81	426 120	552 155	424 136	374 72	291 84	349 117
93.	Burns	M. F.	1,583 1,120	2,854 2,173	1,353 845	1,041 384	824 379	1,276 376	1,079 408	1,039 471	874 337	1,001 548

TABLE 6(e) (Cont'd.)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
86.	Fracture of or involving skull or face bones, and head injury except open wound, contusion and haematoma of scalp	M. F. 1,947 704	2,546 896	1,746 929	1,945 1,031	1,713 938	1,988 1,876	2,161 2,394	2,110 1,725	3,371 3,260	1,946 924
87.	Fracture of spine and trunk	M. F. 2,280 1,104	2,512 1,816	3,265 2,088	3,381 2,840	3,742 3,191	4,375 7,130	6,169 8,666	6,848 14,337	11,511 24,641	1,744 1,344
88.	Fracture of upper limb	M. F. 918 802	1,036 1,113	1,187 1,697	1,399 2,567	1,956 2,790	2,043 4,324	1,832 6,098	3,669 10,210	4,962 15,564	1,086 997
89.	Fracture of femur	M. F. 1,574 1,312	1,438 2,463	2,199 3,876	3,751 7,012	5,397 13,428	8,538 24,669	17,072 61,670	44,141 117,080	68,860 250,438	2,509 5,245
90.	Other fractures of lower limbs (excluding femur)	M. F. 2,726 1,667	3,180 2,447	3,721 2,866	3,874 3,581	3,528 5,079	5,041 6,145	4,962 9,076	6,595 11,599	7,140 35,047	2,209 1,656
91.	Dislocation without fracture, sprains & strains of joints & adjacent muscles	M. F. 2,276 1,041	2,119 1,204	1,823 1,075	1,636 972	1,127 1,223	1,253 1,233	1,238 1,383	1,661 2,498	1,441 3,152	1,471 741
92.	Internal injury of chest, abdomen and pelvis	M. F. 295 129	404 93	444 187	562 180	268 208	311 156	167 166	210 174	427 114	309 107
93.	Burns	M. F. 804 442	830 502	813 677	1,064 490	1,137 1,095	812 590	1,649 839	1,912 969	2,078 869	1,239 700

TABLE 6(e) (Cont'd.)

Can. List	Diagnosis	Newborn	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
94.	Other and unspecified effects of accidents, poisonings & violence											
	M.		1,476	3,515	2,402	2,919	4,322	5,719	4,719	2,888	3,946	4,147
	F.		1,252	2,453	1,351	1,760	1,903	2,015	2,037	2,120	2,247	2,204
95.	Medical or special exami- nation (without sickness)											
	M.		48	3	13	3	11	13	18	15	15	14
	F.		35	15	13	9	17	19	16	23	15	13
96.	Mature newborn											
	M.		--	--	--	--	--	--	--	--	--	--
	F.		--	--	--	--	--	--	--	--	--	--
97.	Immature newborn											
	M.		--	--	--	--	--	--	--	--	--	--
	F.		--	--	--	--	--	--	--	--	--	--
98.	Other special admissions, examinations, etc.											
	M.		851	317	325	438	840	1,235	942	1,029	1,170	1,402
	F.		916	291	244	340	649	865	1,012	824	1,017	1,384

TABLE 6(e) (Cont'd.)

Can. List No.	Diagnosis	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Total
94. Other and unspecified effects of accidents, poisonings & violence	M.	4,251	4,547	4,820	5,937	5,900	4,964	6,486	8,548	10,449	4,080
	F.	2,472	3,043	3,206	3,444	3,687	5,102	6,376	9,465	20,226	2,421
95. Medical or special examination (without sickness)	M.	20	25	25	25	25	33	45	13	13	16
	F.	15	10	13	14	29	33	9	4	13	16
96. Mature newborn	M.	--	--	--	--	--	--	--	--	--	7,717
	F.	--	--	--	--	--	--	--	--	--	7,347
97. Immature newborn	M.	--	--	--	--	--	--	--	--	--	1,394
	F.	--	--	--	--	--	--	--	--	--	1,529
98. Other special admissions, examinations, etc.	M.	1,669	1,856	2,853	4,144	5,674	6,231	12,275	10,520	241,720	1,640
	F.	1,894	2,799	3,410	5,336	9,427	12,176	22,599	25,753	34,789	2,334

NOTES: TABLE 6

Hospitalized patients may be classified as PLAN or NON-PLAN according to the responsibility for payment of hospitalization costs. Basically Table 6 presents data from nine provinces and two territories concerning in-patients separated from general hospitals and chronic hospitals (including patients hospitalized out-of-province) who were insured under a provincial or territorial hospital insurance plan. However, Table 6 should not be considered as an exact representation of the combined provincial-plan experience of these provinces and territories, because of the inclusion in some provinces of NON-PLAN separations and patient-days and exclusion in other provinces of certain categories of PLAN separations and patient-days. Thus, the provinces and territories have added to, or deleted from, the basic PLAN data as follows:

1. NEWFOUNDLAND:- Included: PLAN patients only, including separations from chronic facilities. Excluded: all newborns.
2. PRINCE EDWARD ISLAND:- Included: PLAN and NON-PLAN patients from general hospitals and chronic units in general hospitals. Included in the NON-PLAN group were (i) patients who were the responsibility of the Department of Veteran's Affairs and the Workmen's Compensation Board; (ii) uninsured residents; (iii) non-residents. In Table 6, the age group "1-4" includes the "Under 1" group. Excluded: Mature newborns, and immature newborns, in No. 97 and No. 98.
3. NEW BRUNSWICK:- Included: PLAN and NON-PLAN patients. Excluded: Non-residents.
4. QUEBEC:- Included: PLAN and NON-PLAN patients from general hospitals and chronic hospitals. Included in the NON-PLAN group were (i) patients who were the responsibility of the Federal Government and the Workmen's Compensation Board (ii) non-residents.
5. ONTARIO:- Data is based on claims processed Jan. 1 - Dec. 31, 1963. Included: PLAN and NON-PLAN patients from general hospitals and chronic hospitals, including chronic wings of general hospitals, as follows (i) Ontario residents hospitalized in public and private hospitals, as well as those patients in Federal hospitals for whom the Ontario Hospital Services Commission was responsible (ii) Insured Ontario residents hospitalized in out-of-province hospitals (iii) Out-of-province residents hospitalized in Ontario hospitals. Newborns: The only newborns included were those for whom the adult per diem rate was paid, i.e. only 188 mature newborns with 1,162 days of care and 53 immature newborn with 1,424 days of care.
6. MANITOBA:- Included: PLAN and NON-PLAN patients (Manitoba residents) from general hospitals and extended treatment hospitals. Included in the NON-PLAN group were patients who were the responsibility of the Department of Veteran's Affairs, and the Workmen's Compensation Board, as well as uninsured residents, and insured residents not the responsibility of the Provincial Plan. Excluded: Non-residents.
7. SASKATCHEWAN:- Included: PLAN patients only. Excluded: PLAN patients from geriatric hospitals in Regina, Saskatoon, Melfort and Swift Current.
8. ALBERTA:- Included PLAN and NON-PLAN patients (Alberta residents) from active treatment hospitals, auxiliary hospitals and contract nursing homes. Table 6 includes approximately 6,438 Alberta residents (adults and children) whose hospitalization was not the responsibility of the Provincial Plan, but of the federal government or the Workmen's Compensation Board. Excluded: Non-residents, and newborns who were born out-of-province to Alberta residents.
9. BRITISH COLUMBIA:- Included: PLAN patients hospitalized in the province. Excluded: PLAN patients hospitalized outside the province.
10. YUKON:- PLAN patients only.
11. NORTHWEST TERRITORIES:- PLAN patients only.

Additional note concerning newborns: The number of separations and patient-days indicated for No. 97 (mature newborn) and No. 98 (immature newborn) should not be interpreted as the total for Canada, due to incomplete reporting of these categories in Table 6.

TABLE 7(a) - NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1963

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
30	Psychoneurotic disorders					16714							
36	Diseases of ear and mastoid process					21425	34414	5170	5849	6633	10034		166
38	Arteriosclerotic and degenerative heart disease		1234	3642	3182			3297	5448	6550		58	109
46	Acute upper respiratory infections	1127	394		1845				4698		5252		131
47	Influenza								9983	10387	11184	210	1267
48	Pneumonia	2530	1288	4514	3867	16727	29058	8314	6727	6959	6246	109	235
49	Bronchitis	1666	386	1884				4615	12627	15705	18923	104	127
50	Hypertrophy of tonsils and adenoids		534	5816	4820	45410	82069	9033					
53	Ulcer of stomach, duodenum and jejunum			1729									
55	Appendicitis		338	2307	1697	13956	19825	3290	4946	4908	5660	79	318
56	Hernia of abdominal cavity	1101		1939	1985	14966	25355	3580		6239			
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	1261											
61	Diseases of gallbladder and pancreas		358	1972	1927	20060	19509	3868	4537	6085	4910	47	
71	Disorders of menstruation		579	3277	2658	18608	27001	4242	5378	6618	8053	125	199
73	Complications of pregnancy	2442	322		1728	15503	19968				4802	81	239
74	Abortion	1466											
75	Delivery without mention of complications	12112	2954	17559	12895	118128	140988	20524	20669	33329	32758	423	827
76	Delivery with specified complications	1284					16039					51	166
78	Infection of skin and subcutaneous tissue												

All the reporting provinces include Provincial Plan in-patients in Table 7, as well as out-of-province hospitalization of Provincial Plan separations, with the following additions or exceptions:-

- P.E.I.: - Includes "non-plan" separations.
N.S.: - Excludes Provincial Plan separations who were hospitalized out-of-province.
Excludes "non-plan" separations.
N.B.: - Includes "non-plan" separations. Excludes "non-resident" separations.
Que.: - Includes "non-plan" separations.
Ont.: - Includes "non-plan" separations, but excludes all separations, "plan" and "non-plan", from chronic hospitals or chronic units in general hospitals.
Man.: - Includes "non-plan" separations, but excludes "non-residents".
Sask.: - Excludes Provincial Plan separations from chronic hospitals in Regina, Saskatoon, Melfort and Swift Current.
Alta.: - Includes "non-plan" separations, but excludes "non-resident" separations.
B.C.: - Excludes Provincial Plan separations hospitalized out-of-province.
Yukon: - Includes Territorial Plan separations only.
N.W.T.: - Includes Territorial Plan separations only.

TABLE 7(b) - RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES,
FOR TEN PROVINCES AND TWO TERRITORIES, 1963

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
30	Psychoneurotic disorders					7							
36	Diseases of ear and mastoid process												6
38	Arteriosclerotic and degenerative heart disease	8	3	4	4	3	3	4	5	4	8		
46	Acute upper respiratory infections		6					9	6	8		10	8
47	Influenza								9				
48	Pneumonia	2	2	3	3	6	4	3	3	3	2		1
49	Bronchitis		7	9				5	4	6	4		4
50	Hypertrophy of tonsils and adenoids	4	5	2	2	2	2	2	2	2	5		9
53	Ulcer of stomach, duodenum and jejunum			10									
55	Appendicitis	9	9	6	10	10	8	10					
56	Hernia of abdominal cavity	10		8	6	9	6	8	8	7			3
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	7											
61	Diseases of gallbladder and pancreas		8	7	7	4	9	7	10	9		10	
71	Disorders of menstruation												
73	Complications of pregnancy	3	4	5	5	5	5	6	7	6	5	3	5
74	Abortion	5	10		9	8	7			10	6		
75	Delivery without mention of complications	1	1	1	1	1	1	1	1	1	1	1	2
76	Delivery with specified complications	6				10							
78	Infection of skin and subcutaneous tissue						10				9		7

TABLE 7(c) - PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES,
FOR TEN PROVINCES AND TWO TERRITORIES(1), 1963.

(1) see footnotes, Table 7(a)

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
30	Psychoneurotic disorders					289307							2112
36	Diseases of ear and mastoid process												
38	Arteriosclerotic and degenerative heart disease		16270	67608	57767	592387	754828	99979	107103	181409	185869		
46	Acute upper respiratory infections	7301	2413		12836			15767	30829	35058	31430	218	573
47	Influenza								29592				623
48	Pneumonia	25979	13581	52715	47103	264459	359192	82484	108194	103612	122328	1749	14075
49	Bronchitis		3206	18696				40406	54788	60100	53814	712	1525
50	Hypertrophy of tonsils and adenoids	5851	1687	14248	16090	92323	156742	18348	29338	40109	44026	267	403
53	Ulcer of stomach, duodenum and jejunum			26921									
55	Appendicitis	10352	2707	20474	15343	116046	147726						
56	Hernia of abdominal cavity	9970		21187		155540	213036	28792		43259	52509		
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	16122		14582				22083	36254	38434		556	2052
64	Diseases of gallbladder and pancreas		5021	29732	24898	301097	281128	45489	56516	69698	67431		
71	Disorders or menstruation											100	
72	Complications of pregnancy	11580	1821	11876	9421	86778	130833	14465	22496	27364	37012	610	370
73	Abortions	6194	1039		7237	68121	74399				19063	315	
75	Delivery without mention of complications	63481	17879	97878	71131	639048	846420	120486	128516	214195	207510	2512	5072
76	Delivery with specified complications	8823					142875						
77	Infection of skin and subcutaneous tissue											250	1310

(1) see footnotes Table 7(a)

.. Indicates less than 0.05

ENFOUNDLAND (Cont'd)																							
ALL AGES				UNDER 1				1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+			
T				M		F		M		F		M		F		M		F		M		F	
NO. DIAGNOSIS				Patient-days																			
43	63481	14530	63481	4430	3524	3510	2942	1668	1399	107	27709	35231	1169	1621	900	434	709	688	829	310			
48	25979	11449	11449	4430	3524	3510	2942	1668	1399	673	517	1169	1621	900	177	900	709	688	829	310			
73	11580	11580	11580	4430	3524	3510	2942	1668	1399	15	4557	6831	1621	900	177	900	709	688	829	310			
50	5851	2531	3320	2	9	407	356	1653	2008	338	711	216	5	20	84	20	709	688	829	310			
74	6194	-	6194	-	-	-	-	-	8	-	1968	4134	-	-	-	-	709	688	829	310			
76	8823	-	8823	-	-	-	-	-	3	-	3505	5233	-	-	-	-	709	688	829	310			
58	16122	8676	7446	7168	6053	1040	784	155	132	39	104	116	121	167	167	14	46	44	44	44			
46	7301	3972	3329	2108	1196	1185	1138	297	426	142	266	188	66	69	69	7	29	16	16	17			
55	10352	5817	4535	5	14	310	143	3090	2438	1487	1309	289	225	167	167	32	152	23	23	23			
56	9970	6282	3688	773	84	969	260	521	95	370	17	1044	1719	1578	1578	671	421	383	189	189			
Hernia of abdominal cavity																							
Patient-days per 1,000 population																							
43	132	-	271	583	489	121	107	26	22	2	657	723	45	28	14	-	81	78	159	62			
48	54	59	49	583	489	121	107	26	22	16	12	24	45	28	28	-	81	78	159	62			
73	24	-	49	-	-	-	-	-	-	-	108	140	-	6	6	-	-	-	-	-			
50	12	10	14	..	1	14	13	26	32	8	17	4	..	1	1	-	-	-	-	-			
74	13	-	26	-	-	-	-	-	..	-	47	85	-	3	3	-	-	-	-	-			
76	18	-	38	-	-	-	-	-	..	-	83	107	-	3	3	-	-	-	-	-			
58	34	35	32	943	841	36	28	2	2	1	2	2	3	5	5	2	5	8	9	9			
46	15	16	14	277	166	41	41	5	7	3	6	4	2	2	2	4	3	3	3	3			
55	22	24	19	1	2	11	5	48	39	35	31	6	6	5	5	1	17	74	74	33			
56	21	25	16	102	12	34	9	8	2	9	..	21	48	49	49	77	48	74	33	33			
Hernia of abdominal cavity																							
Average days stay of separations																							
75	5.2	-	5.2	10.2	11.7	8.7	9.0	-	7.1	-	5.2	5.3	-	10.3	10.3	-	-	-	-	-			
48	10.3	10.3	10.2	10.2	11.7	8.7	9.0	9.2	9.0	9.2	8.5	9.9	13.5	10.7	10.7	13.9	15.0	18.8	11.1	11.1			
73	4.7	-	4.7	-	-	-	-	-	5.0	-	4.4	4.9	-	7.1	7.1	-	-	-	-	-			
50	3.5	3.4	3.6	2.0	9.0	3.1	3.3	3.4	4.2	4.2	4.1	4.5	5.0	5.0	5.0	-	-	-	-	-			
74	4.2	-	4.2	-	-	-	-	-	2.0	-	4.1	4.4	-	2.9	2.9	-	-	-	-	-			
76	6.9	-	6.9	-	-	-	-	-	3.0	-	6.6	7.0	-	11.7	11.7	-	-	-	-	-			
58	12.8	12.9	12.7	14.8	15.8	10.0	8.8	4.8	3.5	3.0	4.0	5.5	10.1	8.0	8.0	4.7	7.7	11.0	22.0	22.0			
46	6.5	6.7	6.2	8.9	7.5	5.8	6.6	4.2	4.0	3.7	4.2	6.1	6.0	6.9	6.9	3.5	7.3	5.3	17.0	17.0			
55	9.4	9.7	9.1	5.0	7.0	9.7	11.9	10.3	8.6	8.4	8.6	8.3	14.1	13.9	13.9	10.7	21.7	-	23.0	23.0			
56	11.9	10.8	14.1	11.0	8.4	8.5	11.8	8.5	8.6	9.7	8.5	12.3	12.4	17.2	17.2	13.4	15.0	14.7	15.8	15.8			

.. Indicates less than 0.50

TABLE 7(a) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLANTS - IN-PATIENTS (EXCLUDING VETERANS) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) see footnotes Table 7(a)

PRINCE EDWARD ISLAND

ALL AGES		1 - 4	5 - 14	15 - 24	25 - 44	45 - 64	65 - 74	75+
NO.	DIAGNOSIS	T	M	F	M	F	M	F
Separations								
75	Delivery without mention of complications	2954	-	2954	-	1196	-	1739
48	Pneumonia	1288	706	582	351	229	74	62
38	Arteriosclerotic and degenerative heart disease	1234	895	339	1	1	-	9
73	Complications of pregnancy	579	-	579	-	251	-	326
50	Hypertrophy of tonsils and adenoids	534	269	265	62	47	175	11
46	Acute upper respiratory infections	394	179	215	128	121	26	18
49	Bronchitis	386	214	172	112	80	16	15
61	Diseases of gallbladder and pancreas	358	86	272	1	3	2	62
55	Appendicitis	338	175	163	7	6	59	26
74	Abortion	322	-	322	-	107	-	200
75	Delivery without mention of complications	27.6	12.9	11.1	50.9	35.2	5.9	162.5
48	Pneumonia	12.0	16.4	11.1	0.1	0.2	-	5.6
38	Arteriosclerotic and degenerative heart disease	11.5	5.4	5.1	144.1	3.5	3.1	4.7
73	Complications of pregnancy	5.0	4.9	4.1	9.0	7.2	2.0	30.5
50	Hypertrophy of tonsils and adenoids	3.7	3.3	3.1	18.6	13.8	0.9	0.7
46	Acute upper respiratory infections	3.6	3.9	3.3	16.2	12.3	0.6	1.7
49	Bronchitis	3.3	1.6	3.3	0.1	1.6	0.3	1.4
61	Diseases of gallbladder and pancreas	3.2	3.2	5.2	0.1	2.5	6.7	5.3
55	Appendicitis	3.2	3.2	3.1	1.0	0.9	4.8	2.4
74	Abortion	3.0	-	6.2	-	12.9	-	18.7
75	Delivery without mention of complications	2.1	6.7	9.3	6.7	17.4	17.3	34.8
48	Pneumonia	2.1	0.2	0.2	0.3	0.3	0.3	0.5
38	Arteriosclerotic and degenerative heart disease	6.7	0.2	0.2	0.3	0.3	0.3	0.5
73	Complications of pregnancy	0.3	0.3	0.3	0.3	0.3	0.3	0.5
50	Hypertrophy of tonsils and adenoids	5.2	5.2	5.2	5.2	5.2	5.2	5.2
46	Acute upper respiratory infections	4.2	4.2	4.2	4.2	4.2	4.2	4.2
49	Bronchitis	2.4	2.4	2.4	2.4	2.4	2.4	2.4
61	Diseases of gallbladder and pancreas	2.6	2.6	2.6	2.6	2.6	2.6	2.6
55	Appendicitis	0.4	0.4	0.4	0.4	0.4	0.4	0.4
74	Abortion	1.6	-	1.6	-	1.6	-	1.6

Table 7(e) Cont'd

PRINCE EDWARD ISLAND (Cont'd)

PRINCE EDWARD ISLAND (Cont'd)																
ALL AGES																
NO. DIAGNOSIS	T	1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 84		M	F	Total
		M	F	M	F	M	F	M	F	M	F					
75 Delivery without mention of complications	17879	-	17879	-	-	-	-	-	-	-	-	-	-	-	-	-
48 Pneumonia	13581	7393	6188	-	456	-	208	7144	485	-	10623	-	112	-	915	797
38 Arteriosclerotic and degenerative heart disease	16270	8855	7415	32	-	-	-	7	533	3010	126	2448	1221	2483	-	2821
73 Complications of pregnancy	1821	-	1821	-	-	-	-	815	-	-	987	-	119	-	-	3566
50 Hypertrophy of tonsils and adenoids	1687	843	844	203	494	64	64	140	48	10	39	-	11	4	-	-
46 Acute upper respiratory infections	2413	987	1426	711	169	38	38	98	63	19	101	-	136	76	15	101
49 Bronchitis	3206	1883	1323	944	90	43	43	97	54	379	113	193	205	167	162	101
61 Diseases of gallbladder and pancreas	5021	1187	3834	54	78	49	49	151	153	327	673	254	1639	659	331	615
55 Appendicitis	2707	1451	1256	89	434	501	501	437	212	118	192	32	61	-	50	37
74 Abortion	1039	-	1039	-	3	-	-	305	-	-	679	-	52	-	-	-
Patient-days per 1,000 population																
75 Delivery without mention of complications	167	-	342	-	-	-	-	861	-	-	993	-	13	-	277	242
48 Pneumonia	127	135	118	487	37	24	24	27	43	76	52	-	102	-	-	521
38 Arteriosclerotic and degenerative heart disease	152	162	142	-	-	-	-	1	48	307	12	742	137	752	-	1343
73 Complications of pregnancy	17	-	35	-	-	-	-	98	-	-	92	-	2	-	-	1486
50 Hypertrophy of tonsils and adenoids	16	15	16	29	40	7	7	17	4	1	4	-	1	1	7	-
46 Acute upper respiratory infections	23	18	27	103	14	4	4	12	6	2	9	2	15	23	51	42
49 Bronchitis	30	34	25	137	7	5	5	12	5	39	11	58	23	51	77	256
61 Diseases of gallbladder and pancreas	47	22	73	8	6	6	6	18	14	33	63	77	184	200	158	256
55 Appendicitis	25	27	24	13	36	57	57	53	19	12	18	10	4	18	24	15
74 Abortion	10	-	20	-	-	-	-	37	-	-	63	-	6	-	-	-
Average days stay of separations																
75 Delivery without mention of complications	6.1	-	6.1	-	-	-	-	6.0	-	-	6.1	-	5.9	-	14.8	14.0
48 Pneumonia	10.5	10.5	10.6	9.6	7.4	7.7	7.7	7.7	9.2	11.3	9.4	-	10.9	-	-	15.0
38 Arteriosclerotic and degenerative heart disease	13.2	9.9	21.9	32.0	-	-	-	7.0	15.7	17.6	14.0	19.7	20.4	21.8	-	5.0
73 Complications of pregnancy	3.1	-	3.1	-	-	-	-	3.2	-	-	3.0	-	8.5	-	-	23.2
50 Hypertrophy of tonsils and adenoids	3.2	3.1	3.2	3.3	2.9	3.6	3.6	3.6	4.4	3.3	4.9	-	5.5	4.0	-	-
46 Acute upper respiratory infections	6.1	5.5	6.6	5.6	5.8	4.1	4.8	4.1	5.7	4.8	5.6	5.0	7.6	15.2	15.0	10.1
49 Bronchitis	8.3	8.8	7.7	8.4	6.8	8.6	8.6	7.5	5.4	9.2	7.5	11.4	9.8	9.3	12.5	17.6
61 Diseases of gallbladder and pancreas	14.0	13.8	14.1	54.0	39.0	16.3	16.3	7.2	9.6	12.1	10.9	17.8	14.6	17.8	13.8	17.6
55 Appendicitis	8.0	8.3	7.7	12.7	7.4	8.5	8.5	6.9	7.6	9.1	7.4	10.7	8.8	20.3	10.0	13.5
74 Abortion	3.2	-	3.2	-	3.0	-	-	2.8	-	-	3.4	-	3.7	-	-	-

.. Indicates less than 0.50

TABLE 7 (f) - HOSPITALIZATIONS FOR THE THIRTEEN CAUSES OF DEATH, ALL AGES, IN 1950, FOR RESIDENTS OF THE PROVINCE (EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE

NOVA SCOTIA

NO.	DIAGNOSIS	Separations			Patient-days			Average days stay of separation		
		T	M	F	T	M	F	T	M	F
75	Delivery without mention of complications	17559	-	17559	97878	-	97878	5.6	-	5.6
50	Hypertrophy of tonsils and adenoids	5816	2727	3089	14248	6491	7757	2.5	2.4	2.5
48	Pneumonia	4514	2543	1971	52715	30047	22663	11.7	11.3	11.3
38	Arteriosclerotic and degenerative heart disease	3642	2345	1297	67608	42873	24735	18.6	18.3	19.1
73	Complications of pregnancy	3277	-	3277	11876	-	11876	3.6	-	3.6
55	Appendicitis	2307	1121	1186	20474	10209	10265	8.9	9.1	8.7
61	Diseases of gallbladder and pancreas	1972	445	1527	29732	7497	22235	15.1	16.9	14.6
56	Hernia of abdominal cavity	1939	1341	598	21187	13689	7498	10.9	10.2	12.5
49	Bronchitis	1884	not able	not able	18696	not able	not able	9.9	-	-
53	Ulcer of stomach, duodenum and jejunum	1729	avail- able	avail- able	26921	avail- able	avail- able	15.6	-	-
		Separations			Patient-days			per 1,000 pop'n		
		per 1,000 pop'n			per 1,000 pop'n					
75	Delivery without mention of complications	23.2	-	47.2	129	-	263			
50	Hypertrophy of tonsils and adenoids	7.7	7.1	8.3	19	17	21			
48	Pneumonia	6.0	6.6	5.3	70	78	61			
38	Arteriosclerotic and degenerative heart disease	4.8	6.1	3.5	89	112	66			
73	Complications of pregnancy	4.3	-	8.8	16	-	32			
55	Appendicitis	3.1	2.9	3.2	27	27	28			
61	Diseases of gallbladder and pancreas	2.6	1.2	4.1	39	20	60			
56	Hernia of abdominal cavity	2.6	3.5	1.6	28	36	20			
49	Bronchitis	2.5	-	-	25	-	-			
53	Ulcer of stomach, duodenum and jejunum	2.3	-	-	36	-	-			

TABLE 7 (g) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAY(1) IN-PATIENTS (EXCLUDING NEWBORN), INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) see footnotes Table 7(a)

NEW BRUNSWICK

NO. DIAGNOSIS	ALL AGES																SEPARATIONS			
	T	UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+				
		M	F	M	F	M	F	M	F	M	F	M	F	M	F					
75 Delivery without mention of complications	12895	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7515	62	-	-
50 Hypertrophy of tonsils and adenoids	4820	2297	4	577	1390	1359	226	5309	109	147	14	24	3	1	227	184	147	24	3	1
48 Pneumonia	3865	2179	115	712	234	265	101	61	170	194	326	236	189	111	227	184	194	236	111	227
38 Arteriosclerotic and degenerative heart disease	3182	1937	-	1	2	-3	-	1	137	52	776	390	576	404	438	396	52	776	404	438
73 Complications of pregnancy	2658	-	-	-	-	-	-	1051	-	1585	-	21	-	-	-	-	1585	21	-	-
58 Gastroenteritis and colitis except ulcerative, age 4 weeks and over	1985	982	214	358	280	108	71	88	73	126	98	135	29	50	31	59	126	135	50	31
61 Diseases of gallbladder and pancreas	1927	384	1	2	1	2	9	123	88	521	172	535	74	208	36	144	521	535	208	36
46 Acute upper respiratory infections	1845	949	90	480	355	175	71	97	38	87	45	67	28	21	22	26	87	67	21	22
74 Abortion	1728	-	-	-	-	-	-	480	-	1208	-	40	-	-	-	-	1208	40	-	-
55 Appendicitis	1697	857	2	26	20	384	236	326	136	87	52	32	10	5	11	6	87	32	5	11
Separations per 1,000 population																				
75 Delivery without mention of complications	21.0	-	-	-	-	-	-	105.8	-	111.3	-	1.3	-	-	-	-	111.3	1.3	-	-
50 Hypertrophy of tonsils and adenoids	7.8	7.4	1.3	0.5	18.0	15.3	4.3	9.6	1.6	2.2	0.3	0.5	-	0.2	0.1	18.6	2.2	0.3	0.5	0.2
48 Pneumonia	6.3	7.0	23.0	15.1	22.2	17.9	1.9	1.2	2.5	2.9	6.4	4.9	13.1	7.4	26.1	40.0	2.9	4.9	7.4	26.1
Arteriosclerotic and degenerative heart disease	5.2	6.2	4.1	-	-	0.1	-	-	2.0	0.8	15.3	8.0	40.0	26.8	-	-	0.8	8.0	26.8	-
73 Complications of pregnancy	4.3	-	-	-	-	-	-	20.9	-	23.5	-	0.4	-	-	-	-	23.5	0.4	-	-
58 Gastroenteritis and colitis except ulcerative, age 4 weeks and over	3.2	3.2	26.1	22.8	11.2	1.4	1.4	1.8	1.1	1.3	1.9	2.8	2.0	3.3	3.6	6.0	1.3	2.8	3.3	3.6
61 Diseases of gallbladder and pancreas	3.1	1.2	5.1	0.3	0.1	1.2	0.2	2.4	1.3	7.7	3.4	11.0	5.1	13.8	4.1	14.5	7.7	11.0	13.8	4.1
46 Acute upper respiratory infections	3.0	3.1	11.0	12.1	15.0	11.6	1.4	1.9	0.6	1.3	0.9	1.4	1.9	1.4	2.5	2.6	1.3	1.4	1.4	2.5
74 Abortion	2.8	-	5.7	-	-	-	-	9.6	-	17.9	-	0.8	-	-	-	-	17.9	0.8	-	-
55 Appendicitis	2.8	2.8	0.2	-	0.8	5.0	4.5	6.5	2.0	1.3	1.0	0.7	0.7	0.3	1.3	0.6	1.3	0.7	0.3	1.3

.. Indicates less than 0.05

2000

.. Indicates less than 0.50

TABLE 7(h) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN)
INCLUDING OUT-OF-PROVINCE HOSPITALIZATION 1963

(1) see footnotes Table 7(a)

QUEBEC

NO. DIAGNOSIS		ALL AGES												75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		UNDER 1						1 - 4						5 - 14						15 - 24						25 - 44						45 - 64						65 - 74						75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M

.. Indicates less than 0.05

NO. DIAGNOSIS	ALL AGES										Patient-days										Average days stay of separations																			
	UNDER 1					1 - 4					5 - 14					15 - 24					25 - 44					45 - 64					65 - 74					75 -				
	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F							
75 Delivery without mention of complications	639048	-	639048	565	348	12837	9707	21846	22884	187	-	233681	-	403296	-	1766	-	18	65	37	-	6	-	-	-	1766	-	18	65	37	-	6	-	-						
50 Hypertrophy of tonsils and adenoids	92923	44048	48875	183	194	379	732	721	452	746	578	22185	-	8514	132855	70528	86854	66721	25997	5256	97232	103931	13047	-	8514	132855	70528	86854	66721	25997	5256	97232	103931	13047						
38 Arteriosclerotic and degenerative heart disease	592387	341303	251084	891	782	732	721	342	544	1082	28482	17877	18455	83699	31380	88365	11927	25997	5256	97232	103931	13047	-	-	83699	31380	88365	11927	25997	5256	97232	103931	13047							
61 Diseases of gallbladder and pancreas	301097	70065	231032	86778	-	86778	-	-	-	-	-	-	-	57638	-	658	-	-	-	-	-	-	-	-	57638	-	658	-	-	-	-	-	-							
73 Complications of pregnancy	264459	149566	114893	36318	24817	28738	22813	13583	11260	4950	3914	11660	-	12720	22489	14345	12507	8466	19321	16558	2256	-	-	12720	22489	14345	12507	8466	19321	16558	2256	-	-							
48 Pneumonia	289307	88409	200898	100	59	353	147	2145	3707	11909	34652	40105	-	101641	26236	49118	6314	9318	1247	2256	-	-	-	-	101641	26236	49118	6314	9318	1247	2256	-	-							
30 Psychoneurotic disorders	68121	-	68121	6623	2019	7163	1711	6567	1547	8422	2339	23371	-	49581	-	1207	-	-	-	-	-	-	-	-	49581	-	1207	-	-	-	-	-	-							
74 Abortion	155540	106927	48613	17	58	1719	1573	21679	19078	16304	20775	12948	-	13508	37201	18678	12142	6351	5438	2460	-	-	-	-	13508	37201	18678	12142	6351	5438	2460	-	-							
56 Hernia of abdominal cavity	116046	59945	56101	17	58	1719	1573	21679	19078	16304	20775	12948	-	10158	5403	3051	1279	751	596	657	-	-	-	-	10158	5403	3051	1279	751	596	657	-	-							
55 Appendicitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
75 Delivery without mention of complications	117	16	234	-	8	47	37	34	38	11	-	511	-	882	-	4	-	-	-	-	-	-	-	-	882	-	4	-	-	-	-	-	-							
50 Hypertrophy of tonsils and adenoids	17	-	18	-	-	-	-	-	-	-	-	-	-	10	-	1	-	-	-	-	-	-	-	-	10	-	1	-	-	-	-	-	-							
38 Arteriosclerotic and degenerative heart disease	108	125	92	3	12	3	3	1	1	2	1	31	-	19	299	156	852	594	1960	1741	-	-	-	19	299	156	852	594	1960	1741	-	-	-							
61 Diseases of gallbladder and pancreas	55	26	85	-	-	-	-	-	-	-	-	-	-	183	-	195	117	231	106	219	-	-	-	183	-	195	117	231	106	219	-	-	-							
73 Complications of pregnancy	16	-	32	-	-	-	-	-	-	-	-	-	-	126	-	1	-	-	-	-	-	-	-	-	126	-	1	-	-	-	-	-	-							
48 Pneumonia	48	55	42	-	-	-	-	-	-	-	-	-	-	28	-	32	123	75	390	277	-	-	-	28	-	32	123	75	390	277	-	-	-							
30 Psychoneurotic disorders	53	32	73	-	-	-	-	-	-	-	-	-	-	222	-	109	62	83	25	38	-	-	-	222	-	109	62	83	25	38	-	-	-							
74 Abortion	12	-	25	-	-	-	-	-	-	-	-	-	-	108	-	3	-	-	-	-	-	-	-	-	108	-	3	-	-	-	-	-	-							
56 Hernia of abdominal cavity	28	39	18	-	31	26	7	10	3	18	5	33	-	30	-	41	119	56	110	41	-	-	-	30	-	41	119	56	110	41	-	-	-							
55 Appendicitis	21	22	21	-	-	6	6	34	31	36	45	18	-	22	-	7	13	7	12	11	-	-	-	22	-	7	13	7	12	11	-	-	-							
75 Delivery without mention of complications	5.4	-	5.4	-	3.1	1.8	1.7	1.8	6.2	2.9	-	5.3	-	5.5	-	5.7	-	-	-	-	-	-	-	-	5.5	-	5.7	-	-	-	-	-	-							
50 Hypertrophy of tonsils and adenoids	2.0	2.0	2.1	-	2.9	1.8	1.7	1.8	1.8	2.9	-	3.0	-	3.5	-	4.5	-	-	-	-	-	-	-	-	3.5	-	4.5	-	-	-	-	-	-							
38 Arteriosclerotic and degenerative heart disease	27.6	26.3	29.8	20.3	17.6	18.0	13.8	17.4	11.0	14.3	10.7	16.8	-	16.1	20.1	20.7	28.3	26.6	51.9	55.2	-	-	-	16.1	20.1	20.7	28.3	26.6	51.9	55.2	-	-	-							
61 Diseases of gallbladder and pancreas	15.0	15.5	14.9	30.7	35.5	26.1	24.0	13.7	10.7	10.1	11.3	12.5	-	13.1	16.0	16.1	19.3	18.2	18.5	24.8	-	-	-	13.1	16.0	16.1	19.3	18.2	18.5	24.8	-	-	-							
73 Complications of pregnancy	4.7	-	4.7	-	-	-	-	-	-	-	-	-	-	4.9	-	6.8	-	-	-	-	-	-	-	4.9	-	6.8	-	-	-	-	-	-								
48 Pneumonia	15.8	15.9	15.7	15.2	14.7	13.4	13.6	11.1	11.5	11.2	12.1	13.9	-	14.0	18.5	17.4	22.1	17.9	32.8	37.2	-	-	-	14.0	18.5	17.4	22.1	17.9	32.8	37.2	-	-	-							
30 Psychoneurotic disorders	17.3	16.3	17.8	12.5	9.8	14.7	7.7	12.0	11.7	15.5	15.3	15.3	-	18.2	16.9	18.7	27.8	23.0	32.8	27.5	-	-	-	18.2	16.9	18.7	27.8	23.0	32.8	27.5	-	-	-							
74 Abortion	4.4	-	4.4	-	-	-	-	-	-	-	-	-	-	4.5	-	5.2	-	-	-	-	-	-	-	4.5	-	5.2	-	-	-	-	-	-								
56 Hernia of abdominal cavity	10.4	9.7	12.3	8.9	9.2	6.3	6.3	6.3	3.8	8.1	9.7	9.4	-	11.9	11.3	14.7	13.2	15.7	14.7	15.7	-	-	-	11.9	11.3	14.7	13.2	15.7	14.7	15.7	-	-	-							
55 Appendicitis	8.3	8.2	8.4	5.7	8.3	10.4	10.8	7.4	7.6	7.5	8.0	8.7	-	9.3	12.0	12.8	16.4	13.7	17.0	19.9	-	-	-	9.3	12.0	12.8	16.4	13.7	17.0	19.9	-	-	-							

.. Indicates less than 0.50

TABLE 7(i) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

ONTARIO

NO. DIAGNOSIS	ALL AGES				UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75 -
	T*	M*	F*	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F						
Separations																																	
75 Delivery without mention of complications	140988	-	140988	-	89	34	15847	12599	20061	21380	2194	-	58835	-	81856	-	200	-	13	-	15	-	3	-	3	-	-	-					
50 Hypertrophy of tonsils and adenoids	82069	40797	41272	-	89	34	15847	12599	20061	21380	2194	-	58835	-	81856	-	200	-	13	-	15	-	3	-	3	-	-	-					
38 Arteriosclerotic and degenerative heart disease	34414	20938	13476	9	10	10	39	62	54	1370	516	-	11444	-	15462	-	77	-	-	-	-	-	-	-	-	-	-	-					
48 Pneumonia	29058	16273	12785	3195	2295	3894	2983	1654	1654	1370	516	-	11444	-	15462	-	77	-	-	-	-	-	-	-	-	-	-	-					
73 Complications of pregnancy	27001	-	27001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
56 Hernia of abdominal cavity	25355	19254	6101	1191	325	2158	566	1570	300	1130	227	3896	6305	-	13487	-	163	-	-	-	710	-	975	-	396	-	-	-					
74 Abortion	19968	-	19968	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
55 Appendicitis	19825	10144	9681	11	-	226	165	3574	3410	2686	95	-	1127	-	5041	-	591	-	181	-	133	-	66	-	72	-	-	-					
61 Diseases of gallbladder and pancreas	19509	5176	14333	17	15	24	33	45	-	-	-	-	-	-	2263	-	5222	-	873	-	1828	-	527	-	1025	-	-	-					
76 Delivery with specified complications	16039	-	16039	-	-	-	-	-	-	-	-	-	-	-	10618	-	40	-	-	-	-	-	-	-	-	-	-	-					
Separations per 1,000 population																																	
75 Delivery without mention of complications	21.9	-	43.9	-	1.1	0.4	51.2	42.7	29.4	32.9	4.9	-	133.1	-	94.2	-	0.3	-	-	-	-	-	-	-	-	-	-	-					
50 Hypertrophy of tonsils and adenoids	12.7	12.6	12.9	-	1.1	0.4	51.2	42.7	29.4	32.9	4.9	-	133.1	-	94.2	-	0.3	-	-	-	-	-	-	-	-	-	-	-					
38 Arteriosclerotic and degenerative heart disease	5.3	6.5	4.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	0.1	-	0.6	-	7.3	-	34.7	-	24.0	-	47.3	-	39.0	-	-	-					
48 Pneumonia	4.5	5.0	4.0	40.3	30.4	12.6	10.1	2.4	2.4	2.1	1.1	-	1.0	-	1.7	-	3.0	-	9.7	-	5.7	-	19.8	-	12.6	-	-	-					
73 Complications of pregnancy	4.2	-	8.4	-	-	-	-	-	-	-	-	-	-	-	17.8	-	0.1	-	-	-	-	-	-	-	-	-	-	-					
56 Hernia of abdominal cavity	3.9	6.0	1.9	15.0	4.3	7.0	1.9	2.3	0.5	0.5	2.5	-	0.5	-	1.9	-	3.3	-	13.6	-	4.0	-	11.7	-	3.6	-	-	-					
74 Abortion	3.1	-	6.2	-	-	-	-	-	-	-	-	-	-	-	15.5	-	0.3	-	-	-	-	-	-	-	-	-	-	-					
55 Appendicitis	3.1	3.1	3.0	0.1	-	0.7	0.6	5.2	5.3	6.0	7.8	-	2.8	-	2.2	-	1.0	-	1.2	-	0.8	-	0.8	-	0.7	-	-	-					
61 Diseases of gallbladder and pancreas	3.0	1.6	4.5	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	-	2.6	-	5.8	-	8.8	-	5.6	-	10.3	-	6.3	-	9.3	-	-	-					
76 Delivery with specified complications	2.5	-	5.0	-	-	-	-	-	-	-	-	-	12.2	-	12.2	-	-	-	-	-	-	-	-	-	-	-	-	-					
Patient-days																																	
75 Delivery without mention of complications	846420	-	846420	-	270	117	26291	20672	33845	36532	6430	-	350455	-	494041	-	1255	-	98	-	95	-	17	-	13	-	-	-					
50 Hypertrophy of tonsils and adenoids	156742	75641	81101	-	270	117	26291	20672	33845	36532	6430	-	350455	-	494041	-	1255	-	98	-	95	-	17	-	13	-	-	-					
38 Arteriosclerotic and degenerative heart disease	754828	440410	314418	123	146	66	91	502	451	818	4564	-	363	-	8410	-	205136	-	98713	-	99844	-	82909	-	106400	-	-	-					
48 Pneumonia	359192	199372	150822	36757	25270	28014	29137	14541	10547	4564	-	-	4341	-	79528	-	35330	-	41330	-	17472	-	31444	-	204	-	-	-					
73 Complications of pregnancy	130833	-	130833	-	-	-	-	-	-	-	-	-	-	-	79528	-	598	-	-	-	-	-	-	-	-	-	-	-					
56 Hernia of abdominal cavity	213096	147282	65814	7105	2008	9661	2360	7772	1653	7156	1705	28309	50597	-	15892	-	53350	-	25425	-	10330	-	12270	-	6441	-	-	-					
74 Abortion	74399	-	74399	-	-	-	-	-	-	-	-	-	-	-	50837	-	607	-	-	-	-	-	-	-	-	-	-	-					
55 Appendicitis	147726	75542	72184	124	-	1915	1457	23448	22493	17890	22977	18226	22977	-	14840	-	10229	-	2661	-	2086	-	1149	-	1360	-	-	-					
61 Diseases of gallbladder and pancreas	142875	77751	20377	372	314	353	638	526	475	1061	11517	15517	15517	-	21364	-	76546	-	16304	-	33543	-	9004	-	405	-	-	-					
76 Delivery with specified complications	142875	-	142875	-	-	-	-	-	-	-	-	-	-	-	97910	-	409	-	-	-	-	-	-	-	-	-	-	-					

ONTARIO (Cont'd)														
ALL AGES														
UNDER 1														
NO.	DIAGNOSIS	T*	M*	F*	M	F	M	F	M	F	M	F	M	F

Patient-days per 1,000 population

75	Delivery without mention of complications	131	-	23	264	-	3	2	85	-	1	-	793	-	568
50	Hypertrophy of tonsils and adenoids	24	-	-	25	-	-	-	70	-	50	-	14	30	10
38	Arteriosclerotic and degenerative heart disease	117	136	98	98	-	2	2	-	-	1	2	1	2	2
48	Pneumonia	56	62	50	41	464	-	-	99	21	1	10	10	10	10
73	Complications of pregnancy	20	-	41	20	-	-	-	41	-	-	-	114	-	21
56	Hernia of abdominal cavity	33	46	20	20	90	27	31	8	11	-	16	4	18	91
74	Abortion	12	-	23	23	-	-	-	-	-	-	-	52	58	58
55	Appendicitis	23	23	22	22	2	-	-	5	34	35	40	52	21	17
61	Diseases of gallbladder and pancreas	44	24	63	63	5	4	1	2	1	-	2	27	17	12
76	Delivery with specified complications	22	-	44	44	-	-	-	-	-	-	-	101	-	188

Average days stay of separations

75	Delivery without mention of complications	6.0	-	6.0	-	-	-	-	-	-	6.7	-	6.0	-	6.0
50	Hypertrophy of tonsils and adenoids	1.9	1.9	2.0	-	3.0	3.4	1.7	1.6	1.7	1.7	2.9	3.0	3.3	3.5
38	Arteriosclerotic and degenerative heart disease	21.9	21.0	23.3	13.7	13.5	14.6	6.6	10.1	9.3	11.6	13.2	9.6	19.9	16.5
48	Pneumonia	12.4	12.3	12.5	11.5	11.0	11.0	9.8	9.8	8.8	9.2	8.9	10.0	10.6	11.9
73	Complications of pregnancy	4.8	-	4.8	-	-	-	-	-	-	5.7	-	4.4	-	5.1
56	Hernia of abdominal cavity	8.4	7.6	10.8	6.0	6.2	6.2	4.5	4.2	5.0	5.5	6.3	7.5	7.3	8.6
74	Abortion	3.7	-	3.7	-	-	-	-	-	-	3.0	-	3.6	-	9.6
55	Appendicitis	7.5	7.4	7.5	11.3	-	-	8.5	8.8	6.5	6.6	6.7	6.7	7.5	3.8
61	Diseases of gallbladder and pancreas	14.4	15.1	14.2	22.1	20.9	14.9	14.9	19.3	11.7	12.1	11.2	10.6	11.7	7.9
76	Delivery with specified complications	8.9	-	8.9	-	-	-	-	-	-	7.3	-	8.3	-	9.2

- (1) Includes a) Ontario residents hospitalized in Ontario hospitals (active and convalescent hospitals and units only)
b) Insured Ontario residents hospitalized in out-of-province hospitals
c) Out-of-province residents hospitalized in Ontario hospitals
d) All patients who were discharged from or died in hospitals

(*) Totals also include separations with age group not specified

.. Indicates less than 0.50

TABLE 7(j) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) see footnotes Table 7(a)

MANITOBA

ALL AGES		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75 +	
T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Separations																	
5 Delivery without mention of complications	20524	20524	-	-	-	13	-	8584	-	11376	-	51	-	-	-	-	
0 Hypertrophy of tonsils and adenoids	9033	4486	7	1	1263	2619	357	692	243	235	19	25	1	2	-	-	
8 Pneumonia	8314	4459	886	695	1015	462	206	223	364	461	531	518	411	300	468	381	
8 Arteriosclerotic and degenerative heart disease	5170	3185	-	-	-	4	3	4	158	38	1218	537	885	651	915	751	
73 Complications of pregnancy	4615	2682	540	382	651	194	58	89	110	224	389	303	372	171	332	122	
61 Diseases of gallbladder and pancreas	4242	-	-	-	-	1	-	1763	-	2459	-	19	-	-	-	-	
5 Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	3863	1031	4	4	5	11	20	245	207	938	418	1005	222	396	148	232	
46 Diseases of respiratory infections	3530	1842	768	580	433	212	70	143	110	140	115	171	61	72	70	78	
56 Hernia of abdominal cavity	3297	1625	383	368	672	301	124	169	98	127	57	83	15	24	9	20	
	3290	2533	153	38	266	34	142	27	448	171	763	231	321	111	212	75	
Separations per 1,000 population																	
75 Delivery without mention of complications	21.6	43.8	-	-	-	0.1	-	124.2	-	101.0	-	0.6	-	-	-	-	
5 Hypertrophy of tonsils and adenoids	9.5	9.3	0.6	0.1	28.1	26.9	5.0	10.0	2.0	2.0	0.2	0.3	0.1	0.1	-	-	
4 Pneumonia	8.8	9.3	73.4	63.3	22.6	19.0	2.9	3.2	3.1	3.9	5.9	5.9	15.7	11.3	28.0	22.3	
8 Arteriosclerotic and degenerative heart disease	5.4	6.6	4.2	4.1	-	-	-	0.1	1.3	0.3	13.5	6.1	33.8	24.7	54.8	45.0	
73 Complications of pregnancy	4.9	5.6	9.1	9.1	-	-	-	1.3	0.9	1.9	4.3	3.5	14.2	6.5	19.9	7.3	
6 Diseases of gallbladder and pancreas	4.5	-	-	-	-	-	-	25.5	-	20.9	-	0.2	-	-	-	-	
5 Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	4.1	2.1	0.4	0.4	0.1	0.1	0.3	3.5	1.7	8.0	4.6	11.1	3.5	15.1	-	-	
46 Diseases of respiratory infections	3.8	3.8	68.0	53.2	9.6	8.0	1.0	2.1	0.9	1.2	1.3	2.0	2.3	2.7	4.2	4.7	
56 Hernia of abdominal cavity	3.5	3.4	33.3	33.3	14.9	11.0	1.7	2.4	0.8	1.1	0.6	0.9	0.6	0.9	0.5	1.2	
	3.5	5.3	13.5	3.5	5.9	1.6	2.0	0.4	3.8	1.5	8.5	2.6	12.3	4.2	12.7	4.5	

.. Indicates less than 0.05

TABLE 7(k) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) see footnotes Table 7(a)

SASKATCHEWAN

NO.	DIAGNOSIS	ALL AGES				UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
<u>Separations</u>																				
75	Delivery without mention of complications	20669	-	20669	-	6	4	-	-	19	-	8854	-	11722	-	74	-	-	-	3
50	Hypertrophy of tonsils and adenoids	12827	6046	6581	978	738	1273	1416	3972	3509	841	286	277	50	64	2	4	-	-	428
48	Pneumonia	9983	5454	4531	916	587	1060	1096	601	713	218	386	548	706	609	453	293	700	-	200
49	Bronchitis	6727	3802	2925	916	587	1060	818	341	402	148	152	256	411	372	403	203	363	-	200
38	Arteriosclerotic and degenerative heart disease	5849	3616	2233	1	-	3	3	5	5	4	183	62	1211	583	1040	700	1163	876	
46	Acute upper respiratory infections	5548	2794	2654	643	521	1069	896	572	577	208	173	210	94	144	35	57	40	46	
73	Complications of pregnancy	5378	-	5378	-	-	-	-	3	-	2252	-	3098	-	25	-	-	-	-	225
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	4946	2479	2467	1038	783	628	603	253	275	174	119	199	145	209	81	124	103	122	
47	Influenza	4698	2219	2479	144	142	313	274	348	362	289	273	415	387	483	248	257	281	271	
61	Diseases of gallbladder and pancreas	4537	1268	3269	5	1	5	1	8	8	219	207	969	530	1272	268	458	378	586	

Separations per 1,000 population

.. Indicates less than 0.05

TABLE 7(1) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) see footnotes Table 7(a)

ALBERTA

NO.	DIAGNOSIS	ALL AGES				UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F						
Separations																																		
75	Delivery without mention of complications	33329	-	33329	-	11	-	9	2291	-	1796	-	4519	-	17	-	15049	-	18202	-	29	-	61	-	4	-	2	-	3	-	1			
50	Hypertrophy of tonsils and adenoids	15705	7655	8050	-	1051	813	586	1337	1730	1130	677	558	4975	422	897	376	328	42	733	496	674	440	325	215	594	385	347	201					
49	Bronchitis	6959	3934	3025	794	1033	586	341	109	161	216	325	571	1633	83	15049	18202	29	61	42	733	496	674	440	325	215	594	385	347	201				
73	Complications of pregnancy	6633	4267	2366	1	3	1	8	2	7	11	250	83	1633	23	614	1142	737	1223	917	69	69	69	69	69	69	69	69	69	69				
46	Acute upper respiratory infections	6618	3430	3120	695	1367	560	615	238	328	237	251	171	3551	202	614	1142	737	1223	917	69	69	69	69	69	69	69	69	69	69				
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	6239	3166	3073	1099	842	859	379	166	299	262	317	174	317	174	304	99	142	119	133	133	133	133	133	133	133	133	133	133	133				
61	Diseases of gallbladder and pancreas	6085	1767	4318	8	5	2	13	31	384	453	1545	710	1545	710	1529	334	539	213	298	298	298	298	298	298	298	298	298	298	298				
56	Hernia of abdominal cavity	4908	3730	1178	296	478	80	90	212	49	690	304	998	304	998	311	423	125	278	76	76	76	76	76	76	76	76	76	76	76				
Separations per 1,000 population																																		
75	Delivery without mention of complications	23.7	-	48.9	-	5	-	0.1	29.9	-	24.6	-	28.3	-	0.1	-	149.1	-	99.9	-	2	-	.6	-	.1	-	.1	-	.2	-	1			
50	Hypertrophy of tonsils and adenoids	11.2	10.6	11.8	6	17.5	42.3	32.8	17.5	15.4	4.2	2.6	3.4	6.0	3.4	8.9	2.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8				
48	Pneumonia	7.4	7.8	7.0	53.9	13.5	31.2	3.7	13.5	10.3	2.4	1.1	1.1	1.1	1.1	2.4	2.6	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4				
49	Bronchitis	5.0	5.4	4.4	40.7	13.5	31.2	2.2	13.5	10.3	2.4	1.1	1.1	1.1	1.1	1.6	1.1	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8				
73	Complications of pregnancy	4.7	5.9	3.5	0.1	..	0.1	0.1	1.3	0.1	1.3				
46	Acute upper respiratory infections	4.7	-	9.7	-	29.8	29.8	4.1	17.9	14.2	3.6	1.2	1.2	1.2	1.2	30.1	-	19.5	-	1.4	1.4	1.8	2.6	2.1	3.5	4.1	3.5	4.1	3.5	4.1				
58	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	4.4	4.4	4.5	56.4	11.0	45.7	2.5	11.0	8.8	2.5	2.5	2.5	2.5	1.6	3.0	1.4	1.7	1.4	1.4	2.8	3.1	5.1	19.3	10.7	17.5	10.7	17.5	10.7	17.5				
61	Diseases of gallbladder and pancreas	4.3	2.4	6.3	4.4	1.1	4.1	1.1	1.1	2.1	1.1	2.1	2.1	2.1	2.1	3.8	2.4	8.5	5.8	5.8	14.0	10.4	13.1	4.5	13.9	4.5	13.9	4.5	13.9	4.5				
56	Hernia of abdominal cavity	3.2	5.2	1.7	15.2	4.3	4.3	6	62	2.0	2.2	3.6	3.6	3.6	2.1	5	3.6	1.7	8.2	8.2	13.1	13.1	4.5	13.9	4.5	13.9	4.5	13.9	4.5	13.9	4.5			

.. Indicates less than 0.05

ALBERTA (Cont'd)

Average days stay of separations

.. Indicates less than 0.50

TABLE 7(m) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORNS) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) see footnotes Table 7 (a)

BRITISH COLUMBIA

[illegible]

... indicates less than 0.50

Table 7(m) Cont'd

TABLE 7(1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORNS) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) see footnotes Table 7(a)

YUKON

		ALL AGES		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+	
NO.	DIAGNOSIS	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Separations																			
75	Delivery without mention of complications	423	-	423	-	40	-	24	45	-	6	-	4	-	162	-	17	259	2
48	Pneumonia	210	132	78	-	133.3	120.0	45.0	23.0	-	5	-	23	-	13	10.0	7.5	10.0	10.0
73	Complications of pregnancy	125	-	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	Bronchitis	109	55	54	9	19	29	13	24	1	8	3	5	4	1	3	5	4	1
50	Hypertrophy of tonsils and adenoids	104	62	42	-	-	95.0	29.0	14.0	2.9	5.3	2.5	1.0	-	-	-	-	-	-
74	Abortion	81	-	81	-	-	-	13.0	9.0	22.4	16.0	8.8	1.7	-	-	-	-	-	-
53	Gastroenteritis and colitis except ulcerative, age 4 weeks and over	79	44	35	18	8	9	14	8	5	6	4	3	1	10	4	5	36	3
46	Acute upper respiratory infections	58	33	25	10	11	13	8	-	-	7	1	6	3	2	-	-	-	-
78	Infection of skin and subcutaneous tissue	51	32	19	2	1	8	5	-	-	6	4	3	6	3	3	6	3	3
71	Disorders of menstruation	47	-	47	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Separations per 1,000 population																			
75	Delivery without mention of complications	28.2	-	64.1	-	133.3	120.0	45.0	23.0	-	2.9	4.0	4.4	-	202.5	-	5.9	123.3	2.5
48	Pneumonia	14.0	15.7	11.8	-	133.3	120.0	45.0	23.0	-	2.9	4.0	4.4	-	202.5	-	5.9	123.3	2.5
73	Complications of pregnancy	8.3	-	18.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	Bronchitis	7.3	6.5	8.2	30.0	95.0	29.0	14.0	14.0	2.9	5.3	2.5	1.1	-	68.8	-	5.9	32.8	7.5
50	Hypertrophy of tonsils and adenoids	6.9	7.4	6.4	-	-	-	13.0	9.0	22.4	16.0	8.8	1.7	-	8.8	-	1.0	1.9	5.0
74	Abortion	5.4	-	12.3	-	-	-	-	-	-	-	-	-	-	22.5	-	-	30.0	-
53	Gastroenteritis and colitis except ulcerative, age 4 weeks and over	5.3	5.2	5.3	60.0	40.0	9.0	14.0	14.0	4.7	4.7	2.0	2.2	-	1.3	2.0	1.4	2.3	1.3
46	Acute upper respiratory infections	3.9	3.9	3.8	33.3	55.0	13.0	8.0	8.0	4.1	2.6	0.3	-	-	-	-	-	-	5.0
78	Infection of skin and subcutaneous tissue	3.4	3.8	2.9	6.7	5.0	8.0	5.0	5.0	3.5	2.7	1.5	3.3	4.6	3.8	15.0	4.6	3.8	15.0
71	Disorders of menstruation	3.1	-	7.1	-	-	-	-	-	-	0.7	-	-	-	12.5	-	-	17.1	-

ALL AGES

UNDER 1 1 - 4 5 - 14 15 - 24 25 - 44 45 - 64 65 - 74 75+

DIAGNOSES

Patient-days

75	Delivery without mention of complications	2512	392	189	369	122	46	16	937	1565	142	10	14	15	75	37
48	Pneumonia	1749	559	610	371	125	47	125	240	365	63	48	5	11	32	-
73	Complications of pregnancy	610	47	125	167	124	18	44	17	23	27	27	27	11	32	-
49	Bronchitis	712	24	24	24	101	54	71	24	6	-	-	-	-	-	-
50	Hypertrophy of tonsils and adenoids	267	-	-	-	-	-	-	-	244	-	-	-	-	-	-
74	Abortion	315	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Gastroenteritis and colitis except ulcerative, age 4 weeks and over	556	193	59	67	112	27	30	5	15	22	3	2	-	-	-
46	Acute upper respiratory infections	218	35	55	49	20	18	22	3	-	-	7	-	-	-	-
78	Infection of skin and subcutaneous tissue	286	3	6	55	40	28	29	4	21	31	16	23	-	-	-
71	Disorders of menstruation	164	-	-	-	-	-	7	34	123	-	-	-	-	-	-

Patient-days per 1,000 population

75	Delivery without mention of complications	167	1307	945	369	122	27	18	1171	745	109	12	70	75	POP+N	-
48	Pneumonia	117	85	92	167	124	11	29	300	174	48	6	-	-	NOT	-
73	Complications of pregnancy	41	157	625	24	24	59	36	30	11	34	34	-	55	-	-
49	Bronchitis	47	-	-	-	-	-	-	89	3	-	-	-	-	AVAILABLE	-
50	Hypertrophy of tonsils and adenoids	18	-	-	-	-	-	-	-	116	-	-	-	-	-	-
74	Abortion	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Gastroenteritis and colitis except ulcerative, age 4 weeks and over	37	643	295	67	112	16	20	6	7	17	4	-	10	-	-
46	Acute upper respiratory infections	15	117	275	49	20	10	15	-	1	-	9	-	-	-	-
78	Infection of skin and subcutaneous tissue	19	10	30	55	40	16	19	5	8	24	20	115	-	-	-
71	Disorders of menstruation	11	-	-	-	-	-	5	42	59	-	-	-	-	-	-

Average days stay of separations

75	Delivery without mention of complications	5.9	9.8	7.9	8.2	5.3	9.2	8.0	5.8	6.0	10.9	5.0	7.0	7.5	12.5	12.3
48	Pneumonia	8.3	7.2	7.9	8.2	5.3	9.2	8.0	4.0	7.1	10.9	8.0	7.0	7.5	12.5	12.3
73	Complications of pregnancy	4.9	4.9	-	-	-	-	-	-	5.3	-	5.0	-	-	-	-
49	Bronchitis	6.5	6.9	6.6	5.8	8.9	3.6	5.5	3.0	5.8	12.6	6.8	-	3.7	10.7	-
50	Hypertrophy of tonsils and adenoids	2.6	2.6	-	1.8	2.7	2.7	2.3	2.8	3.0	-	-	-	-	-	-
74	Abortion	3.9	3.9	-	-	-	-	-	-	3.9	-	-	-	-	-	-
58	Gastroenteritis and colitis except ulcerative, age 4 weeks and over	7.0	10.7	7.4	7.4	8.0	3.4	4.3	5.0	5.0	7.3	3.0	-	2.0	-	-
46	Acute upper respiratory infections	3.8	3.5	5.0	3.8	2.5	2.6	5.4	3.0	-	-	3.5	-	-	-	-
78	Infection of skin and subcutaneous tissue	5.7	6.1	6.0	6.9	8.0	4.7	7.9	4.0	3.9	4.9	6.3	7.7	-	-	-
71	Disorders of menstruation	3.5	3.5	-	-	-	-	7.0	3.4	3.4	-	-	-	-	-	-

TABLE 7 (o) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN (1) IN-PATIENTS (EXCLUDING NEWBORNS) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1963

(1) see footnotes Table 7(a)

NORTHWEST TERRITORIES

NO.	DIAGNOSIS	ALL AGES												UNDER 1				5 - 14				15 - 24				25 - 44				65 - 74				75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		T		M		F		M		F		M		F		M		F		M		F		M		F		M		F		M		F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

POP: N. NOT AVAILABLE

NORTHWEST TERRITORIES (Cont'd)

NO.	DIAGNOSIS	T	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F	M		F
-----	-----------	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---	---	--	---

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
NEWFOUNDLAND, 1963

Rank	U.K. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	777	Delivery, spontaneous	11,396	4861.8 (4)	199.6
2	261	Tonsillectomy with adenoidectomy	1,158	240.7	20.3
3	778	Delivery, low forceps	1,134	483.8 (4)	19.9
4	789	Dilatation & curettage, obstetrical	1,061	452.6 (4)	18.6
5	441	Appendectomy	977	203.1	17.1
6	732	Curettage of uterus	822	350.7 (4)	14.4
7	804	Closed reduction of fracture	760	158.0	13.3
8	402	Hernioplasty, inguinal	506	105.2	8.9
9	262	Tonsillectomy without adenoidectomy	488	101.5	8.5
10	765	Caesarean section, without mention of hysterectomy	449	191.6 (4)	7.9
11	682	Circumcision	402	163.0 (3)	7.0
12	938	Suture of superficial wounds	352	73.2	6.2
13	521	Cholecystectomy	333	69.2	5.8
14	649	Cystoscopy	274	57.0	4.8
15	722	Hysterectomy, total	271	115.6 (4)	4.7
16	930	Incision & drainage, superficial	268	55.7	4.7
17	749	Other operations on vagina	251	107.1 (4)	4.4
18	423	Gastrectomy, partial	232	48.2	4.1
19	483	Hemorrhoidectomy	229	47.6	4.0
20	404	Hernioplasty	199	41.4	3.5
21	724	Hysterectomy, vaginal	189	80.6 (4)	3.3
22	467	Sigmoidoscopy	189	39.3	3.3
23	934	Excision of other skin	183	38.0	3.2
24	806	Reduction of fracture with fixation	177	36.8	3.1
25	942	Skin graft (except of face)	159	33.1	2.8
26	619	Other operations on kidney	159	33.1	2.8

(1) Table 8 Newfoundland is based on (U.K.) Code only.

(3) Based on male population (2) Population: T: 481,000 M: 246,600 F: 234,400

(5) Separations: T: 57,084 (excluding newborn)

(4) Based on female population

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)

PRINCE EDWARD ISLAND, 1963

Rank	U.S.Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	69.2	Circumcision	572	1045.7 (3)	32.4
2	27.2	Tonsillectomy with adenoidectomy	417	389.7	23.6
3	72.8	Dilatation and curettage of uterus	323	617.6 (4)	18.3
4	45.1	Appendectomy	308	287.8	17.4
5	77.1	Dilatation and curettage of uterus after abortion	242	462.7 (4)	13.7
6	53.5	Cholecystectomy	175	163.6	9.9
7	90.6	Cystoscopy and urethrosomy without effect upon tissue or lesion	161	150.5	9.1
8	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	158	147.7	8.9
9	89.0	Incision of skin and subcutaneous tissue	118	110.3	6.7
10	41.0	Repair of inguinal hernia except recurrent	117	109.3	6.6
11	82.3	Closed reduction of fracture of extremity of long bone	116	108.4	6.6
12	78.4	Caesarean section	113	216.1 (4)	6.4
13	72.6	Hysterectomy, vaginal	84	160.6 (4)	4.8
14	40.1	Exploratory laparotomy or celiotomy	82	76.6	4.6
15	49.3	Hemorrhoidectomy	74	69.2	4.2
16	89.4	Suture of skin and subcutaneous tissue	74	69.2	4.2
17	27.1	Tonsillectomy without adenoidectomy	72	67.3	4.1
18	24.2	Surgical removal of tooth	71	66.4	4.0
19	88.4	Excision and ligation of varicose veins	65	60.7	3.7
20	76.5	Delivery with low forceps without episiotomy	48	91.8 (4)	2.7
21	38.8	Biopsy of breast	45	42.1	2.5
22	90.5	Proctoscopy without effect upon tissue or lesion	44	41.1	2.5
23	84.0	Arthroplasty of hip without mechanical device	43	40.2	2.4
24	66.2	Prostatectomy	41	75.0 (3)	2.3
25	41.1	Repair of recurrent inguinal hernia	40	37.4	2.3

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operations Classifications — Classification of Operations and Treatments, U.S. Department of Health, Education and Welfare, Public Health Service, 1959.

(2) Population: T: 107,000 M: 54,700 F: 52,300

(5) Separations: T: 17,660 (excluding newborn)

(4) Based on Female Population

(3) Based on Male Population

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
NOVA SCOTIA, 1963

Rank	U.S.Code	Operation or Treatment	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	272,27.1	Tonsillectomy with and without adenoidectomy	5717	756.2	53.7
2	76.3	Episiotomy (includes that with or without forceps)	3106	834.0 (3)	29.2
3	72.8	Dilatation and curettage of uterus (includes endometrial biopsy, therapeutic abortion and after delivery or abortion)	2513	674.8 (3)	23.6
4	69.2	Circumcision	2282	594.9 (2)	21.5
5	45.1	Appendectomy (includes that with or without drainage)	2188	289.4	20.6
6	41.0	Repair of inguinal hernia except recurrent	1217	161.0	11.4
7	53.5	Cholecystectomy (includes resection of gallbladder)	1154	152.6	10.8
8	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	1037	137.2	9.7
9	72.4	Abdominal hysterectomy (complete or total)	836	224.5 (3)	7.9
10	78.4	Caesarean section (classical, low cervical extraperitoneal vaginal and type unspecified)	794	213.2 (3)	7.5

(1) Population: T: 756,000 M: 383,600 F: 372,400
 (2) Based on male population
 (3) Based on female population
 (4) Separations: T: 106,370 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
QUEBEC, 1963

Rank	U.S.Code	Operation or Treatment	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	38,366	701.6	52.0
2	77.1	Dilatation and curettage after delivery or abortion	14,384	526.2 (3)	19.5
3	45.1	Appendectomy	14,146	258.7	19.2
4	53.5	Cholecystectomy	13,018	238.1	17.6
5	27.1	Tonsillectomy without adenoidectomy	10,816	197.8	14.6
6	41.0	Repair of inguinal hernia (except recurrent)	10,263	187.7	13.9
7	72.8	Dilatation and curettage of uterus	8,862	324.2 (3)	12.0
8	89.1	Excision and destruction of lesion of skin or subcutaneous tissue	8,702	159.1	11.8
9	24.1	Extraction of tooth (simple)	8,071	147.6	10.9
10	72.4	Hysterectomy, complete or total	7,038	257.5 (3)	9.5
11	76.3	Episiotomy without forceps	5,674	207.6 (3)	7.7
12	49.3	Haemorrhoidectomy	5,506	100.7	7.5
13	89.4	Suture of wounds (skin and subcutaneous tissue)	4,801	87.8	6.5
14	81.9	Other repair and plastic operations on bones	4,677	85.5	6.3
15	73.1	Local excision and destruction of lesion of cervix	4,388	80.2	5.9
16	89.0	Incision of skin and subcutaneous tissue	4,168	76.2	5.6
17	69.2	Circumcision	4,114	150.4 (2)	5.6
18	82.0	Closed reduction of fracture of shaft of long bone	3,511	64.2	4.8
19	88.4	Excision and ligation of varicose veins	2,940	53.8	4.0
20	78.4	Caesarean section	2,628	96.1 (3)	3.6
21	21.1	Operations on nasal septum	2,619	47.9	3.5
22	38.1	Partial mastectomy	2,566	93.9 (3)	3.5
23	82.3	Closed reduction of fracture of extremity of long bone	2,561	46.8	3.5
24	20.4	Operations on tympanum	2,467	45.1	3.3
25	89.2	Removal of nail	2,286	41.8	3.1

(1) Population: T: 5,468,000 M: 2,734,500 F: 2,733,500 (2) Based on male population
(3) Based on female population (4) Separations: T: 738,493 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
ONTARIO, 1963

Rank	U.S.Code	Operation or Treatment	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	64,520	1000.6	64.9
2	72.8	Dilatation and curettage of uterus	25,643	798.4 (3)	25.8
3	45.1	Appendectomy	19,489	302.2	19.6
4	77.1	Dilatation and curettage after delivery or abortion	18,715	582.7 (3)	18.8
5	41.0	Repair of inguinal hernia, except recurrent	17,263	267.7	17.4
6	27.1	Tonsillectomy without adenoidectomy	16,750	259.8	16.8
7	76.3	Episiotomy without low forceps	12,444	387.5 (3)	12.5
8	53.5	Cholecystectomy	11,538	178.9	11.6
9	76.5	Delivery by low forceps without episiotomy	10,792	336.0 (3)	10.8
10	89.1	Excision and destruction of lesion of skin and sub-cutaneous tissue	8,046	124.8	8.1
11	88.4	Excision and ligation of varicose veins	7,273	112.8	7.3
12	76.4	Delivery by low forceps with episiotomy	7,139	222.3 (3)	7.2
13	24.1	Extraction of tooth (simple)	7,012	108.7	7.0
14	72.4	Hysterectomy, complete or total	6,495	202.2 (3)	6.5
15	49.3	Hemorrhoidectomy	6,393	99.1	6.4
16	89.4	Suture	5,902	91.5	5.9
17	66.2	Prostatectomy, transurethral	4,488	138.7 (2)	4.5
18	78.4	Caesarean section, type unspecified	4,467	139.1 (3)	4.5
19	89.0	Incision of skin and subcutaneous tissue	4,208	65.3	4.2
20	82.3	Closed reduction of fracture of extremity of long bone	3,892	60.4	3.9
21	82.0	Closed reduction of fracture of shaft of long bone	3,705	57.5	3.7
22	38.1	Partial mastectomy	3,705	57.5	3.7
23	21.1	Operations on nasal septum	3,413	52.9	3.4
24	69.2	Circumcision	3,193	98.7 (2)	3.2
25	89.6	Skingraft except of lip and mouth	3,121	48.4	3.1

(1) Population: T: 6,443,000 M: 3,236,400 F: 3,211,600 (2) Based on male population
(3) Based on female population (4) T: 994,695 (excluding newborn)

TABLE 3 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
MAINTOBA, 1963

Rank	U.S.Code	Operation or Treatment	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	7,322	770.7	44.2
2	45.1	Appendectomy, with or without drainage	2,262	238.1	13.7
3	24.1	Extraction of tooth (simple)	2,204	232.0	13.3
4	41.0	Repair of inguinal hernia except recurrent	2,177	229.2	13.1
5	72.8	Dilatation and curettage of uterus	2,169	463.0 (3)	13.1
6	53.5	Cholecystectomy	1,945	204.7	11.7
7	27.1	Tonsillectomy without adenoidectomy	1,411	148.5	8.5
8	82.3	Closed reduction of fracture of extremity of long bone	1,036	109.1	6.3
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	774	81.5	4.7
10	88.4	Excision and ligation of varicose veins	745	78.4	4.5
11	49.3	Hemorrhoidectomy	742	78.1	4.5
12	89.4	Suture of skin and subcutaneous tissue	709	74.6	4.3
13	21.1	Operations on nasal system	649	68.3	3.9
14	17.4	Extraction of lens, intracapsular	621	65.4	3.7
15	66.2	Prostatectomy, transurethral	602	125.0 (2)	3.6
16	72.4	Hysterectomy, complete	556	118.7 (3)	3.4
17	82.0	Closed reduction of fracture of shaft of long bone	550	57.9	3.3
18	89.0	Incision of skin and subcutaneous tissue	497	52.3	3.0
19	74.4	Repair of cystocele and/or rectocele	479	102.2 (3)	2.9
20	38.1	Partial mastectomy	444	46.7	2.7
21	82.5	Open reduction of fracture of extremity of long bones with fixation	426	44.8	2.6
22	11.3	Advancement or recession of eye muscle	399	42.0	2.4
23	69.2	Circumcision	376	78.1 (2)	2.3
24	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	371	39.1	2.2
25	21.4	Rhinoplasty and repair of nose	310	32.6	1.9

(1) Population: T: 950,000 M: 481,500 F: 468,500 (2) Based on male population
(3) Based on female population (4) Separations: 165,632 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN).
SASKATCHEWAN, 1963

Rank	U.S.Code	Operation or Treatment	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	10,732	1,132.5	52.5
2	72.8	Dilatation and curettage of uterus	3,918	849.3 (3)	19.1
3	45.1	Appendectomy	3,066	323.6	15.0
4	24.1	Extraction of tooth (simple)	2,621	276.6	12.8
5	41.0	Repair of inguinal hernia except recurrent	2,919	213.1	9.9
6	27.1	Tonsillectomy without adenoidectomy	1,731	183.1	8.5
7	53.5	Cholecystectomy	1,701	179.5	8.3
8	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion			
9	93.2	Pyelography	1,600	168.8	7.8
10	89.1	Excision and destruction of lesions of skin and subcutaneous tissue	1,409	148.7	6.9
11	72.4	Hysterectomy (complete)	1,327	140.0	6.5
12	38.4	Excision and ligation of varicose veins	1,161	251.7 (3)	5.7
13	49.3	Haemorrhoidectomy	922	97.3	4.5
14	89.4	Suturing of skin and subcutaneous tissue	920	97.1	4.5
15	66.2	Prostatectomy, transurethral	901	95.1	4.4
16	89.0	Incision of skin and subcutaneous tissue	883	181.6 (2)	4.3
17	82.0	Closed reduction of fracture of shaft of long bone	830	87.6	4.1
18	74.4	Repair of cystocele and/or rectocele	706	74.5	3.5
19	32.3	Closed reduction of fracture of extremity of long bone	703	152.4 (3)	3.4
20	33.1	Partial mastectomy	676	71.3	3.3
21	90.5	Proctoscopy without effect upon tissue or lesion	635	137.6 (3)	3.1
22	64.5	Dilatation of Urethra	625	67.0	3.1
23	21.1	Operations on nasal septum	620	65.4	3.0
24	77.3	Repair of other obstetrical lacerations	595	62.8	2.9
25	69.2	Circumcision	578	125.3 (1)	2.8
			565	116.2 (2)	2.8

- (1) Rates based on a total of 947,591 beneficiaries, both sexes, except where noted.
 (2) Rates based on 486,253 male beneficiaries.
 (3) Rates based on 461,338 female beneficiaries.
 (4) Separations: 204,603 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
ALBERTA, 1963

Rank	U.S.Code	Operation or Treatment	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	13,083	931.2	48.0
2	72.8	Dilatation and curettage of uterus	4,729	694.4 (3)	17.3
3	45.1	Appendectomy	4,344	309.2	15.9
4	77.1	Dilatation and curettage after delivery or abortion	3,801	558.1 (3)	13.9
5	41.0	Repair of inguinal hernia except recurrent	3,258	231.9	11.9
6	53.5	Cholecystectomy	2,852	203.0	10.5
7	24.1	Extraction of tooth (simple)	2,748	195.6	10.1
8	89.1	Excision and destruction of lesion of skin and sub- cutaneous tissue	2,047	145.7	7.5
9	27.1	Tonsillectomy without adenoidectomy	2,047	145.7	7.5
10	89.4	Suture	1,702	121.1	6.2
11	72.4	Hysterectomy, complete or total	1,557	228.6 (3)	5.7
12	82.3	Closed reduction of fracture of extremity of long bone	1,489	106.0	5.5
13	89.0	Incision of skin and subcutaneous tissue	1,471	104.7	5.4
14	88.4	Excision and ligation of varicose veins	1,460	103.9	5.4
15	93.2	Pyelography	1,363	97.0	5.0
16	49.3	Hemorrhoidectomy	1,282	91.2	4.7
17	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,249	88.9	4.6
18	82.0	Closed reduction of fracture of shaft of long bone	1,137	80.9	4.2
19	66.2	Prostatectomy, transurethral	1,017	140.5 (2)	3.7
20	78.1	Caesarean section, low cervical	905	132.9 (3)	3.3
21	21.1	Operations on nasal septum	895	63.7	3.3
22	38.8	Biopsy of breast	730	52.0	2.7
23	17.4	Extraction of lens, intracapsular	725	51.6	2.7
24	44.2	Partial or subtotal gastrectomy	671	47.8	2.5
25	69.2	Circumcision	641	88.5 (2)	2.3

(1) Population: T: 1,405,000 M: 724,000 F: 681,000 (2) Based on male population
(3) Based on female population (4) Separations: T: 272,838 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
BRITISH COLUMBIA, 1963

Rank	U.S.Code	Operation or Treatment	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	15,583	919.4	55.0
2	72.8	Dilatation and curettage of uterus	5,639	675.0 (3)	19.9
3	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	5,070	299.1	17.9
4	41.0	Repair of inguinal hernia except recurrent	3,916	231.0	13.8
5	77.1	Dilatation and curettage after delivery or abortion	3,548	424.7 (3)	12.5
6	45.1	Appendectomy	3,496	206.3	12.3
7	24.1	Extraction of tooth (simple)	3,240	191.2	11.4
8	27.1	Tonsillectomy without adenoidectomy	2,798	165.1	9.9
9	53.5	Cholecystectomy	2,527	149.1	8.9
10	88.4	Excision and ligation of varicose veins	2,254	133.0	7.9
11	72.4	Hysterectomy, complete or total	2,206	264.1 (3)	7.8
12	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,057	121.4	7.3
13	66.2	Prostatectomy, transurethral	2,032	236.4 (2)	7.2
14	49.3	Hemorrhoidectomy	1,775	104.7	6.3
15	89.4	Suture	1,391	82.1	4.9
16	81.9	Other repair and plastic operations on bones	1,305	77.0	4.6
17	82.0	Closed reduction of fracture of shaft of long bone	1,300	76.7	4.6
18	82.3	Closed reduction of fracture of extremity of long bone	1,240	73.2	4.4
19	38.1	Partial mastectomy	1,221	146.2 (3)	4.3
20	17.4	Extraction of lens, intracapsular	1,217	71.8	4.3
21	20.4	Operations on tympanum	1,049	61.9	3.7
22	89.0	Incision of skin and subcutaneous tissue	1,015	59.9	3.6
23	21.4	Rhinoplasty and repair of nose	944	55.7	3.3
24	44.2	Partial or subtotal gastrectomy	942	55.6	3.3
25	64.5	Dilatation of urethra	935	55.2	3.3

(1) Population: T: 1,695,000 M: 859,600 F: 835,400 (2) Based on male population
(3) Based on female population (4) Separations: 283,371 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
YUKON, 1963

Rank	U.S.Code	Operation or Treatment	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	82	546.7	28.6
2	72.8	Dilatation and curettage of uterus	50	757.6 (3)	17.4
3	77.1	Dilatation and curettage after delivery or abortion	49	742.4 (3)	17.1
4	45.1	Appendectomy	34	226.7	11.9
5	88.4	Excision and ligation of varicose veins	23	153.3	8.0
6	76.3	Episiotomy without low forceps	22	333.3 (3)	7.7
7	27.1	Tonsillectomy without adenoidectomy	20	133.3	7.0
8	89.0	Incision of skin and subcutaneous tissue	20	133.3	7.0
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	20	133.3	7.0
10	41.0	Incision of abdominal wall and umbilicus	17	113.3	5.9
11	53.5	Cholecystectomy	17	113.3	5.9
12	76.5	Delivery by low forceps without episiotomy	16	242.4 (3)	5.6
13	03.3	Spinal rupture	15	100.0	5.2
14	69.2	Circumcision	15	178.6 (2)	5.2
15	49.3	Hemorrhoidectomy	14	93.3	4.9
16	24.1	Extraction of tooth (simple)	14	93.3	4.9
17	82.3	Closed reduction of fracture of extremity of long bone	13	86.7	4.5
18	78.4	Caesarean section, type unspecified	13	86.7	4.5
19	72.4	Hysterectomy, complete or total	13	197.0 (3)	4.5
20	89.4	Suture	12	80.0	4.2
21	82.0	Closed reduction of fracture of shaft of long bone	11	73.3	3.8
22	76.9	Other operations inducing or assisting delivery	11	166.7 (3)	3.8
23	76.0	Artificial rupture of membranes	11	73.3	3.8
24	66.2	Prostatectomy, transurethral	11	131.0 (2)	3.8
25	38.1	Partial mastectomy	11	73.3	3.8

(1) Population: T: 15,000 M: 8,400 F: 6,600 (2) Based on male population
(3) Based on female population (4) Separations: 2,867 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN)
NORTHWEST TERRITORIES, 1963

Rank	U.S.Code	Operation or Treatment	Number of Separations	Rate per 100,000 Population (1)	Rate per 1,000 Total Separations (4)
1	27.2	Tonsillectomy with adenoidectomy	139	579.2	21.2
2	76.3	Episiotomy without low forceps	80	747.7 (3)	12.2
3	72.8	Dilatation and curettage of uterus	72	672.9 (3)	11.0
4	77.1	Dilatation and curettage after delivery or abortion	39	364.5 (3)	5.9
5	45.1	Appendectomy	37	154.2	5.6
6	41.0	Incision of abdominal wall and umbilicus	31	129.2	4.7
7	53.5	Cholecystectomy	31	129.2	4.7
8	24.1	Extraction of tooth (simple)	28	116.7	4.3
9	03.3	Spinal puncture	26	108.3	4.0
10	82.0	Closed reduction of fracture of shaft of long bone	26	108.3	4.0
11	89.0	Incision of skin and subcutaneous tissue	25	104.2	3.8
12	89.4	Suture	16	66.7	2.4
13	93.2	Retrograde pyelography	15	62.5	2.3
14	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	15	62.5	2.3
15	76.5	Delivery by low forceps without episiotomy	15	140.2 (3)	2.3
16	69.2	Circumcision	14	105.3 (2)	2.1
17	82.3	Closed reduction of fracture of extremity of long bone	14	58.3	2.1
18	90.5	Proctoscopy without effect upon tissue or lesion	13	54.2	2.0
19	27.1	Tonsillectomy without adenoidectomy	12	50.0	1.8
20	72.4	Hysterectomy complete or total	11	102.8 (3)	1.7
21	89.6	Skin graft except of lip and mouth	11	45.8	1.7
22	90.3	Bronchoscopy without effect upon tissue or lesion	10	41.7	1.5
23	49.3	Hemorrhoidectomy	10	41.7	1.5
24	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	9	37.5	1.4
25	89.2	Removal of nail	9	37.5	1.4

(1) Population: T: 24,000 M: 13,300 F: 10,700 (2) Based on male population
(3) Based on female population (4) Separations: 6,570 (Excluding newborn)

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR IN-PATIENTS (EXCLUDING NEWBORNS), NEWFOUNDLAND, 1963.

U.K. Code	U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
001-049 024	01-06	1 1 (i)	Operations on nervous system Spinal puncture	246 27	9340 956	0.8 0.1	3.0 0.3
			Residual	219	8384	0.8	2.7
070-099 072	08-09	2 2 (i)	Operations on endocrine system Thyroidectomy, total	74 32	1172 443	0.3 0.1	0.4 0.1
			Residual	42	729	0.1	0.2
100-199 112 109-115 170-179	10-18 11 17	3 3 (i) 3 (ii) 3 (iii)	Operations on eye Advancement or recession of eye muscle Operations on eye (ocular) muscles Operations on lens	532 (111) 184 118	8161 (1010) 1763 2644	1.8 0.6 0.4	2.7 0.6 0.9
			Residual	230	3754	0.8	1.2
200-249 206 200-209 210-229 211	20-22 20 21 21.1	4 4 (i) 4 (ii) 4 (iii) 4 (iv)	Operations on ear, nose, and throat Operations on mastoid antrum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	214 (23) 66 103 (16)	2917 (633) 1027 973 (120)	0.7 0.2 0.4	1.0 0.3 0.3
			Residual	45	917	0.2	0.3
250-299 261 251-253 261-264	24-28 24.1-24.3 27.1-27.4	5 5 (i) 5 (ii) 5 (iii)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids	1930 (1158) 109 1673	9715 (4431) 799 6576	6.6 0.4 5.7	3.2 0.3 2.1
			Residual	148	2340	0.5	0.8

		Percent Distribution of					
U.K. Code	U.S. Code	Group	Operation or Treatment	Cases	Days	Cases	Days
300-329	30-31	6	Operations on heart and great vessels	61	1948	0.2	0.6
305		6 (i)	Repair of congenital defect of heart	(22)	(636)		
303-305	30.2-30.3	6 (ii)	Repair of heart and pericardium and operations on valves	22	636	0.1	0.2
311-312							
			Residual	39	1312	0.1	0.4
360-369	33-35	7	Operations on bronchus, lung, pleura, chest-wall, and mediastinum	114	3669	0.4	1.2
373		7 (i)	Bronchoscopy	50	1291	0.2	0.4
			Residual	64	2378	0.2	0.8
380-399	38	8	Operations on breast	233	3621	1.0	1.2
381		8 (i)	Mastectomy, partial	(112)	(881)		
381-383	38.1-38.3	8 (ii)	Mastectomy	204	3169	0.7	1.0
			Residual	79	452	0.3	0.1
400-499	40-49	9	Operations on gastro-intestinal tract	3103	46123	10.7	15.0
441		9 (i)	Appendectomy	(977)	(10060)		
400	40.1	9 (ii)	Exploratory laparotomy or celiotomy	140	3172	0.5	1.0
402-404	41	9 (iii)	Repair of hernia	730	8943	2.5	2.9
422-423	44.2-44.3	9 (iv)	Gastrectomy	233	5738	0.8	1.9
440-449	45	9 (v)	Operations on appendix	999	10450	3.4	3.4
483	49.3	9 (vi)	Hemorrhoidectomy	229	2699	0.8	0.9
			Residual	772	15121	2.7	4.9
500-550	51-56	10	Operations on liver, biliary tract, pancreas and spleen	380	7963	1.3	2.6
521		10 (i)	Cholecystectomy	333	6501	1.1	2.1
			Residual	47	1462	0.2	0.5

U.K. Code	U.S. Code	Group	Operation or Treatment	Percent Distribution of		
				Cases	Cases	Days
600-669 649	60-64	11 11 (i)	Operations on urinary system Cystoscopy	851 274	2.9 0.9	5.0 1.1
			Residual	577	2.0	3.9
670-699 682	66-69	12 12 (i)	Operations on male genital system Circumcision	760 402	2.6 1.4	3.2 0.7
672-677	66.1-66.3	12 (ii)	Prostatectomy	185	0.6	1.7
			Residual	173	0.6	0.7
700-759 732	70-75	13	Operations on female genital organs excluding obstetrical	2151	7.4	7.2
701-703	70.2-70.5	13 (i)	Dilatation and curettage of uterus	822	2.8	1.5
721-724	72.3-72.6	13 (ii)	Oophorectomy	160	0.5	0.7
743, 748	74.3	13 (iv)	Hysterectomy Colporrhaphy	461 77	1.6 0.3	2.8 0.4
			Residual	631	2.2	1.8
760-799 777	76-78	14 14 (i)	Obstetrical procedures Delivery, spontaneous	14502 11396	49.8 39.1	25.1 18.6
761	76.3-76.4	14 (ii)	Episiotomy (Not Coded)	-	-	-
789	77.1	14 (iii)	Dilatation and curettage after delivery or abortion	1061	3.6	1.4
765-766	78.0-78.4	14 (iv)	Caesarean section	453	1.6	1.8
			Residual	1592	5.5	3.3

U.K. Code	U.S. Code	Group	Operation or Treatment	Percent Distribution of		
				Cases	Days	Days
800,899	80-87	15	Operations on musculoskeletal system			
804		15 (i)	Closed reduction of fracture	2198 (760)	62001 (10280)	7.5
805-806	82	15 (ii)	Reduction of fracture	1011	19926	3.5
800-899	87.0-87.4	15 (iii)	Amputation and disarticulation of extremities	72	1081	0.2
			Residual	1115	40994	3.8
900-929	88	16	Operations on peripheral blood vessels and lymphatic system			
919		16 (i)	Other operations on veins	236 (109)	5078 (1671)	0.8
913,916,919	98.4	16 (ii)	Excision and ligation of varicose veins	139	2056	0.5
			Residual	97	3022	0.3
920-949	89	17	Operations on skin and subcutaneous tissue			
938		17 (i)	Suture of superficial wounds	1381 (352)	18864 (2704)	4.7
930-932	89.0	17 (ii)	Incision of skin and subcutaneous tissue	309	2706	1.1
933,935,937	89.1	17 (iii)	Excision and destruction of lesion of skin and subcutaneous tissue	402	4972	1.4
936	89.2	17 (iv)	Removal of nail	89	750	0.3
938	89.4	17 (v)	Suture	352	2704	1.2
			Residual	229	7732	0.8
950-999	90-99	18	Other surgical procedures			
953		18 (i)	Application of external supporting apparatus	116	2083	0.4
	90.5	18 (ii)	Proctoscopy without effect upon tissue or lesion	66	976	0.2
	90.6	18 (iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	INCLUDED IN 478		
	92.0	18 (iv)	Encephalography and ventriculography	"	649	"
	93.2	18 (v)	Pyelography	"	"	"
	99.3	18 (vi)	Exchange Transfusion	"	951	"
			Residual	50	1107	0.2
			Total	29132	306693	100.0
						100.0

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS), PRINCE EDWARD ISLAND, 1963.

U.S. Code	Group	Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
01-06	1	Operations on nervous system	49	1147	1.0	2.1
01.0	1 (i)	Craniotomy	13	542	0.3	1.0
		Residual	36	605	0.7	1.1
03-09	2	Operations on endocrine system	58	749	1.2	1.4
03.1	2 (i)	Partial or sub-total thyroidectomy	26	342	0.5	0.6
		Residual	32	407	0.7	0.7
10-13	3	Operations on eye	56	536	1.2	1.0
17.0	3 (i)	Dissection of lens or cataract	(22)	(285)		
11	3 (ii)	Operations on eye muscles	5	28	0.1	0.1
17	3 (iii)	Operations on lens	22	285	0.5	0.5
		Residual	29	223	0.6	0.4
20-22	4	Operations on ear, nose and throat	76	758	1.6	1.4
21.5	4 (i)	Reduction of fracture of nasal bones	(16)	(68)		
20	4 (ii)	Operations on ear	27	216	0.6	0.4
21	4 (iii)	Operations on accessory sinuses	40	270	0.8	0.5
21.1	4 (iv)	Operations on nasal septum	(2)	(10)		
		Residual	9	272	0.2	0.5
24-28	5	Operations on buccal cavity and esophagus	666	2551	13.8	4.6
27.2	5 (i)	Tonsillectomy and adenoidectomy	(264)	(790)		
24.1-24.3	5 (ii)	Extraction of tooth and root section	57	97	1.2	0.2
27.1-27.4	5 (iii)	Operations on tonsils and adenoids	227	817	4.7	1.5
		Residual	382	1637	7.9	3.0

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
30-31	6	Operations on heart and great vessels	13	349	0.6
30.2	6 (i)	Repair of heart and pericardium	(6)	(144)	
30.2-30.3	6 (ii)	Repair of heart and pericardium and operations on valves	9	228	0.4
		Residual	4	121	0.2
33-35	7	Operations on bronchus, lung, pleura, chest-wall and mediastinum	17	283	0.5
35.0	7 (i)	Pneumonotomy	3	44	0.1
		Residual	14	239	0.4
38	8	Operations on breast	96	840	1.5
38.8	8 (i)	Biopsy of breast	46	250	1.0
38.1-38.3	8 (ii)	Mastectomy	50	590	1.1
		Residual	-	-	-
40-49	9	Operations on gastro-intestinal tract	852	10567	19.1
45.1	9 (i)	Appendectomy	(318)	(2789)	
40.1	9 (ii)	Exploratory laparotomy or celiotomy	82	1791	3.2
41	9 (iii)	Repair of hernia	210	1833	3.3
44.2-44.3	9 (iv)	Gastrectomy	35	750	1.4
45	9 (v)	Operations on appendix	74	768	1.4
49.3	9 (vi)	Hemorrhoidectomy	-	-	-
		Residual	451	5425	9.8
51-56	10	Operations on liver, biliary tract, pancreas and spleen	197	3457	6.2
53.5	10 (i)	Cholecystectomy	178	2920	5.3
		Residual	19	537	1.0

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases Days
60-64 64.5	11 11 (I)	Operations on urinary system Dilatation of urethra	88 30	1350 194	1.8 0.6 2.4 0.4
66-69 69.2 66.1-66.3	12 12 (i) 12 (ii)	Operations on male genital system Circumcision Prostatectomy	58 184 73 63	1156 2719 330 1966	1.2 3.8 1.5 1.4 2.1 4.9 0.6 3.6
70-75 72.8 70.2-70.5 72.3-72.6 74.3 74.4	13 13 (i) 13 (ii) 13 (iii) 13 (iv) 13 (v)	Operations on female genital organs excluding obstetrical Dilatation and curettement of uterus Oophorectomy Hysterectomy Colporrhaphy Repair of cystocele and/or rectocele	43 627 329 7 136 6 10	423 4698 1477 86 1798 49 115	0.9 13.0 6.8 0.1 2.8 0.1 0.2 0.3 3.5 2.7 0.2 3.2 0.1 0.2
76-78 77.1 76.3-76.4 78.0-78.4	14 14 (i) 14 (ii) 14 (iii)	Obstetrical procedures Dilatation after delivery or abortion Episiotomy Caesarean section	139 427 251 2 113	1173 2460 809 16 1259	2.9 3.8 5.2 0.0 2.3 2.1 4.4 1.5 0.0 2.3
80-87 82.3 82 82.0, 82.3, 82.6 87.0-87.9	15 15 (i) 15 (ii) 15 (iii) 15 (iv)	Operations on musculoskeletal system Closed reduction of fracture of extremity of long bone Reduction of fracture Closed reduction of fracture Amputation and disarticulation of extremities	61 592 (120) 256 150 39 297	376 14179 (772) 3233 (1009) 1325 9621	1.3 12.2 5.3 0.8 6.1 0.7 25.6 5.8 2.4 17.4
		Residual			

PRINCE EDWARD ISLAND (Cont'd)

- 253 -

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
88	16	Operations on peripheral blood vessels and lymphatic system	78	706	1.3
88.4	16 (i)	Excision and ligation of varicose veins	65	553	1.0
		Residual	13	153	0.3
89	17	Operations on skin and subcutaneous tissue	423	3778	6.8
89.1	17 (i)	Excision and destruction of lesion and subcutaneous tissue	163	1400	2.5
89.0	17 (ii)	Incision of skin and subcutaneous tissue	122	1072	1.9
89.2	17 (iii)	Removal of nail	24	264	0.5
89.4	17 (iv)	Suture	78	328	0.6
		Residual	36	714	1.3
90-93	18	Certain non-surgical services	330	4216	7.6
90.6	18 (i)	Cystoscopy and urethroscopy without effect upon skin or lesion	180	2574	4.6
90.5	18 (ii)	Proctoscopy without effect upon skin of lesion	48	403	0.7
92.0	18 (iii)	Encephalography and ventriculography	12	94	0.2
93.0	18 (iv)	Pyelography	-	-	-
99.3	18 (v)	Exchange transfusion	1	8	0.0
		Residual	97	1137	2.1
		Total	4837	55343	100.0

TABLE 9 - OPERATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS
(EXCLUDING NEWBORNS), QUEBEC, 1963

U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
01-06 01.0	1 1 (i)	Operations on nervous system Craniotomy	3572 555	90243 17138	1.1 0.2	2.7 0.5
		Residual	3017	73105	1.0	2.2
03-09 03.1	2 2 (i)	Operations on endocrine system Partial or subtotal thyroidectomy	1375 769	22805 11833	0.4 0.2	0.7 0.4
		Residual	606	10972	0.2	0.3
10-13 17.4 11 17	3 3 (i) 3 (ii) 3 (iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	8562 (2194) 2556 2528	91377 (34962) 11949 39750	2.8 0.8 0.8	2.7 0.4 1.2
		Residual	3478	39678	1.1	1.1
20-22 21.1 20 21 21.1	4 4 (i) 4 (ii) 4 (iii) 4 (iv)	Operations on ear, nose, and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	13525 (2619) 5318 6993 (2619)	124052 (16921) 50481 50074 (16921)	4.4 1.7 2.2	3.7 1.5 1.5
		Residual	1214	23497	0.4	0.7

QUEBEC (Cont'd.)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
24-23	5	Operations on buccal cavity and esophagus	61350	194620	5.8
27.2	5 (i)	Tonsillectomy with adenoidectomy	(38366)	(88616)	
24.1-24.3	5 (ii)	Extraction of tooth and root resection	8085	33643	1.0
27.1-27.4	5 (iii)	Operations on tonsils and/or adenoids	51020	140176	4.2
27.2	5 (iv)	Tonsillectomy with adenoidectomy	(38366)	(88616)	
		Residual	2245	20801	0.6
30-31	6	Operations on heart and great vessels	1338	33364	1.0
30.4	6 (i)	Catheterization of heart	540	8959	0.3
30.2-30.3	6 (ii)	Repair of heart and pericardium and operations on valves	453	14563	0.4
		Residual	345	9842	0.3
33-35	7	Operations on bronchus, lung, pleura, chest-wall and mediastinum	1260	38665	1.2
34.0	7 (i)	Thoracotomy and pleurotomy	409	11612	0.3
		Residual	851	27053	0.8
38	8	Operations on breast	5475	55076	1.6
33.1	8 (i)	Partial mastectomy	(2566)	(18737)	
33.1-33.3	8 (ii)	Mastectomy	3222	32894	1.0
		Residual	2253	22182	0.7

U.S. Code	Group	Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
40-49	9	Operations on gastro-intestinal tract				
45-1	9 (i)	Appendectomy	14807 (141146)	575991 (124462)	14.4	17.2
40.1	9 (ii)	Exploratory laparotomy or celiotomy	837	18267	0.3	0.5
41	9 (iii)	Repair of hernia	13852	151103	4.5	4.5
44.2-44.3	9 (iv)	Gastrectomy	1955	48581	0.6	1.5
45	9 (v)	Operations on appendix	14238	125684	4.6	3.8
49.3	9 (vi)	Hemorrhoidectomy	5506	63286	1.8	1.9
		Residual	8419	169070	2.7	5.1
51-56	10	Operations on liver, biliary tract, pancreas, and spleen				
53.5	10 (i)	Cholecystectomy	14238	264105	4.6	7.9
53.5	10 (ii)	Cholecystectomy	13018 (13018)	230858 (230858)	4.2	6.9
		Residual	1220	33247	0.4	1.0
60-64	11	Operations on urinary system				
64.5	11 (i)	Dilatation of urethra	5325 1015	106191 13692	1.7 0.3	3.2 0.4
		Residual	4310	92499	1.4	2.8
66-69	12	Operations on male genital system				
69.2	12 (i)	Circumcision	10012	142680	3.2	4.3
66.1-66.3	12 (ii)	Prostatectomy	4114	21121	1.3	0.6
69.2	12 (iii)	Circumcision	1743 (4114)	54390 (21121)	0.6	1.6
		Residual	4155	67169	1.3	2.0

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
70-75	13	Operations on female genital organs excluding obstetrical	32324	375400	11.2
72.8	13 (i)	Dilatation and curettage of uterus	2862	63272	1.9
70.2-70.5	13 (ii)	Oophorectomy	652	9549	0.3
72.3-72.6	13 (iii)	Hysterectomy	2098	38009	1.1
72.8	13 (iv)	Dilatation and curettage of uterus	(8862)	(63272)	
74.3	13 (v)	Colporrhaphy	900	14054	0.4
74.4	13 (vi)	Repair of cystocele and/or rectocele	677	11332	0.3
		Residual	19135	239184	7.2
76-78	14	Obstetrical procedures	29558	175029	5.2
77.1	14 (i)	Dilatation and curettage after delivery or abortion	14384	63203	1.9
76.3-76.4	14 (ii)	Episiotomy	7244	46920	1.4
77.1	14 (iii)	Dilatation and curettage after delivery or abortion	(14384)	(63203)	
72.0-72.4	14 (iv)	Caesarean section	2648	28787	0.9
		Residual	5282	36114	1.1
80-87	15	Operations on musculoskeletal system	33210	493580	14.8
81.9	15 (i)	Other repair and plastic operations on bones	4677	60247	1.5
82	15 (ii)	Reduction of fracture	10367	137710	4.1
82.0, 82.3,	15 (iii)	Closed reduction of fracture	(6594)	(46103)	
82.6	15 (iv)	Amputation and disarticulation of extremities	575	4832	0.1
87.0-87.4		Residual	17591	290791	8.7
88	16	Operations on peripheral blood vessels and lymphatic system	5251	79977	2.4
88.4	16 (i)	Excision and ligation of varicose veins	2940	38276	1.1
88.4	16 (ii)	Excision and ligation of varicose veins	(2940)	(38276)	
		Residual	2311	31701	1.2

QUEBEC (Cont'd)

U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of	
					Cases	Days
89	17	Operations on skin and subcutaneous tissue	21970	221778	7.1	6.6
89.1	17 (i)	Excision and destruction of lesion of skin and subcutaneous tissue	8702	87592	2.8	2.6
89.0	17 (ii)	Incision of skin and subcutaneous tissue	4168	38636	1.3	1.2
89.1	17 (iii)	Excision and destruction of lesion of skin and subcutaneous tissue	(8702)	(87592)		
89.2	17 (iv)	Removal of nail	2286	18718	0.7	0.6
89.4	17 (v)	Suture	4801	27977	1.5	0.8
		Residual	2013	48855	0.6	1.5
90-99	18	Certain nonsurgical procedures	17549	256834	5.6	7.7
90.6	18 (i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	4736	57221	1.5	1.7
90.5	18 (ii)	Proctoscopy without effect upon tissue or lesion	3334	43318	1.1	1.3
90.6	18 (iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(4736)	(57221)		
92.0	18 (iv)	Encephalography and ventriculography	950	19906	0.3	0.6
93.0	18 (v)	Pyelography	75	1004	0.0	0.0
99.3	18 (vi)	Exchange transfusion	157	2270	0.1	0.1
		Residual	8297	133116	2.7	4.0
		Total	310701	3341767	100.0	100.0

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS) ONTARIO(1), 1963.

U.S. Code	Group	Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
01-06 03.0	1 1 (i)	Operations on nervous system Laminotomy	6412 1644	157257 51980	1.5 0.4	3.9 1.3
		Residual	4768	105277	1.1	2.6
03-09 03.1	2 2 (i)	Operations on endocrine system Partial or subtotal thyroidectomy	1927 1383	23425 15034	0.4 0.3	0.6 0.4
		Residual	544	8391	0.1	0.2
10-13 17.4 11 17	3 3 (i) 3 (ii) 3 (iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	13268 (2500) 4194 4590	114823 (34129) 12104 61862	3.0 1.0 1.1	2.8 0.3 1.5
		Residual	4484	40857	1.0	1.0
20-22 21.1 20 21 21.1	4 4 (i) 4 (ii) 4 (iii) 4 (iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	15309 (3413) 5354 8510 (3413)	107277 (14755) 33102 45399 (14755)	3.5 1.2 2.0	2.6 0.8 1.1
		Residual	1445	28776	0.3	0.7

ONTARIO (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
24-28	5	Operations on buccal cavity and esophagus	92453	221872	5.5
27.2	5 (i)	Tonsillectomy with adenoidectomy	(64520)	(119811)	
24.1-24.3	5 (ii)	Extraction of tooth and root resection	7084	26930	0.7
27.1-27.4	5 (iii)	Operations on tonsils and/or adenoids	82522	165994	4.1
27.2	5 (iv)	Tonsillectomy with adenoidectomy	(64520)	(119811)	
		Residual	2847	28948	0.7
30-31	6	Operations on heart and great vessels	1304	31984	0.3
30.3	6 (i)	Operations on valves of heart	(381)	(11740)	
30.2-30.3	6 (ii)	Repair heart and pericardium and operations on valves	553	16057	0.4
		Residual	751	15927	0.4
33-35	7	Operations on bronchi, lung, pleura, chest-wall and mediastinum	1806	43486	1.1
35.2	7 (i)	Partial lobectomy	393	10734	0.3
		Residual	1413	32752	0.8
38	8	Operations on breast	7600	64853	1.6
38.1	8 (i)	Partial mastectomy	(3705)	(19338)	
38.1-38.3	8 (ii)	Mastectomy	5562	53684	1.3
		Residual	2038	11169	0.3

ONTARIO (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
40-45	9	Operations on gastro-intestinal tract	66641 (19489)	785894 (152571)	15.3
45-50	9 (i)	Appendectomy	1739	37819	0.4
45-50	9 (ii)	Exploratory laparotomy or celiotomy	23160	192117	5.3
45-50	9 (iii)	Repair of hernia	2860	71083	0.7
44-45	9 (iv)	Gastrectomy	19589	154435	4.5
45-50	9 (v)	Operations on appendix	6393	63860	1.5
45-50	9 (vi)	Hemorrhoidectomy			1.6
		Residual	12900	266590	3.0
51-55	10	Operations on liver, biliary tract, pancreas and spleen	12884	233353	3.0
53-55	10 (i)	Cholecystectomy	11538	193856	2.6
53-55	10 (ii)	Cholecystectomy	(11538)	(193856)	
		Residual	1346	39497	0.3
60-64	11	Operations on urinary system	9545	156077	2.2
64-65	11 (i)	Dilatation of urethra	1882	18134	0.4
		Residual	7663	137943	1.8
					3.4

ONTARIO (Cont'd.)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
66-69	12	Operations on male genital system	12489	183230	4.5
66.2	12 (i)	Prostatectomy, transurethral	(4488)	(102735)	
66.1-66.3	12 (ii)	Prostatectomy	5538	133831	3.3
69.2	12 (iii)	Circumcision	3193	11390	0.3
		Residual	3758	38009	0.9
70-75	13	Operations on female genital organs excluding obstetrical	56279	486369	12.0
72.8	13 (i)	Dilatation and curettage of uterus	25643	117386	2.9
70.2-70.5	13 (ii)	Oophorectomy	1835	23767	0.6
72.3-72.6	13 (iii)	Hysterectomy	12357	181485	4.5
72.2	13 (iv)	Dilatation and curettage of uterus	(25643)	(117386)	
74.3	13 (v)	Colporrhaphy	2119	29567	0.7
74.4	13 (vi)	Repair of cystocele and/or rectocele	1155	16259	0.4
		Residual	13170	117905	2.9
76-78	14	Obstetrical procedures	61260	379564	9.4
77.1	14 (i)	Dilatation and curettage after delivery or abortion	18715	68980	1.7
76.3-76.4	14 (ii)	Episiotomy	19583	125476	3.1
77.1	14 (iii)	Dilatation and curettage after delivery or abortion	(18715)	(68980)	
78.0-78.4	14 (iv)	Caesarean section	7124	92732	2.0
		Residual	15838	102376	2.5

ONTARIO (Cont'd)

U.S. Code			Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases Days	
80-87	15	Operations on musculoskeletal system			41078	707872	9.4	17.4
82.3	15 (i)	Closed reduction of fracture of extremity of long bone			(3892)	(39166)		
82	15 (ii)	Reduction of fracture			14951	279079	3.4	6.9
82.0,82.3,	15 (iii)	Closed reduction of fracture			(8521)	(84615)		
82.6								
87.0-87.4	15 (iv)	Amputation and disarticulation of extremities			1009	9255	0.2	0.2
				Residual	25118	419538	5.9	10.3
88	16	Operations on peripheral blood vessels and lymphatic system			9511	108135	2.2	2.7
88.4	16 (i)	Excision and ligation of varicose veins			7273	65750	1.7	1.6
88.4	16 (ii)	Excision and ligation of varicose veins			(7273)	(65750)		
				Residual	2238	42385	0.5	1.0
89	17	Operations on skin and subcutaneous tissue			25540	250957	5.9	6.2
89.1	17 (i)	Excision and destruction of lesion of skin and subcutaneous tissue			8046	57771	1.8	1.4
89.0	17 (ii)	Incision of skin and subcutaneous tissue			4208	35192	1.0	0.9
89.1	17 (iii)	Excision and destruction of lesion of skin and subcutaneous tissue			(3046)	(57771)		
89.2	17 (iv)	Removal of nail			2786	13940	0.6	0.3
89.4	17 (v)	Suture			5902	38863	1.4	1.0
				Residual	4598	105191	1.1	2.6
90-99	18	Not coded in Ontario			-	-	-	-
		Total (17 Groups)			435306	4,056,428	100.0	100.0

(1) Based on claims processed by the Ontario Hospital Services Commission.
January - December, 1963.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS(1)(EXCLUDING NEWBORNS), MANITOBA, 1963

U.S. Code	Group	Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
01-06 01.0	1 1 (i)	Operations on nervous system Craniotomy	483 113	9809 3520	1.0 0.2	2.5 0.9
		Residual	370	6289	0.8	1.6
08-09 08.1	2 2 (i)	Operations on endocrine system Complete or total thyroidectomy	336 165	3037 1374	0.7 0.4	0.8 0.3
		Residual	171	1663	0.4	0.4
10-18 17.4 11 17	3 3 (i) 3 (ii) 3 (iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	1876 (621) 595 676	16176 (8777) 1776 9112	4.0 1.3 1.4	4.1 0.4 2.3
		Residual	605	5283	1.3	1.3
20-22 21.1 20 21 21.1	4 4 (i) 4 (ii) 4 (iii) 4 (iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	2298 (649) 845 1376 (649)	10234 (2470) 3934 5677 (2470)	4.9 1.8 2.9	2.6 1.0 1.4
		Residual	77	623	0.2	0.2

MANITOBA (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
24-28	5	Operations on buccal cavity and esophagus	11672	25556	24.8
27.2	5 (i)	Tonsillectomy with adenoidectomy	(7322)	(14579)	6.5
24.1-24.3	5 (ii)	Extraction of tooth and root resection	2245	4314	4.8
27.1-27.4	5 (iii)	Operations on tonsils and/or adenoids	9025	18340	19.2
27.2	5 (iv)	Tonsillectomy with adenoidectomy	(7322)	(14579)	4.7
		Residual	402	2902	0.9
30-31	6	Operations on heart and great vessels	166	3454	0.4
30.3	6 (i)	Catheterization of heart	(62)	(1628)	0.9
30.2-30.3	6 (ii)	Repair of heart and pericardium and operations on valves	103	2304	0.2
		Residual	63	1150	0.1
33-35	7	Operations on bronchus, lung, pleura, chest-wall and mediastinum	170	4400	0.4
35.3	7 (i)	Complete lobectomy	57	1779	0.1
		Residual	113	2621	0.2
38	8	Operations on breast	1137	9232	2.4
38.1	8 (i)	Partial mastectomy	(444)	(1622)	2.3
38.1-38.3	8 (ii)	Mastectomy	764	7622	1.6
		Residual	373	1618	0.8
					0.4

MANITOBA (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
40-49	9	Operations on gastro-intestinal tract			
45.1	9 (i)	Appendectomy	8171 (2262)	89008 (17041)	17.4 22.3
40.1	9 (ii)	Exploratory Laparotomy or celiotomy	274	4715	0.6
41	9 (iii)	Repair of hernia	2976	25184	6.3
44.2-44.3	9 (iv)	Gastrectomy	323	7198	0.7
45	9 (v)	Operations on appendix	2285	17437	4.9
49.3	9 (vi)	Hemorrhoidectomy	742	6393	1.6
		Residual	1571	27081	3.3
51-56	10	Operations on liver, biliary tract, pancreas, and spleen			
53.5	10 (i)	Cholecystectomy	2115	32517	4.5
53.5	10 (ii)	Cholecystectomy	1945 (1945)	28741 (28741)	4.1 7.3
		Residual	170	3776	0.4
60-64	11	Operations on urinary system			
63.1	11 (i)	Complete nephrectomy	798 104	13099 1773	1.7 0.2
		Residual	694	11326	1.5
66-69	12	Operations on male genital system			
66.2	12 (i)	Prostatectomy, transurethral	1595 (602)	24700 (13731)	3.4 6.3
66.1-66.3	12 (ii)	Prostatectomy	841	20600	1.8
69.2	12 (iii)	Circumcision	376	934	0.8
		Residual	378	3166	0.8

U.C. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
70-75	13	Operations on female genital organs excluding obstetrical	5459	40796	11.6
72.8	13 (i)	Dilatation and curettage of uterus	2169	6626	4.6
70.2-70.5	13 (ii)	Oophorectomy	181	2321	0.4
72.3-72.6	13 (iii)	Hysterectomy	1100	15157	2.3
72.8	13 (iv)	Dilatation and curettage of uterus	(2169)	(6626)	
74.3	13 (v)	Colporrhaphy	116	1479	0.2
74.4	13 (vi)	Repair of cystocele and/or rectocele	479	5810	1.0
		Residual	1414	9403	3.0
76-78	14	Obstetrical procedures	117	994	0.2
78.6	14 (i)	Removal of extrauterine embryo	93	861	0.2
76.3-76.4	14 (ii)	Episiotomy	1	6	0.0
77.1	14 (iii)	Dilatation and curettage after delivery or abortion	16	66	0.0
78.0-78.4	14 (iv)	Caesarean section	3	42	0.0
		Residual	4	19	0.0
80-87	15	Operations on musculoskeletal system	5970	80531	12.7
82.3	15 (i)	Closed reduction of fracture of extremity of long bone	(1036)	(6265)	
82	15 (ii)	Reduction of fracture	2444	29694	5.2
82.0, 82.3	15 (iii)	Closed reduction of fracture	(1759)	(11912)	
82.6	15 (iv)	Amputation and disarticulation of extremities	312	7255	0.7
87.0-87.9		Residual	3214	43582	6.8
					11.1

MANITOBA (Cont'd)

			Percent Distribution of			
U.S. Code	Group	Operation or Treatment	Cases	Days	Cases	Days
83	16	Operations on peripheral blood vessels and lymphatic system	1008	9584	2.1	2.4
83.4	16 (i)	Excision and ligation of varicose veins	745	5395	1.6	1.4
88.4	16 (ii)	Excision and ligation of varicose veins	(745)	(5395)		
		Residual	263	4189	0.6	1.1
89	17	Operations on skin and subcutaneous tissue	2670	17153	5.7	4.4
89.1	17 (i)	Excision and destruction of lesion of skin and subcutaneous tissue	(774)	(4983)	1.1	0.6
			497	2485		
89.0	17 (ii)	Incision of skin and subcutaneous tissue	774	4983	1.6	1.3
89.1	17 (iii)	Excision and destruction of lesion of skin and subcutaneous tissue	255	916	0.5	0.2
89.2	17 (iv)	Removal of nail	709	3128	1.5	0.8
89.4	17 (v)	Suture				
		Residual	435	5641	0.9	1.4
90-99	18	Certain nonsurgical procedures	1015	4870	2.2	1.2
90.6	18 (i)	Cystoscopy and urethroscopy without effect upon lesion or tissue	371	1459	0.8	0.4
90.5	18 (ii)	Proctoscopy without effect upon tissue or lesion	50	170	0.1	0.0
90.6	18 (iii)	Cystoscopy and urethroscopy without effect upon lesion or tissue	(371)	(1459)		
			19	119	0.0	0.0
92.0	18 (iv)	Encephalography and ventriculography	-	-	-	-
93.0	18 (v)	Cholangiography	3	19	0.0	0.0
93.3	18 (vi)	Exchange transfusion				
		Residual	572	3103	1.2	0.8
		Total	47056	394150	100.0	100.0

(1) Based on Manitoba resident in-patient separations from Jan. 1-Dec. 31, 1963, and processed to Feb. 29, 1964 by the Manitoba Hospital Commission. Includes only separations who were admitted primarily for surgery.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS A.D. TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS(1) (EXCLUDING NEWBORNS), SASKATCHEWAN, 1963.

C.S. Code	Group	Operation or Treatment	Percent Distribution		
			Cases	Days	Cases of Days
01-06	1	Operations on nervous system	729	21,535	1.0 3.1
03.3	1 (i)	Spinal puncture	184	2,450	0.3 0.4
		Residual	545	19,085	0.8 2.8
05-09	2	Operations on endocrine system	361	5,509	0.5 0.8
08.1	2 (i)	Partial or subtotal thyroidectomy	296	3,994	0.4 0.6
		Residual	65	1,515	0.1 0.2
10-18	3	Operations on eye	1,779	17,654	2.5 2.6
17.1	3 (i)	Extraction of lens, intracapsular	(508)	(7,413)	
11.0-11.9	3 (ii)	Operations on eye (ocular) muscle	400	2,035	0.6 0.3
17.0-17.9	3 (iii)	Operations on lens	591	8,445	0.8 1.2
		Residual	788	7,174	1.1 1.0
20-22	4	Operations on ear, nose and throat	2,411	14,985	3.4 2.2
21.1	4 (i)	Operations on nasal septum	(595)	(2,350)	
20.0-20.9	4 (ii)	Operations on ear	843	5,194	1.2 0.6
21.0-21.9	4 (iii)	Operations on nose and accessory sinuses	1,446	6,819	2.1 1.0
		Residual	122	2,972	0.2 0.4

SASKATCHEWAN (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
21-25	5	Operations on buccal cavity and esophagus	15,844	45,109	6.5
27.2	5(i)	Tonsillectomy with adenoidectomy	(10,732)	(25,928)	
24.1-24.3	5(ii)	Extraction of tooth and root resection	2,639	7,801	1.1
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	12,314	31,274	4.5
		Residual	891	5,434	0.8
30-31	6	Operations on heart and great vessels	233	4,533	0.7
30.1	6(i)	Catheterization	145	2,351	0.3
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	40	1,210	0.2
		Residual	48	972	0.1
33-35	7	Operations on bronchus, lung, pleura, chest-wall and mediastinum	229	5,709	0.8
34.1	7(i)	Thoracentesis or pleuracentesis	76	1,852	0.3
		Residual	153	3,857	0.6
38	8	Operations on breast	1,191	11,213	1.6
32.1	8(i)	Partial mastectomy	(635)	(3,306)	
35.1-38.3	8(ii)	Mastectomy	922	9,507	1.4
		Residual	269	1,706	0.2

SASATCHEVAN (Cont'd)

Percent Distribution of						
C.S. Code	Group	Operation or Treatment	Cases	Days	Cases	Days
40-49	9	Operations on gastro-intestinal tract	9,258	124,182	13.2	16.0
45.1	9 (i)	Appendectomy	(3,066)	(27,155)		
40.1	9 (ii)	Exploratory laparotomy or celiotomy	194	4,365	0.3	0.6
41.0-41.9	9 (iii)	Repair of hernia	2,948	31,855	4.2	4.6
41.2-41.3	9 (iv)	Gastrectomy	447	12,271	0.6	1.8
45.0-45.9	9 (v)	Operations on appendix	3,086	27,579	4.4	4.0
49.3	9 (vi)	Hemorrhoidectomy	920	10,154	1.3	1.5
		Residual	1,663	37,958	2.4	5.5
51-56	10	Operations on liver, biliary tract, pancreas and spleen	1,933	39,330	2.8	5.7
53.5	10 (i)	Cholecystectomy	1,701	31,120	2.4	4.5
		Residual	232	8,210	0.3	1.2
60-64	11	Operations on urinary system	1,414	26,899	2.0	3.9
64.5	11 (i)	Dilatation of urethra	620	5,309	0.9	0.8
		Residual	794	21,590	1.1	3.1

		Percent Distribution			
U.S. Code	Group	Operation or Treatment	of		Days
			Cases	Cases	
65-69	12	Operations on male genital system	2,293	47,785	6.9
66.2	12(i)	Prostatectomy, transurethral	(883)	(27,967)	
66.1-66.3	12(ii)	Prostatectomy	1,206	39,346	5.7
69.2	12(iii)	Circumcision	565	2,679	0.4
		Residual	522	5,760	0.8
70-75	13	Operations on female genital organs excluding obstetrical	8,128	70,001	10.2
72.8	13(i)	Dilatation and curettage of uterus	3,918	15,176	2.2
73.2-73.5	13(ii)	Oophorectomy	158	1,955	0.3
72.3-72.6	13(iii)	Hysterectomy	1,691	27,608	4.0
74.3	13(iv)	Colporrhaphy	48	853	0.1
75.4	13(v)	Repair of cystocele and/or rectocele	703	10,825	1.6
		Residual	1,610	13,584	2.3
76-78	14	Obstetrical procedures	7,560	45,316	6.6
77.1	14(i)	Dilatation and curettage after delivery or abortion	2,304	8,518	1.2
76.3-76.4	14(ii)	Episiotomy	3,066	18,410	2.7
78.0-78.4	14(iii)	Caesarean section	621	7,823	1.1
		Residual	1,569	10,565	1.5

SASKATCHEWAN (Cont'd)

			Percent Distribution			
S. Code	Group	Operation or Treatment	Cases	Days	Cases	Days
2-57	15	Operations on musculoskeletal system	5,563	90,739	7.9	13.2
32.3	15(i)	Closed reduction of fracture of extremity of long bone	(676)	(4,492)		
32.0-32.9	15(ii)	Reduction of fracture	2,060	25,066	2.9	3.6
32.0, 32.3, 32.6	15(iii)	Closed reduction of fracture	(1,628)	(12,960)		
37.0-37.4	15(iv)	Amputation and disarticulation of extremities	155	1,684	0.2	0.2
		Residual	3,348	63,989	4.8	9.3
38	16	Operations on peripheral blood vessels and lymphatic system	1,296	16,113	1.8	2.3
38.1	16(i)	Excision and ligation of varicose veins	922	9,406	1.3	1.4
		Residual	374	6,707	0.5	1.0
39	17	Operations on skin and subcutaneous tissue	3,753	35,713	5.3	5.2
39.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	1,327	15,129	1.9	2.2
39.3	17(ii)	Incision of skin and subcutaneous tissue	830	6,071	1.2	0.9
39.2	17(iii)	Removal of nail	361	2,215	0.5	0.3
39.4	17(iv)	Suture	901	5,653	1.3	0.8
		Residual	334	6,645	0.5	1.0

SASKATCHEWAN (Cont'd)

I.C. Code	Group	Operation or Treatment	Percent Distribution		
			Cases	Days	of Cases Days
90.99	10	Certain non-surgical procedures	6,299	66,704	9.0
90.6	18(i)	Cystoscopy and urethroscopy without effect on tissue or lesion	1,600	14,880	2.3
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	635	6,395	0.9
90.2	18(iii)	Encephalography and ventriculography	82	1,102	0.1
90.2	18(iv)	Pyelography	1,409	16,105	2.0
90.3	18(v)	Exchange transfusion	26	434	0.0
		Residual	2,547	27,788	3.6
		Total	70,274	689,029	100.0

(1) Including out-of-province hospitalization.

TABLE 2 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN), ALBERTA, 1963.

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases . Days
01-06 01.4	1 1 (i)	Operations on nervous system Excision and destruction of lesion, intracranial, cerebral and cerebral meningeal	856 82	23465 3253	0.8 2.3 0.1 0.3
Residual			774	20212	0.7 2.0
03-09 03.1	2 2 (i)	Operations on endocrine system Partial or subtotal thyroidectomy	559 393	5934 3673	0.5 0.6 0.4 0.4
Residual			166	2261	0.2 0.2
10-13 17.4 11 17	3 3 (i) 3 (ii) 3 (iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	2911 (725) 829 868	26575 (12027) 3010 13816	2.7 2.6 0.3 0.3 0.8 1.4
Residual			1214	9749	1.1 1.0
20-22 21.1 20 21 21.1	4 4 (i) 4 (ii) 4 (iii) 4 (iv)	Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	3415 (895) 987 2201 (895)	17964 (2890) 5693 8484 (2890)	3.1 1.8 0.9 0.6 2.0 0.8
Residual			227	3787	0.2 0.4

ALBERTA (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
24-23	5	Operations on buccal cavity and esophagus	19077	59265	5.9
27.2	5 (i)	Tonsillectomy with adenoidectomy	(13083)	(33348)	
24.1-24.3	5 (ii)	Extraction of tooth and root resection	2852	11100	1.1
27.1-27.4	5 (iii)	Operations on tonsils and/or adenoids	15524	41383	4.1
27.2	5 (iv)	Tonsillectomy with adenoidectomy	(13083)	(33348)	
Residual			701	6782	0.7
30-31	6	Operations on heart and great vessels	433	6189	0.6
30.4	6 (i)	Catheterization of heart	251	1729	0.2
30.2-30.3	6 (ii)	Repair of heart and pericardium and operations on valves	87	2167	0.2
Residual			95	2293	0.2
32-35	7	Operations on bronchi, lung, pleura, chest-wall and mediastinum	413	11315	1.1
34.0	7 (i)	Thoracotomy and pleurotomy	83	2880	0.3
Residual			330	8435	0.8
38	8	Operations on breast	1672	11531	1.1
38.8	8 (i)	Biopsy of breast	730	2969	0.3
38.1-38.3	8 (ii)	Mastectomy	825	7805	0.8
Residual			117	757	0.1

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
40-49	9	Operations on gastro-intestinal tract	13952	160519	12.7
45.1	9 (i)	Appendectomy	(4344)	(33807)	16.0
40.1	9 (ii)	Exploratory laparotomy or celiotomy	351	6675	0.3
41	9 (iii)	Repair of hernia	4466	39410	4.1
44.2-44.3	9 (iv)	Gastrectomy	687	16202	0.6
45	9 (v)	Operations on appendix	4373	34382	4.0
49.3	9 (vi)	Hemorrhoidectomy	1282	12487	1.2
		Residual	2793	51363	2.5
51-56	10	Operations on liver, biliary tract, pancreas and spleen	3193	53179	2.9
53.5	10 (i)	Cholecystectomy	2852	43635	2.6
53.5	10 (ii)	Cholecystectomy	(2852)	(43635)	4.3
		Residual	341	9544	0.3
60-64	11	Operations on urinary system	1755	30313	1.6
64.5	11 (i)	Dilatation of urethra	473	4429	0.4
		Residual	1282	25884	1.2
66-69	12	Operations on male genital system	2704	39876	2.5
66.2	12 (i)	Prostatectomy, transurethral	(1017)	(23122)	4.0
66.1-66.3	12 (ii)	Prostatectomy	1172	28324	1.1
69.2	12 (iii)	Circumcision	641	2235	0.6
		Residual	891	9317	0.8
					0.9

ALBERTA (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
70-75	13	Operations on female genital organs, excluding obstetrical	10763	86665	9.8	8.6
72.8	13 (i)	Dilatation and curettage of uterus	4729	19387	4.3	1.9
70.2-70.5	13 (ii)	Oophorectomy	451	5392	0.4	0.5
72.3-72.6	13 (iii)	Hysterectomy	2172	30597	2.0	3.0
72.8	13 (iv)	Dilatation and curettage of uterus	(4729)	(19387)		
74.3	13 (v)	Colporrhaphy	74	1097	0.1	0.1
74.4	13 (vi)	Repair of cystocele and/or rectocele	517	7051	0.5	0.7
		Residual	2820	23141	2.6	2.3
76-79	14	Obstetrical procedures	21464	125772	19.6	12.5
76.3	14 (i)	Episiotomy without low forceps	(8264)	(51280)		
76.3-76.4	14 (ii)	Episiotomy	11830	76067	10.8	7.6
77.1	14 (iii)	Dilatation and curettage after delivery or abortion	3801	14270	3.5	1.4
78.0-78.4	14 (iv)	Caesarean section	1157	13720	1.1	1.4
		Residual	4656	21715	4.2	2.2
80-87	15	Operations on musculoskeletal system	11760	194949	10.7	19.4
82.3	15 (i)	Closed reduction of fracture of extremity of long bone	(1489)	(10888)		
82	15 (ii)	Reduction of fracture	3960	53513	3.6	5.3
82.0, 82.3, 32.6	15 (iii)	Closed reduction of fracture	(2969)	(24330)		
87.0-87.9	15 (iv)	Amputation and disarticulation of extremities	515	19738	0.5	2.0
		Residual	7285	121663	6.6	12.1

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
88	16	Operations on peripheral blood vessels and lymphatic system	2010	22361	1.8
88.4	16 (i)	Excision and ligation of varicose veins	1460	12962	1.3
88.4	16 (ii)	Excision and ligation of varicose veins	(1460)	(12962)	
		Residual	550	9399	0.5
89	17	Operations on skin and subcutaneous tissue	6634	58000	5.8
89.1	17 (i)	Excision and destruction of lesion of skin and subcutaneous tissue	2047	17381	1.9
89.0	17 (ii)	Incision of skin and subcutaneous tissue	1471	9712	1.3
89.1	17 (iii)	Excision and destruction of lesion of skin and subcutaneous tissue	(2047)	(17381)	
89.2	17 (iv)	Removal of nail	625	3668	0.6
89.4	17 (v)	Suture	1702	9247	1.6
		Residual	789	17992	0.7
90-99	18	Certain nonsurgical procedures	6100	71338	5.6
93.2	18 (i)	Cardiography and angiocardiology	1364	13911	1.2
90.5	18 (ii)	Proctoscopy without effect upon tissue or lesion	501	5288	0.5
90.6	18 (iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	1249	12717	1.1
92.0	18 (iv)	Encephalography and ventriculography	170	2748	0.2
93.0	18 (v)	Cholangiography	8	55	0.0
99.3	18 (vi)	Exchange transfusion	2	10	0.0
		Residual	2809	36609	2.6
		Total	109671	1005210	100.0

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORNS, AND OUT-OF-PROVINCE SEPARATIONS). BRITISH COLUMBIA, 1963.

U.S. Code	Group	Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
01-06 03.0	1 1(i)	Operations on nervous system Laminotomy	1,724	37,038	1.4	3.2
			327	9,212	0.3	0.8
08-09 08.1	2 2(i)	Residual Operations on endocrine system Partial or subtotal thyroidectomy	1,397	27,826	1.2	2.4
			731	6,910	0.6	0.6
			521	4,636	0.4	0.4
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Residual Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	210	2,274	0.2	0.2
			4,198	34,744	3.5	3.0
			(1,217)	(15,061)		
			1,353	4,906	1.1	0.4
			1,335	16,180	1.1	1.4
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Residual Operations on ear, nose and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	1,510	13,658	1.3	1.2
			5,630	32,644	4.7	2.8
			(1,049)	(5,007)		
			2,066	11,169	1.7	1.0
			3,093	15,078	2.6	1.3
			(686)	(2,847)		
		Residual	471	6,397	0.4	0.5

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
24-28	5	Operations on buccal cavity and esophagus	23,644	68,538	19.7
27.2	5(i)	Tonsillectomy with adenoidectomy	(15,583)	(37,143)	
24.1-24.3	5(ii)	Extraction of tooth and root resection	3,315	9,515	2.8
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids(1)	19,037	47,835	15.9
27.2	5(iv)	Tonsillectomy with adenoidectomy	(15,583)	(37,143)	
30-31	6	Residual	1,292	11,188	1.1
30.4	6(i)	Operations on heart and great vessels	737	12,643	0.6
30.2-30.3	6(ii)	Catheterization of heart	384	2,564	0.3
		Repair of heart and pericardium and operations on valves	205	6,025	0.2
33-35	7	Residual	148	4,054	0.1
34.0	7(i)	Operations on bronchi, lung, pleura, chest-wall and mediastinum	607	14,588	0.5
		Thoracotomy and pleurotomy	129	3,619	0.1
38	8	Residual	478	10,969	0.4
38.1	8(i)	Operations on breast	2,651	19,734	2.2
38.1-38.3	8(ii)	Partial mastectomy	(1,221)	(5,277)	
		Mastectomy	1,757	15,918	1.5
		Residual	894	3,816	0.7
					0.3

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
40-49	9	Operations on gastro-intestinal tract(2)	16,182	214,251	18.3
41.0	9(i)	Repair of inguinal hernia except recurrent	(3,916)	(34,132)	
40.1	9(ii)	Exploratory laparotomy or celiotomy	468	9,429	0.8
41	9(iii)	Repair of hernia	5,262	50,387	4.3
44.2-44.3	9(iv)	Gastrectomy	972	22,946	2.0
45	9(v)	Operations on appendix	3,520	30,108	2.6
49.3	9(vi)	Hemorrhoidectomy	1,775	15,918	1.4
		Residual	4,185	85,463	7.3
51-56	10	Operations on liver, biliary tract, pancreas and spleen	2,952	58,092	5.0
53.5	10(i)	Cholecystectomy	2,527	43,250	3.7
53.5	10(ii)	Cholecystectomy	(2,527)	(43,250)	
		Residual	425	14,842	1.3
60-64	11	Operations on urinary system	3,865	55,948	4.8
64.5	11(i)	Dilatation of urethra	935	8,144	0.7
		Residual	2,930	47,804	4.1

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
66-69	12	Operations on male genital system			
66.2	12(i)	Prostatectomy, transurethral	4,343 (2,032)	72,431 (45,691)	3.6
66.1-66.3	12(ii)	Prostatectomy	2,440	57,084	2.0
69.2	12(iii)	Circumcision	724	3,122	0.6
		Residual	1,179	12,225	1.0
70-75	13	Operations on female genital organs, excluding obstetrical			
72.8	13(i)	Dilatation and curettage of uterus	13,963	110,810	11.7
70.2-70.5	13(ii)	Oophorectomy	5,639	19,455	4.7
72.3-72.6	13(iii)	Hysterectomy	491	5,958	0.4
72.8	13(iv)	Dilatation and curettage of uterus	3,043	41,450	2.5
74.3	13(v)	Colporrhaphy	(5,639)	(19,455)	
74.4	13(vi)	Repair of cystocele and/or rectocele	701	9,278	0.6
		Residual	422	5,364	0.4
76-78	14	Obstetrical procedures	3,667	29,305	3.1
77.1	14(i)	Dilatation and curettage after delivery or abortion	7,716	51,729	6.4
76.3-76.4	14(ii)	Episiotomy	3,548	13,881	3.0
77.1	14(iii)	Dilatation and curettage after delivery or abortion	893	6,476	0.7
78.0-78.4	14(iv)	Caesarean section(3)	(3,548)	(13,881)	
		Residual	1,418	16,917	1.2
		Residual	1,857	14,455	1.6
					1.2

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
80-87	15	Operations on musculoskeletal system	12,113	194,604	10.1
82.0	15(i)	Closed reduction of fracture of shaft of long bone	(1,300)	(13,306)	16.6
82	15(ii)	Reduction of fracture	4,167	75,800	3.5
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(2,758)	(22,012)	6.5
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	129	1,223	0.1
		Residual	7,817	117,581	6.5
88	16	Operations on peripheral blood vessels and lymphatic system	3,029	34,772	2.5
88.4	16(i)	Excision and ligation of varicose veins	2,254	21,984	1.9
88.4	16(ii)	Excision and ligation of varicose veins	(2,254)	(21,984)	1.9
		Residual	775	12,788	0.6
89	17	Operations on skin and subcutaneous tissue	6,058	61,507	5.1
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	2,057	16,264	1.7
89.0	17(ii)	Incision of skin and subcutaneous tissue	1,015	8,439	0.8
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	(2,057)	(16,264)	0.7
89.2	17(iv)	Removal of nail	474	2,606	0.4
89.4	17(v)	Suture	1,391	7,963	1.2
		Residual	1,121	26,235	0.9
					2.2

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
90-99	18	Certain non-surgical procedures	9,634	88,657	8.0
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	5,070	40,545	4.2
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	755	8,258	0.6
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(5,070)	(40,545)	
92.0	18(iv)	Encephalography and ventriculography	413	7,724	0.3
93.0	18(v)	Cholangiography	7	140	0.0
99.3	18(vi)	Exchange transfusion	30	298	0.0
		Residual	3,359	31,692	2.8
		Total	119,777	1,169,640	100.0
					100.0

- (1) "Arrest of haemorrhage", "excision of lesion", "ligation", and "removal of foreign body" are included. "Incision and drainage of peritonsillar abscess" and "biopsy" are excluded.
- (2) "Abdominal wall and peritoneum" are included. "Repair of rectocele", and "repair of rectocele, and cystocele" are excluded.
- (3) Caesarean section with hysterectomy is in group 14 (iv).

TABLE 9 -- SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN PATIENTS(1) (EXCLUDING NEWBORN), YUKON, 1963.

U.S. Code	Group	Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	22	307	2.6	4.0
			15	108	1.8	1.4
		Residual	7	199	0.8	2.6
08-09	2	Operations on endocrine system	-	-	-	-
			-	-	-	-
10-18 11.3 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Advancement or recession of eye muscle Operations on eye (ocular) muscles Operations on lens	21	131	2.5	1.7
			(5)	(14)		
			7	19	0.8	0.2
			3	34	0.4	0.4
			11	78	1.3	1.0
		Residual	26	139	3.1	1.8
20-22 21.9 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Other operations on nose and accessory sinuses Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	(8)	(35)	0.6	0.3
			5	24	2.3	1.3
			19	103		
			(5)	(17)		
			2	12	0.2	0.2
		Residual				

YUKON (Cont'd)

- 287 -

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
24-28	5	Operations on buccal cavity and esophagus	126	309	4.0
27.2	5(i)	Tonsillectomy with adenoidectomy	(82)	(193)	
24.1-24.3	5(ii)	Extraction of tooth and root resection	14	23	0.3
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	104	258	3.4
		Residual	8	28	3.7
30-31	6	Operations on heart and great vessels	4	38	0.5
30.4	6(i)	Catheterization of the right heart	3	10	0.1
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	-	-	-
		Residual	1	28	0.4
33-35	7	Operations on bronchus, lung, pleura, chest wall, and mediastinum	4	117	1.5
34.1	7(i)	Thoracentesis and pleuracentesis	4	117	1.5
		Residual	-	-	-
38	8	Operations on breast	27	176	2.3
38.1	8(i)	Partial mastectomy	(11)	(42)	
38.1-38.3	8(ii)	Mastectomy	14	26	0.3
		Residual	13	150	2.0

YUKON (Cont'd)

U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
40-49	9	Operations on gastro-intestinal tract	100	1,030	11.9	13.5
45.1	9(i)	Appendectomy	(34)	(313)		
40.1	9(ii)	Exploratory laparotomy or celiotomy	3	37	0.4	0.5
41	9(iii)	Repair of hernia	27	189	3.2	2.5
44.2-44.3	9(iv)	Gastrectomy	3	73	0.4	1.0
45	9(v)	Operations on appendix	35	331	4.2	4.3
49.3	9(vi)	Hemorrhoidectomy	14	140	1.7	1.8
		Residual	18	260	2.1	3.4
51-56	10	Operations on liver, biliary tract, pancreas and spleen	18	309	2.1	4.0
53.5	10(i)	Cholecystectomy	17	283	2.0	3.7
		Residual	1	26	0.1	0.3
60-64	11	Operations on urinary system	12	296	1.4	3.9
64.5	11(i)	Dilatation of urethra	2	26	0.2	0.3
		Residual	10	270	1.2	3.5
66-69	12	Operations on male genital system	39	390	4.6	5.1
69.2	12(i)	Circumcision	15	66	1.8	0.9
66.1-66.3	12(ii)	Prostatectomy	12	211	1.4	2.8
		Residual	12	113	1.4	1.5

U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
70-75	13	Operations on female genital organs excluding obstetrical	96	696	11.4	9.1
72.8	13(i)	Dilatation and curettage of uterus	50	164	6.0	2.1
70.2-70.5	13(ii)	Oophorectomy	4	55	0.5	0.7
72.3-72.6	13(iii)	Hysterectomy	14	180	1.7	2.4
74.3	13(iv)	Colporrhaphy	-	-	-	-
74.4	13(v)	Repair of cystocele and/or rectocele	2	30	0.2	0.4
		Residual	26	267	3.1	3.5
76-78	14	Obstetrical procedures	149	998	17.8	13.1
77.1	14(i)	Dilatation and curettage after delivery or abortion	49	155	5.8	2.0
76.3-76.4	14(ii)	Episiotomy	24	170	2.9	2.2
78.0-78.4	14(iii)	Caesarean section	15	209	1.8	2.7
		Residual	61	464	7.3	6.1
80-87	15	Operations on musculoskeletal system	77	1,627	9.2	21.3
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(13)	(69)		
82	15(ii)	Reduction of fracture	35	546	4.2	7.1
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(25)	(239)		
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	1	19	0.1	0.2
		Residual	41	1,062	4.9	13.9

YUKON (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of			
			Cases	Days	Cases	Days
88	16	Operations on peripheral blood vessels and lymphatic system	27	309	3.2	4.0
88.4	16(i)	Excision and ligation of varicose veins	23	214	2.7	2.8
		Residual	4	95	0.5	1.2
89	17	Operations on skin and subcutaneous tissue	59	493	7.0	6.5
89.0	17(i)	Incision of skin and subcutaneous tissue	20	120	2.4	1.6
89.1	17(ii)	Excision and destruction of lesion of skin and subcutaneous tissue	20	215	2.4	2.8
89.2	17(iii)	Removal of nail	1	2	0.1	0.0
89.4	17(iv)	Suture	12	51	1.4	0.7
		Residual	6	105	0.7	1.4
90-99	18	Certain non-surgical procedures	32	276	3.8	3.6
90.5	18(i)	Proctoscopy without effect upon tissue or lesion	10	85	1.2	1.1
90.6	18(ii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	6	66	0.7	0.9
92.0	18(iii)	Encephalography and ventriculography	1	42	0.1	0.5
93.0	18(iv)	Pyelography	1	5	0.1	0.1
99.3	18(v)	Exchange transfusion	-	-	-	-
		Residual	14	122	1.7	1.6
		Total	839	7,641	100.0	100.0

(1) Including out-of-Yukon hospitalization.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS (1)
(EXCLUDING NEWBORN), NORTHWEST TERRITORIES, 1963.

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Cases
01-06	1	Operations on nervous system	32	398	2.9
03.3	1 (i)	Spinal puncture	26	293	2.3
		Residual	6	105	0.5
08-09	2	Operations on endocrine system	4	73	0.4
08.1	2 (i)	Partial or subtotal thyroidectomy	2	40	0.2
		Residual	2	33	0.2
10-18	3	Operations on eye	50	1030	4.5
17.1	3 (i)	Capsulotomy	(4)	(280)	
11	3 (ii)	Operations on eye (ocular) muscles	4	23	0.4
17	3 (iii)	Operations on lens	8	367	0.7
		Residual	38	640	3.4
20-22	4	Operations on ear, nose, and throat	30	477	2.7
20.4	4 (i)	Operations on tympanum	(8)	(83)	
20	4 (ii)	Operations on ear	18	344	1.6
21	4 (iii)	Operations on nose and accessory sinuses	10	99	0.9
21.1	4 (iv)	Operations on nasal septum	(2)	(7)	
		Residual	2	34	0.2

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
24-28	5	Operations on buccal cavity and esophagus	187	896	6.0
27.2	5 (i)	Tonsillectomy with adenoidectomy	(139)	(607)	
24.1-24.3	5 (ii)	Extraction of tooth and root resection	28	128	0.9
27.1-27.4	5 (iii)	Operations on tonsils and/or adenoids	151	665	4.5
		Residual	8	103	0.7
30-31	6	Operations on heart and great vessels	8	271	1.8
30.4	6 (i)	Catheterization of the right heart	5	35	0.2
30.2-30.3	6 (ii)	Repair of heart and pericardium and operations on valves	1	7	0.1
		Residual	2	229	1.5
33-35	7	Operations on bronchus, lung, pleura, chest-wall and mediastinum	8	294	2.0
34.0	7 (i)	Thoracotomy and pleurotomy	2	142	1.0
		Residual	6	152	1.0
38	8	Operations on breast	16	214	1.4
38.1	8 (i)	Partial mastectomy	(4)	(37)	
38.1-38.3	8 (ii)	Mastectomy	8	165	1.1
		Residual	8	49	0.3

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
40-49	9	Operations on gastro-intestinal tract	123	1862	12.6
45.1	9 (i)	Appendectomy	(37)	(443)	
40.1	9 (ii)	Exploratory laparotomy or celiotomy	4	20	0.1
41	9 (iii)	Repair of hernia	41	484	3.3
44.2-44.3	9 (iv)	Gastrectomy	2	70	0.5
45	9 (v)	Operations on appendix	39	480	3.2
49.3	9 (vi)	Hemorrhoidectomy	10	106	0.7
		Residual	27	702	4.7
51-56	10	Operations on liver, biliary tract, pancreas, and spleen	34	654	4.4
53.5	10 (i)	Cholecystectomy	31	585	3.9
		Residual	3	69	0.5
60-64	11	Operations on urinary system	16	253	1.7
64.5	11 (i)	Dilatation of urethra	5	119	0.8
		Residual	11	134	0.9
66-69	12	Operations on male genital system	32	515	3.5
69.2	12 (i)	Circumcision	14	177	1.2
66.1-66.3	12 (ii)	Prostatectomy	9	268	1.8
		Residual	9	70	0.5

NORTHWEST TERRITORIES (Cont'd)

				Percent Distribution of		
U.S. Code	Group	Operation or Treatment	Cases	Days	Cases	Days
70-75	13	Operations on female genital organs excluding obstetrical	111	1099	10.0	7.4
72.8	13 (i)	Dilatation and curettage of uterus	72	508	6.5	3.4
70.2-70.5	13 (ii)	Oophorectomy	6	63	0.5	0.4
72.3-72.6	13 (iii)	Hysterectomy	15	303	1.3	2.0
74.3	13 (iv)	Colporrhaphy	2	37	0.2	0.2
74.4	13 (v)	Repair of cystocele and/or rectocele	-	-	-	-
Residual			16	188	1.4	1.3
76-78	14	Obstetrical procedures	181	1280	16.2	8.6
76.3	14 (i)	Episiotomy without low forceps	(80)	(561)		
76.3-76.4	14 (ii)	Episiotomy	86	607	7.7	4.1
77.1	14 (iii)	Dilatation and curettage after delivery or abortion	39	147	3.5	1.0
78.0-78.4	14 (iv)	Caesarean section	8	109	0.7	0.7
Residual			48	417	4.3	2.8
80-87	15	Operations on musculoskeletal system	129	2682	11.6	18.1
82.0	15 (i)	Closed reduction of fracture of shaft of long bone	(26)	(207)		
82	15 (ii)	Reduction of fracture	58	829	5.2	5.6
82.0, 82.3, 82.6	15 (iii)	Closed reduction of fracture	(44)	(463)		
87.0-87.4	15 (iv)	Amputation and disarticulation of extremities	3	44	0.3	0.3
Residual			68	1809	6.1	12.2

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	Operation or Treatment	Percent Distribution of		
			Cases	Days	Days
38	16	Operations on peripheral blood vessels and lymphatic system	14	147	1.0
39.0	16 (i)	Incision of peripheral vessels	7	57	0.4
39.4	16 (ii)	Excision and ligation of varicose veins	4	41	0.3
		Residual	3	49	0.3
39	17	Operations on skin and subcutaneous tissue	77	1412	9.5
39.0	17 (i)	Incision of skin and subcutaneous tissue	25	190	1.3
39.1	17 (ii)	Excision and destruction of lesion of skin and subcutaneous tissue	9	118	0.8
39.2	17 (iii)	Removal of nail	9	30	0.2
39.4	17 (iv)	Suture	16	78	0.5
		Residual	18	996	6.7
90-99	18	Certain nonsurgical procedures	63	1261	8.5
90.6	18 (i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	15	226	1.5
90.5	18 (ii)	Proctoscopy without effect upon tissue or lesion	13	149	1.0
92.0	18 (iii)	Encephalography and ventriculography	-	-	-
93.0	18 (iv)	Pyelography	2	21	0.1
99.3	18 (v)	Exchange transfusion	2	70	0.5
		Residual	31	795	5.4
		Total	1115	14818	100.0

(1) Including out-of-territories hospitalization.

TABLE 10 - SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE, WHO ARE PROVINCIAL PLAN(1) IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR SIX PROVINCES AND TWO TERRITORIES, 1963

(1) See page 306

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
470-475	Acute upper respiratory infections												
	Nfld.		2	234	159	395		-	12	2,095	1,196	3,303	
	Que.	4	3	566	393	966		63	56	6,247	3,923	10,289	
	Man.	-	-	383	368	751		-	-	2,154	2,076	4,230	
	Sask.	4	3	643	521	1,171		133	80	4,515	3,409	8,137	
	Alta.	5	2	694	561	1,262		83	31	4,703	3,799	8,616	
	B.C.	6	3	678	565	1,252		78	27	4,925	4,280	9,310	
	Yukon	-	-	10	12	22		-	-	35	61	96	
	N.W.T.	-	-	5	11	16		-	-	23	109	132	
		19	13	3,213	2,590	5,835		357	206	24,697	18,853	44,113	
480-483, 490-493, 500-502, 763	Influenza, pneumonia and bronchitis												
	Nfld.		8	645	437	1,095		45	93	6,222	4,492	10,852	
	Que.	5	81	3,893	2,680	6,790		2,533	1,164	55,602	36,207	95,506	
	Man.	136	10	1,562	1,167	2,766		417	171	14,070	9,895	24,553	
	Sask.	27	14	2,054	1,485	3,579		459	222	20,612	13,988	35,281	
	Alta.	26	24	1,972	1,501	3,518		386	323	18,207	13,162	32,078	
	B.C.	21	29	2,068	1,563	3,690		430	448	21,407	15,844	38,129	
	Yukon	30	-	51	45	96		-	-	445	324	769	
	N.W.T.	-	-	191	170	361		-	-	2,058	1,565	3,623	
		245	166	12,436	9,048	21,895		4,270	2,421	138,623	95,477	240,791	

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	PATIENT-DAYS									
		CASES									
		Newborn M	Newborn F	Other Infants M	Other Infants F	Total	Newborn M	Newborn F	Other Infants M	Other Infants F	Total
690-698	Infections of skin and subcutaneous tissue										
	Nfld.	1	-	26	34	61	19	-	301	311	631
	Que.	2	1	350	343	696	7	237	4,918	4,558	9,720
	Man.	-	-	69	47	116	-	-	662	464	1,126
	Sask.	15	8	81	61	165	140	46	840	649	1,675
	Alta.	7	2	86	78	173	111	57	697	788	1,653
	B.C.	3	1	100	105	209	25	81	1,149	1,172	2,427
	Yukon	-	-	2	1	3	-	-	3	6	9
	N.W.T.	-	-	5	3	8	-	-	57	43	100
		28	12	719	672	1,431	302	421	8,627	7,991	17,341
750-753	Congenital malformations of nervous system and sense organs										
	Nfld.	11	15	18	17	61	411	915	637	1,000	2,963
	Que.	77	85	117	109	388	1,582	1,421	2,892	3,258	9,153
	Man.	5	20	22	29	76	26	617	1,781	2,629	5,053
	Sask.	16	17	45	44	122	325	422	1,026	797	2,570
	Alta.	27	35	69	51	182	322	789	1,141	477	2,729
	B.C.	31	25	39	39	134	625	815	820	1,310	3,570
	Yukon	-	-	-	-	-	-	-	-	-	-
	N.W.T.	-	-	-	3	3	-	-	-	61	61
		167	197	310	292	966	3,291	4,979	8,297	9,532	26,099

TABLE - 10 (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES					PATIENT-DAYS										Total				
		Newborn		Other Infants		Total	Newborn		Other Infants		Total										
		M	F	M	F		M	F	M	F											
754	Congenital malformations of circulatory system	5	9	25	9	48	39	103	525	259	926	39	103	525	259	926	39	103	525	259	926
	Nfld.	82	60	238	209	589	1,539	1,357	6,707	5,250	14,853	1,539	1,357	6,707	5,250	14,853	1,539	1,357	6,707	5,250	14,853
	Que.	11	11	34	34	90	61	193	942	500	1,696	61	193	942	500	1,696	61	193	942	500	1,696
	Man.	30	15	46	27	118	307	185	884	548	1,924	307	185	884	548	1,924	307	185	884	548	1,924
	Sask.	39	38	37	43	157	486	823	680	733	2,722	486	823	680	733	2,722	486	823	680	733	2,722
	Alta.	49	24	83	59	215	621	282	1,634	1,591	4,128	621	282	1,634	1,591	4,128	621	282	1,634	1,591	4,128
	B.C.	-	-	2	2	4	-	-	99	33	132	-	-	99	33	132	-	-	99	33	132
	Yukon	-	-	2	4	6	-	-	63	58	121	-	-	63	58	121	-	-	63	58	121
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		216	157	467	387	1,227	3,053	2,943	11,534	8,972	26,502	3,053	2,943	11,534	8,972	26,502	3,053	2,943	11,534	8,972	26,502
615, 755-759	Other congenital malformations & redundant prepuce and phimosis	17	10	203	43	273	307	283	1,923	2,209	4,722	307	283	1,923	2,209	4,722	307	283	1,923	2,209	4,722
	Nfld.	127	67	1,155	404	1,753	2,401	1,246	14,338	8,308	26,293	2,401	1,246	14,338	8,308	26,293	2,401	1,246	14,338	8,308	26,293
	Que.	41	35	221	68	365	963	359	1,696	1,184	4,202	963	359	1,696	1,184	4,202	963	359	1,696	1,184	4,202
	Man.	113	44	298	79	534	1,212	530	2,554	1,286	5,582	1,212	530	2,554	1,286	5,582	1,212	530	2,554	1,286	5,582
	Sask.	1,258	107	373	118	1,856	8,743	1,162	3,347	2,485	15,737	8,743	1,162	3,347	2,485	15,737	8,743	1,162	3,347	2,485	15,737
	Alta.	152	88	337	181	758	1,863	1,153	3,454	2,947	9,417	1,863	1,153	3,454	2,947	9,417	1,863	1,153	3,454	2,947	9,417
	B.C.	2	1	9	3	15	12	10	33	19	74	12	10	33	19	74	12	10	33	19	74
	Yukon	-	-	2	2	4	-	-	20	32	52	-	-	20	32	52	-	-	20	32	52
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		1,710	352	2,598	898	5,558	15,501	4,743	27,365	18,470	66,079	15,501	4,743	27,365	18,470	66,079	15,501	4,743	27,365	18,470	66,079

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
760-761	Birth injury												
	Nfld.	37	26	8	10	81		604	277	120	92	1,093	
	Que.	210	138	87	50	485		2,601	1,914	1,423	879	6,817	
	Man.	41	28	11	5	85		399	193	150	110	852	
	Sask.	45	39	9	8	101		308	277	119	117	821	
	Alta.	123	82	4	2	211		1,065	607	17	43	1,732	
	B.C.	87	39	4	4	134		899	345	92	92	1,428	
	Yukon	-	1	-	-	1		-	1	-	-	1	
	N.W.T.	-	1	1	-	2		-	21	2	-	23	
		543	354	124	79	1,100		5,876	3,635	1,923	1,333	12,767	
762	Postnatal asphyxia and atelectasis												
	Nfld.	79	60	6	2	147		561	467	54	8	1,090	
	Que.	310	196	67	25	598		2,873	2,068	926	612	6,479	
	Man.	99	57	20	8	184		1,083	811	278	169	2,341	
	Sask.	46	18	6	6	76		362	105	56	51	574	
	Alta.	114	69	3	4	190		972	763	76	16	1,827	
	B.C.	199	109	12	13	333		1,959	1,244	107	132	3,442	
	Yukon	-	-	-	1	1		-	-	-	1	1	
	N.W.T.	-	1	1	2	4		-	1	6	16	23	
		847	510	115	61	1,533		7,810	5,459	1,503	1,005	15,777	

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES				PATIENT-DAYS						Total
		Newborn		Other Infants		Total	Newborn		Other Infants			
		M	F	M	F		M	F	M	F		
765-768	Ophthalmia and pemphigus neonatorum, umbilical and other sepsis	10	7	12	10	39	63	165	72	92	392	
	Nfld.	213	184	96	64	557	3,384	2,872	1,504	883	8,643	
	Que.	26	13	7	10	56	422	258	39	115	834	
	Man.	12	8	10	6	36	159	185	159	32	535	
	Sask.	52	30	10	6	98	651	328	95	48	1,122	
	Alta.	44	24	12	8	88	729	386	135	98	1,348	
	B.C.	-	-	-	1	1	-	-	-	7	7	
	Yukon	-	-	-	1	1	-	-	-	8	8	
	N.W.T.	-	-	-	-	-	-	-	-	-	-	
		357	266	147	106	876	5,408	4,194	2,004	1,283	12,889	
770	Erythroblastosis	31	24	13	4	72	324	419	247	72	1,062	
	Nfld	275	225	161	140	801	4,382	3,552	1,810	1,693	11,437	
	Que.	78	77	33	23	211	627	936	252	189	2,004	
	Man.	101	70	24	16	211	1,057	698	279	167	2,201	
	Sask.	148	125	3	10	286	1,428	1,115	24	35	2,602	
	Alta.	197	177	26	28	428	2,194	1,736	180	237	4,347	
	B.C.	-	-	-	-	-	-	-	-	-	-	
	Yukon	-	-	-	-	-	-	-	-	-	-	
	N.W.T.	-	-	-	-	-	-	-	-	-	-	
		830	698	260	221	2,009	10,012	8,456	2,792	2,393	23,653	

TABLE 10 - (Cont'd)

I.S.J. Number	DIAGNOSIS	PATIENT-DAYS									
		CASES									
		Newborn		Other Infants		Total	Newborn		Other Infants		Total
		M	F	M	F		M	F	M	F	
771	Haemorrhagic disease of newborn										
	Nfld.	5	3	1	3	12	49	15	1	23	88
	Que.	27	20	20	16	83	340	220	208	116	884
	Man.	9	4	5	4	22	51	53	30	17	151
	Sask.	4	5	7	1	17	23	28	13	4	68
	Alta.	13	6	5	4	28	145	39	43	20	247
	E.C.	8	15	3	2	28	72	189	49	19	329
	Yukon	-	-	-	-	-	-	-	-	-	-
	N.W.T.	-	-	-	-	-	-	-	-	-	-
		66	53	41	30	190	680	544	344	199	1,767
291,772	Nutritional maladjustment and iron deficiency anaemias										
	Nfld.	30	28	122	88	268	325	312	1,907	1,352	3,896
	Que.	327	267	535	399	1,528	4,714	3,830	7,501	5,608	21,653
	Man.	37	31	111	83	262	630	504	1,168	913	3,215
	Sask.	62	77	256	227	622	854	1,089	2,687	2,254	6,884
	Alta.	53	56	189	157	455	819	890	1,733	1,584	5,026
	E.C.	159	131	215	174	679	2,578	2,140	2,306	2,109	9,133
	Yukon	1	1	10	-	12	24	14	101	-	139
	N.W.T.	-	1	17	9	27	-	16	262	82	360
		669	592	1,455	1,137	3,853	9,944	8,795	17,665	13,902	50,306

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		M	F
		M	F	M	F	M	F	M	F	M	F	M	F		
773-776	Immaturity & ill-defined diseases peculiar to early infancy	275	260	441	44	620	6,183	6,543	1,186	924	14,836				
	Nfld.	1,132	876	327	294	2,629	8,509	7,463	5,506	6,276	27,754				
	Que.	136	98	48	54	336	1,091	1,044	658	929	3,722				
	Man.	173	140	36	32	381	1,703	1,461	455	413	4,032				
	Sask.	300	260	27	33	620	3,418	2,792	364	480	7,054				
	Alta.	443	325	59	33	830	4,575	3,545	1,171	538	9,829				
	B.C.	2	-	1	-	3	33	-	8	-	41				
	Yukon	-	3	3	3	9	-	25	18	53	96				
	N.W.T.														
		2,431	1,962	542	493	5,428	25,512	22,873	9,366	9,613	67,364				
N800-N804,	Skull fractures &														
N852-N856	head injuries														
	Nfld.	1	1	14	6	22	5	7	101	44	157				
	Que.	1	1	123	63	188	5	5	951	467	1,428				
	Man.	-	-	27	16	43	-	-	249	124	373				
	Sask.	-	1	25	23	49	-	2	145	120	267				
	Alta.	-	-	33	29	62	-	-	279	180	459				
	B.C.	1	-	30	36	67	9	-	135	223	367				
	Yukon	-	-	3	-	3	-	-	5	-	5				
	N.W.T.	-	-	2	-	2	-	-	4	-	4				
		3	3	257	173	436	19	14	1,869	1,158	3,060				

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES										PATIENT-DAYS			
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		Other Infants	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F
N940-N949	Burns	-	-	11	13	24	-	-	-	190	151	341	-	-	-
	Nfld.	1	-	61	43	105	27	-	-	932	671	1,603	-	-	-
	Que.	-	-	26	10	36	-	-	-	312	102	414	-	-	-
	Man.	-	-	21	12	33	-	-	-	218	152	370	-	-	-
	Sask.	-	-	27	21	48	-	-	-	248	333	581	-	-	-
	Alta.	-	-	29	15	44	-	-	-	297	223	520	-	-	-
	B.C.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Yukon	-	-	1	2	3	-	-	-	10	13	23	-	-	-
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		1	-	176	116	293	27	-	-	2,207	1,645	3,879	-	-	-
N805-N851, N860-N936, N950-N999	Other accidents, poisonings and violence	8	7	19	24	58	46	47	111	323	119	440	323	-	-
	Nfld.	1	2	231	186	420	2	87	2,321	4,337	1,927	4,337	4,337	-	-
	Que.	-	-	55	42	97	-	-	397	577	180	777	577	-	-
	Man.	-	-	67	62	129	-	-	444	724	280	944	724	-	-
	Sask.	2	-	68	63	133	21	-	517	943	405	1,348	943	-	-
	Alta.	18	6	83	68	175	277	46	541	1,462	598	2,060	1,462	-	-
	B.C.	-	-	-	5	5	-	-	-	30	30	60	30	-	-
	Yukon	-	-	1	4	5	-	-	4	56	52	60	56	-	-
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		29	15	524	454	1,022	346	180	4,335	8,452	3,591	8,452	8,452	-	-

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
Residual	Other(1)												
	Nfld.	34	27	568	390	1,019		388	252	8,365	6,393	15,398	
	Que.	61,382	58,809	5,666	4,261	130,118		369,325	354,860	87,867	64,989	877,041	
	Man.	4	4	937	758	1,703		69	39	8,809	6,610	15,527	
	Sask.	11,289	11,011	1,156	878	24,334		70,914	69,034	12,523	7,810	160,281	
	Alta.	17,122	17,404	1,489	1,072	37,087		116,400	118,411	13,603	10,352	258,766	
	B.C.	1,019	956	1,351	1,139	4,465		9,852	9,134	16,192	14,902	50,080	
	Yukon	223	245	31	16	515		1,391	1,563	183	94	3,231	
	N.W.T.	460	414	100	89	1,063		3,312	2,859	1,389	1,242	8,802	
		91,533	88,870	11,298	8,603	200,304		571,651	556,152	148,931	112,392	1,389,126	
Total	Nfld.	573	503	2,627	1,753	5,456		9,924	10,247	33,368	26,088	79,627	
	Que.	64,477	61,174	17,053	12,008	154,712		407,181	385,683	245,143	177,239	1,215,246	
	Man.	524	395	4,537	3,397	8,853		5,970	5,345	41,017	31,384	83,716	
	Sask.	11,964	11,493	6,030	4,381	33,868		78,338	74,739	58,828	39,799	251,704	
	Alta.	19,345	18,289	6,630	4,798	49,062		135,999	128,695	58,251	43,456	366,401	
	P.C.	2,450	1,978	6,330	4,772	15,530		27,221	22,041	64,214	52,027	165,503	
	Yukon	229	248	139	94	710		1,512	1,588	1,128	634	4,862	
	N.W.T.	460	420	403	371	1,654		3,312	2,922	4,499	4,003	14,736	
		100,022	94,500	43,749	31,574	269,845		669,457	631,260	506,448	374,630	2,181,795	

TABLE 10 - (Cont'd)

- (1) A. Separations in the "Residual-Newborn" category have been obtained by the several different methods as follows:
 - (a) Quebec, Saskatchewan and Alberta: Separations in category 96 and 97 (mature and immature newborn) in Table 6 less separations for the special diagnoses listed in Table 10.
 - (b) Newfoundland, Manitoba, British Columbia, Yukon and Northwest Territories: Total separations, newborns, all diagnoses (1-98) in Table 6, less separations for categories 96 and 97 (mature and immature newborn) and the separations for the special categories listed in Table 10.
- B. The "Residual - Other infants" category has been calculated uniformly, as follows:
 Separations for all diagnoses (1-98) for the "Under 1" age group in Table 6, less the separations for diagnoses listed in Table 10.
- C. Quebec, Manitoba and Alberta each include patients who are the responsibility of their Provincial Plans, and patients who are not the responsibility of their Provincial Plans.

APPENDIX I

THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955)

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
1	001-019	13	172-174	25	260	38	420-422
2	080-083	14	175	26	270-277	39	430-434
3	092	15	177	27	280-289	40	440-447
4	084-091, 093-096	16	180, 181	28	290-299	41	450-456
5	020-064, 070-074, 100-108, 110-117, 120-138	17	204	29	300-309	42	460
6	140-148	18	150, 152, 155-161, 164, 165, 176, 178, 179, 190-199, 200-203, 205	30	310-318	43	461
7	151	19	214, 215	31	320-326	44	463, 464
8	153	20	216	32	330-334	45	462, 465-468
9	154	21	210-213, 217-239	33	340-345, 350-357	46	470-475
10	162, 163	22	241	34	360-369	47	480-483
11	170	23	240, 242-245	35	370-389	48	490-493
12	171	24	250-254	36	390-398	49	500-502
				37	400-402, 410-416	50	510

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
51	511-527	65	602,604	78	690-698	91	N830-N848
52	530-535	66	601,603,605-609	79	700-716	92	N860-N869
53	540-542	67	610	80	720-727	93	N940-N949
54	543-545	68	615	81	735	94	N850, N851, N870-N888, N890-N898, N900-N908, N910-N918, N920-N936, N950-N999
55	550-553	69	622-626,630	82	730-734, 736-738, 740-749		
56	560,561	70	631				
57	570	71	634	83	750-759	95	Y00
58	571	72	611-614,616,617, 620,621,632,633, 635-637	84	760-776	96	Y20, Y22, Y23, Y26, Y27
59	572			85	780-795	97	Y21, Y24, Y25, Y28, Y29
60	580-583	73	640-649	86	N800-N804, N852-N856	98	Y01-Y18, Y40-Y88
61	584-587	74	650-652	87	N805-N809		
62	536-539, 573-578	75	660	88	N810-N819		
63	590-594	76	670-678	89	N820, N821		
64	600	77	680-689	90	N822-N829		

APPENDIX 2 - ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1963.

- 309 -

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
Total (Both Sexes)	18,896.0	481.0	107.0	756.0	614.0	5,468.0	6,448.0	950.0	933.0	1,405.0	1,695.0	15.0	24.0
under 1	462.1	14.8	2.8	18.5	15.8	132.7	154.6	22.2	22.9	38.3	38.0	.5	1.0
1 - 4	1,826.8	56.5	10.6	73.4	62.8	523.7	604.3	87.9	91.0	149.6	151.5	2.0	3.5
5 - 9	2,145.6	64.8	12.4	86.7	76.2	646.0	697.0	103.0	107.8	167.7	179.0	1.9	3.1
10 - 14	1,965.0	62.4	12.4	82.5	74.8	594.7	633.6	96.1	98.5	143.7	162.4	1.3	2.6
15 - 19	1,600.2	50.4	10.2	70.6	61.2	511.7	495.7	78.6	79.1	111.2	128.9	0.8	1.8
20 - 24	1,255.3	34.5	6.9	53.4	41.3	403.8	397.5	62.1	58.1	92.5	102.4	0.9	1.9
25 - 29	1,178.2	27.1	5.7	44.0	33.0	359.4	403.5	56.7	51.1	94.3	100.1	1.2	2.1
30 - 34	1,244.8	25.8	5.2	42.1	32.5	370.3	444.9	58.1	54.5	98.4	109.7	1.4	1.9
35 - 39	1,282.9	24.9	5.4	43.6	34.7	368.0	472.4	61.9	56.9	95.3	116.8	1.4	1.6
40 - 44	1,174.4	24.2	5.6	44.4	34.4	326.5	423.8	59.6	56.2	85.8	111.7	1.0	1.2
45 - 49	1,045.9	22.7	5.6	42.2	31.5	285.0	369.7	55.4	53.0	74.6	104.5	0.7	1.0
50 - 54	914.8	19.1	5.1	36.8	27.4	249.7	326.5	49.1	46.6	62.7	90.5	0.6	0.7
55 - 59	749.8	14.5	4.2	29.2	22.1	203.7	271.9	40.3	38.7	51.9	72.2	0.5	0.6
60 - 64	608.0	11.6	3.8	23.8	18.2	159.2	225.8	33.0	31.6	41.8	58.5	0.3	0.4
65 - 69	497.3	9.8	3.6	21.2	16.1	122.6	185.1	28.1	27.5	32.7	50.1	0.2	0.3
70 - 74	405.4	7.7	3.0	17.8	13.4	91.7	148.0	24.5	24.7	27.5	46.7	0.2	0.2
75 - 79	290.0	5.5	2.3	12.9	9.6	60.2	103.6	18.2	18.7	20.5	38.3	0.1	0.1
80 - 84	159.8	3.1	1.3	7.7	5.5	31.8	56.9	9.8	10.5	11.0	22.2	(1)	(1)
85 - 89	66.0	1.2	0.6	3.6	2.5	12.9	24.2	3.9	4.2	4.1	8.8	(1)	(1)
90 +	23.7	0.4	0.3	1.6	1.0	4.4	9.0	1.5	1.4	1.4	2.7	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics.

APPENDIX 2 - ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1963.

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
MALES													
Under 1	9,534.4	246.6	54.7	303.6	310.4	2,734.5	3,236.4	481.5	481.4	724.0	859.6	8.4	13.3
1 - 4	236.4	7.6	1.5	9.5	8.2	67.9	79.2	11.3	11.6	19.5	19.3	.3	.5
5 - 9	934.3	28.9	5.4	37.4	32.1	272.9	309.5	45.0	46.4	76.5	77.4	1.0	1.8
10 - 14	1,097.5	32.7	6.3	44.6	39.0	329.9	356.7	52.7	55.3	86.2	91.5	1.0	1.6
15 - 19	1,004.6	31.7	6.3	42.2	38.0	303.7	324.8	49.0	50.2	73.6	83.1	0.7	1.3
20 - 24	816.6	25.4	5.2	36.3	31.3	259.5	254.1	40.2	40.4	56.8	66.1	0.4	0.9
	625.3	17.3	3.6	27.7	21.0	198.9	196.9	31.4	29.6	46.0	51.3	0.5	1.1
25 - 29	592.4	14.1	3.0	22.7	16.6	177.9	201.5	29.1	26.3	48.0	51.2	0.7	1.3
30 - 34	633.2	13.5	2.7	21.2	16.2	184.3	226.7	29.8	28.3	51.5	57.1	0.8	1.1
35 - 39	640.6	12.9	2.7	21.5	17.1	182.0	236.0	30.5	29.1	48.7	58.3	0.8	1.0
40 - 44	583.4	12.8	2.8	22.0	17.2	161.0	211.1	29.4	28.3	43.4	54.1	0.6	0.7
45 - 49	526.9	12.0	2.9	21.3	16.0	141.7	187.4	27.8	27.0	38.2	51.6	0.4	0.6
50 - 54	465.8	10.2	2.7	19.3	14.2	124.8	165.7	24.9	24.3	32.7	46.2	0.4	0.4
55 - 59	382.8	7.7	2.2	15.2	11.4	100.9	137.2	20.7	20.7	28.0	38.1	0.3	0.4
60 - 64	304.6	5.9	2.0	11.9	9.0	77.6	111.3	16.8	16.8	22.7	30.2	0.2	0.2
65 - 69	242.8	4.9	1.8	10.4	7.9	59.0	88.1	14.0	14.5	17.4	24.5	0.1	0.2
70 - 74	194.0	3.8	1.5	8.6	6.5	42.9	67.0	12.2	13.4	14.8	23.1	0.1	0.1
75 - 79	138.7	2.8	1.1	6.1	4.6	27.7	45.7	9.2	10.5	11.2	19.6	0.1	0.1
80 - 84	75.1	1.6	0.6	3.5	2.6	14.4	24.4	4.9	5.8	5.9	11.4	(1)	(1)
85 - 89	29.6	0.6	0.3	1.6	1.1	5.7	9.7	1.9	2.2	2.2	4.3	(1)	(1)
90 +	9.8	0.2	0.1	0.6	0.4	1.8	3.4	0.7	0.7	0.7	1.2	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics.

APPENDIX 2 - ESTIMATED POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1963.

Sex and Age	Canada	Nfld	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
FEMALES													
Under 1	9,361.6	234.4	52.3	372.4	303.6	2,733.5	3,211.6	468.5	451.6	681.0	835.4	6.6	10.7
1 - 4	225.7	7.2	1.3	9.0	7.6	64.8	75.4	10.9	11.3	18.8	18.7	.2	.5
5 - 9	892.5	27.6	5.2	36.0	30.7	260.8	294.8	42.9	44.6	73.1	74.1	1.0	1.7
10 - 14	1,048.1	32.1	6.1	42.1	37.2	316.1	340.3	50.3	52.5	81.5	87.5	0.9	1.5
15 - 19	960.4	30.7	6.1	40.3	36.8	291.0	308.8	47.1	48.3	70.1	79.3	0.6	1.3
20 - 24	783.6	25.0	5.0	34.3	29.9	252.2	241.6	38.4	38.7	54.4	62.8	0.4	0.9
	630.0	17.2	3.3	25.7	20.3	204.9	200.6	30.7	28.5	46.5	51.1	0.4	0.8
25 - 29	585.8	13.0	2.7	21.3	16.4	181.5	202.0	27.6	24.8	46.3	48.9	0.5	0.8
30 - 34	611.6	12.3	2.5	20.9	16.3	186.0	218.2	28.3	26.2	46.9	52.6	0.6	0.8
35 - 39	642.3	12.0	2.7	22.1	17.6	186.0	236.4	31.4	27.8	46.6	58.5	0.6	0.6
40 - 44	591.0	11.4	2.8	22.4	17.2	165.5	212.7	30.2	27.9	42.4	57.6	0.4	0.5
45 - 49	519.0	10.7	2.7	20.9	15.5	143.3	182.3	27.6	26.0	36.4	52.9	0.3	0.4
50 - 54	449.0	8.9	2.4	17.5	13.2	124.9	160.8	24.2	22.3	30.0	44.3	0.2	0.3
55 - 59	367.0	6.8	2.0	14.0	10.7	102.8	134.7	19.6	18.0	23.9	34.1	0.2	0.2
60 - 64	303.4	5.7	1.8	11.9	9.2	81.6	114.5	16.2	14.8	19.1	28.3	0.1	0.2
65 - 69	254.5	4.9	1.8	10.8	8.2	63.6	97.0	14.1	13.0	15.3	25.6	0.1	0.1
70 - 74	211.4	3.9	1.5	9.2	6.9	48.8	81.0	12.3	11.3	12.7	23.6	0.1	0.1
75 - 79	151.3	2.7	1.2	6.8	5.0	32.5	57.9	9.0	8.2	9.3	18.7	(1)	(1)
80 - 84	84.7	1.5	0.7	4.2	2.9	17.4	32.5	4.9	4.7	5.1	10.8	(1)	(1)
85 - 89	36.4	0.6	0.3	2.0	1.4	7.2	14.5	2.0	2.0	1.9	4.5	(1)	(1)
90 +	13.9	0.2	0.2	1.0	0.6	2.6	5.6	0.8	0.7	0.7	1.5	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics.

HB-8-9-66

99

3

Canada. Dept. of National
Health and Welfare
Hospital morbidity stati

TY OI

